



VALUE DRIVEN SECURITY SOLUTIONS



www.reditron.co.za | Tel: 087 802 2288

RETAIL PRICELISTS

October 2020
Version 1



AVIGILON



UTEPO





CONTENTS

RETAIL PRICELIST

PRODUCT	PAGE NUMBER
Dahua	3-17
Arteco	18-19
Avigilon	20-42
Networks	43-50
Paxton	51-54
Idemia	55-57
Virdi	58-60
CCTV Accessories	61-64
Access Control Accessories	65-67
Cables, PSU's & Batteries	68-72
UPS	73
Seagate	74-75
Server Cabinets	76

DAHUA SPECIALS

While Stocks Last

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
ICDA229	IPC-HFW2120RP-VF	Dahua IP Bullet Camera 1.3MP Lite HD VF 2.7-12mm DWDR 30m IR IP67 PoE	R 895.00
ICDA326-1	IPC-HDBW2120RP-V	Dahua IP Dome Camera 1.3MP Lite IR30m VF2.7-12mm VP DWDR IP67 IK10 PoE	R 895.00
ICDA308-1	IPC-HDBW4120EP-0360B	Dahua IP Dome Camera 1.3MP Eco-Savvy IR30m 3.6mm DWDR IP67 IK10 PoE	R 895.00
HCDA206-2	HAC-HFW1100RP-VF-S3	Dahua HDCVI Bullet Camera 1MP 720p VF2.7-13.5mm IR30m IP67 S3	R 350.00
HCDA310-1	HAC-HDW1400RP-VF	Dahua HDCVI Eyeball Dome Camera 4MP Smart IR30m VF 2.7-13.5mm IP67	R 500.00
HCDA311	HAC-HDBW2802R-Z	Dahua HDCVI 4K Dome IR VF	R 995.00
HCDA402	DH-SD42212I-HC	Dahua HDCVI Mini PTZ Camera 2MP 12 x OZ 1080P DWDR 3D DNR IP66 IK10	R 1,750.00
HCDA701	HAC-HUM3201BP	Dahua Pinhole Camera 1/2.7" 2MP HD 1080p 3.6mm Lens	R 436.00
RCDA428	DHI-XVR5204A-S2	Dahua XVR 4 Channel Penta-brid 1080P Lite 1U Smart H.264+ 2 SATA	R 650.00
ICDA408-1	SD6AE230F-HNI	Dahua IP PTZ Camera 2MP Ultra-Smart Starlight IR200m 30xOZ IP67 IK10	R 12,995.00
ICDA507	EVS5024S-R	Dahua Enterprise Video Storage 24HDD 512 IP Cam 1024Mbps iSCSI	R 29,995.00

DAHUA COOPER KITS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
DH-HD-KIT04-1		4 Channel Dahua Cooper KIT • Dahua XVR Cooper 4 Channel 1080N 1 SATA Max 6TB (RCDA440) • 4 x Dahua Cooper HDCVI Bullet (HCDA220)	R 1,400.00
DH-HD-KIT04-2		4 Channel Dahua Cooper KIT • Dahua XVR Cooper 4 Channel 1080N 1 SATA Max 6TB (RCDA440) • 4 x Dahua Cooper HDCVI Eyeball Cameras (HCDA320)	R 1,400.00
DH-HD-KIT04-3		4 Channel Dahua Cooper KIT • Dahua XVR Cooper 4 Channel 1080N 1 SATA Max 6TB (RCDA440) • 2 x Dahua Cooper HDCVI Bullet & Eyeball Cameras (HCDA220 or HCDA320)	R 1,400.00
DH-HD-KIT08-1		8 Channel Dahua Cooper KIT • Dahua XVR Cooper 8 Channel 1080N 1 SATA Max 6TB (RCDA441) • 8 x Dahua Cooper HDCVI Bullet(HCDA220)	R 2,300.00
DH-HD-KIT08-2		8 Channel Dahua Cooper KIT • Dahua XVR Cooper 8 Channel 1080N 1 SATA Max 6TB (RCDA441) • 8 x Dahua Cooper HDCVI Eyeball Cameras (HCDA320)	R 2,300.00
DH-HD-KIT08-3		8 Channel Dahua Cooper KIT • Dahua XVR Cooper 8 Channel 1080N 1 SATA Max 6TB (RCDA441) • 4 x Dahua Cooper HDCVI Bullet & Eyeball Cameras (HCDA220 or HCDA320)	R 2,300.00
DH-HD-KIT16		16 Channel Dahua Cooper KIT • Dahua XVR Cooper 4 Channel 1080N 1 SATA Max 6TB (RCDA442) • 16 x Dahua Cooper HDCVI Bullet(HCDA220)	R 4,400.00
DH-HD-KIT16-1		16 Channel Dahua Cooper KIT • Dahua XVR Cooper 4 Channel 1080N 1 SATA Max 6TB (RCDA442) • 16 x Dahua Cooper HDCVI Eyeball Cameras (HCDA320)	R 4,400.00
DH-HD-KIT16-2		16 Channel Dahua Cooper KIT • Dahua XVR Cooper 16 Channel 1080N 1 SATA Max 6TB (RCDA442) • 8 x Dahua Cooper HDCVI Bullet & Eyeball Cameras (HCDA220 or HCDA320)	R 4,400.00

HDCVI CAMERAS

BULLET & DOME CAMERAS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
HCDA220	HAC-B1A21P-0360B	Dahua Cooper 2MP 1080p Bullet IR 3.6mm Plastic <ul style="list-style-type: none"> • Max 30fps@1080p • HD and SD output switchable • 3.6mm fixed lens • Max. IR length 20m, Smart IR • IP67, DC12V 	R 322.00
HCDA205-3	HAC-HFW1200SP-0360B-S4	Dahua HDCVI 2MP 1080p Bullet IR 3.6mm <ul style="list-style-type: none"> • Max 30fps@1080p • HD and SD output switchable • 3.6mm fixed lens • Max. IR length 30m, Smart IR • IP67, DC12V 	R 597.00
HCDA205-4	HAC-HFW1239TLM(-A)-LED Coming Soon	Dahua 2MP Full-colour Starlight HDCVI Bullet Camera <ul style="list-style-type: none"> • Full-colour starlight • 40m LED distance • Max. 30fps@1080P • CVI/CVBS/AHD/TVI Switchable • Built-in mic • 3.6mm fixed lens • IP67, 12V±30% DC 	SQ
HCDA206-4	HAC-HFW1200R-Z-IRE6-S4	Dahua HDCVI 2MP 1080p Bullet IR VF <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.7-13.5mm motorized lens • Max. IR length 60m, Smart IR • IP67, DC12V 	R 1,110.00
HCDA211-2	HAC-HFW1400RP-0208	Dahua HDCVI 4MP Bullet IR 2.8mm <ul style="list-style-type: none"> • Max 30fps@4MP • HD and SD output switchable • 2.8mm fixed lens • Max. IR length 20m, Smart IR • IP67, DC12V 	R 682.00
HCDA212-1	HAC-HFW1400RP-Z-IRE6	Dahua HDCVI 4MP Bullet IR VF <ul style="list-style-type: none"> • Max 30fps@4MP • HD and SD output switchable • 2.7-13.5mm motorized lens • Max. IR length 60m, Smart IR • IP67, DC12V 	R 1,535.00
HCDA320	HAC-T1A21	Dahua Cooper 2MP 1080p Dome IR 2.8mm <ul style="list-style-type: none"> • Max 30fps@1080p • HD and SD output switchable • 2.8 mm fixed lens • Max. IR length 20m, Smart IR 	R 324.00
HCDA303-4	HAC-HDW1200MP-0360B-S4	Dahua HDCVI Dome Camera 1080P Smart IR30m <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens • Max. IR length 30m, Smart IR • IP67, DC12V 	R 491.00
HCDA303-5	HAC-HDW1200EM-A-S4	Dahua HDCVI Eyeball Dome Camera 2MP 2.8mm <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • Built-in mic • 2.8mm lens • IP67, DC12V 	R 659.00
HCDA303-6	HAC-HDW1239T(-A)-LED Coming Soon	Dahua 2MP Full-colour Starlight HDCVI Eyeball Camera <ul style="list-style-type: none"> • Full-colour starlight • 40m LED distance • Max. 30fps@1080P • CVI/CVBS/AHD/TVI switchable • Built-in mic • 3.6mm fixed lens • IP67, 12V±30% DC 	SQ

HCDA304-6	HAC-HDW1200R-Z-S4	Dahua HDCVI 2MP Dome IR VF <ul style="list-style-type: none"> • Max 30fps@4MP • HD and SD output switchable • 2.7-13.5mm motorized lens • Max. IR length 30m, Smart IR • IP67, IK10,DC12V 	R	1,152.00
HCDA309-2	HAC-HDW1400R-0208	Dahua HDCVI Eyeball Camera 4MP <ul style="list-style-type: none"> • Max 30fps@4MP • HD and SD output switchable • 2.8mm fixed lens • Max. IR length 20m, Smart IR • IP67, DC12V 	R	641.00
HCDA310-2	HAC-HDBW1400RP-Z-S2	Dahua HDCVI 4MP Dome IR VF <ul style="list-style-type: none"> • Max 30fps@4MP • HD and SD output switchable • 2.7-13.5mm motorized lens • Max. IR length 30m, Smart IR • IP67, IK10,DC12V 	R	1,407.00

HDCVI CAMERAS

PTZ CAMERAS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
HCDA404	SD49225I-HC	Dahua HDCVI 2MP 25X Starlight IR PTZ <ul style="list-style-type: none"> • Max. 25/30fps@1080P, • Powerful 25x optical zoom • 120dB true WDR, 3D DNR • IP66 • IR distance up to 100m • 12VDC 3A (PSU not included) 	R	5,970.00
HCDA403-2	DH-SD6C225I-HC-S3	Dahua HDCVI 2MP 25X Starlight IR 1080p PTZ <ul style="list-style-type: none"> • Max. 25/30fps@1080p, • Powerful 25x optical zoom • 120dB true WDR, 3D DNR • IP66 • IR distance up to 120m • 12VDC 	R	11,013.00

HDCVI CAMERAS

PINHOLE & IOT

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
HCDA700-1	HAC-ME1200AP-0280B-S4	Dahua Passive Camera 1/2.7" 2MP HD 1080p CMOS 2.8mm Lens <ul style="list-style-type: none"> • Max 30fp@1080P • HD and SD output switchable • 2.8mm fixed lens • DC12V 	R	810.00
HCDA702	HAC-ME1400B	Dahua Motion Eye 4MP IOT Camera 2.8 mm 20ml <ul style="list-style-type: none"> • Max 30fps@4MP • HD and SD output switchable • 2.8mm fixed lens • 10m/110° detecting range/angle • Quaternionic digital sensor 	R	810.00
HCDA703	HAC-LC1220T-TH	Dahua HDCVI Bullet 2MP Temp and Humidity IOT <ul style="list-style-type: none"> • Max 30fps@1080P • 2.8mm fixed lens • Max. IR length 20m, Smart IR\ • Built-in temperature & humidity sensor • Detection range: -40°C-60°C, 10-95% RH 	R	861.00
HCDA704	HAC-ME1200B-LED Coming Soon	Dahua 2MP HDCVI Bullet Active Deterrence Camera <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm/3.6mm fixed lens • 10m/110° detecting range/angle • Max. IR length 20m, Smart IR • IP67, DC12V 		SQ

HCD4705	HAC-ME1200E-LED Coming Soon	Dahua 2MP HDCVI Eyeball Active Deterrence Camera <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm/3.6mm fixed lens • 10m/110° detecting range/angle • Max. IR length 20m, Smart IR • IP67, DC12V 	SQ
---------	---------------------------------------	---	----

HDCVI XVR

4, 8, 16 & 32 CHANNEL

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
RCDA440	XVR1B04	Dahua 4 Channel Penta-brid1080N Cooper XVR <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 6 channels IP camera inputs, each channel up to 6MP; • Max 24 Mbps incoming bandwidth • Supports 1 SATA HDD, up to 6TB • Smart Search and Intelligent Video System 	R 1,056.00
RCDA441	XVR1B08	Dahua 8 Channel Penta-brid1080N Cooper XVR <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 12 channels IP camera inputs, each channel up to 6MP; • Max 48 Mbps incoming bandwidth • Supports 1 SATA HDD, up to 6TB • Smart Search and Intelligent Video System 	R 1,334.00
RCDA430-1	XVR5108HS-4KL-X	Dahua XVR 8CH Penta-brid 1080 4K/4M <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 12 channels IP camera inputs, each channel up to 8MP; Max 48Mbps incoming bandwidth 	R 3,688.00
RCDA430-4	XVR5108H-4KL-I2 Coming Soon	Dahua XVR Wiz Sense 8 Channel Penta-brid 4K-N/5MP <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 16 channels IP camera inputs, each channel up to 8MP; Max • Perimeter Protection and SMD Plus • Up to 2 channels video stream (analogue channel) human face detection • IoT & POS functionalities 	SQ
RCDA430-3	XVR7108HE-4KL-X	Dahua Pro XVR 8Ch Penta-brid IOT & POS 2.0 4 <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 16 channels IP camera inputs, each channel up to 8MP; Max 64Mbps incoming bandwidth • Smart Search and Intelligent Video System • IoT & POS functionalities 	R 4,610.00
RCDA442	XVR1B16	Dahua 16 Channel Penta-brid 720/1080N Cooper XVR <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 16 channels IP camera inputs, each channel up to 6MP; • Max 72Mbps Incoming Bandwidth • Supports 1 SATA HDD, up to 6TB 	R 2,104.00
RCDA423-1	XVR4116HS-X	Dahua XVR 16Ch Penta-brid 1080N Lite <ul style="list-style-type: none"> • H.265 video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 18 channels IP camera inputs, each channel up to 6MP; Max 72Mbps incoming bandwidth • Supports 1 SATA HDD, up to 10TB 	R 2,673.00
RCDA429-1	XVR5116H-4KL-X	Dahua XVR 16Ch Penta-brid 1080P Lite <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 12/24 channels IP camera inputs, each channel up to 8MP; Max 96Mbps incoming bandwidth • Smart Search and Intelligent Video System 	R 6,406.00
RCDA429-3	XVR5116H-4KL-I2 Coming Soon	Dahua XVR Wiz Sense 16 Channel Penta-brid 4K-N/5MP <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 32 channels IP camera inputs, each channel up to 8MP; Max • Perimeter Protection and SMD Plus • Up to 2 channels video stream (analogue channel) human face detection • IoT & POS functionalities 	SQ

RCDA429-2	XVR7116HE-4KL-X	Dahua Pro XVR 16Ch Penta-brid IOT & POS 2.0 <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Supports 32 channels of IPC access, each channel up to 8MP input; Max 128Mbps incoming bandwidth • IoT & POS functionalities • Smart Search and Intelligent Video System 	R	7,698.00
RCDA431	XVR8216A-4KL-I	Dahua AI XVR 16Ch Penta-brid <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Supports 64 channels of IPC access, each channel up to 12MP input; Max 256Mbps incoming bandwidth • Up to 16 channel perimeter protection • Up to 4 channel video stream face recognition • Up to 24 face pictures /sec processing • Up to 20 face databases with 100,000 face images in total 	R	22,978.00
RCDA414-2	DHI-XVR4232AN-X	Dahua XVR 32Ch Penta-brid 1080N-Lite <ul style="list-style-type: none"> • H.265 video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 18/16 channels IP camera inputs, each channel up to 6MP; Max 72/64Mbps incoming bandwidth • Supports 2 SATA HDD, up to 10TB 	R	5,392.00
RCDA414-3	XVR5232AN-I2 Coming Soon	Dahua XVR Wiz Sense 32 Channel Penta-brid 1080P <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 32 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth • Perimeter Protection and SMD Plus • Up to 2 channels video stream (analogue channel) human face recognition • IoT & POS functionalities 		SQ
RCDA414-1	DHI-XVR5232AN-X	Dahua XVR 32Ch Penta-brid 1080P-Lite 4M-N <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 32 channels IP camera inputs, each channel up to 6MP; Max 128Mbps Incoming Bandwidth • Smart Search and Intelligent Video System 	R	7,836.00

IP CAMERAS

BULLET CAMERAS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
ICDA206-5	DH-IPC-HFW2230SP-S-0280B-S2	Dahua IP 2MP 1080P IR30m IP67 PoE 2.8mm FF DWDR H.265 Mini Bullet Cam <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 25/30fps@1080P (1980X1080) • DWDR, Day/Night (ICR), 3DNR, AWB, AGC, BLC • 2.8mm fixed lens • Max. IR LEDs length 30m • IP67, PoE 	R	1,656.00
ICDA229-4	IPC-HFW2231T-ZS-IRE6	Dahua IP 2MP Bullet IR VF Lite <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 25/30fps@2M (1920x1080) • WDR (120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC • Micro SD card slot, up to 128GB • 2.7-13.5mm motorized lens • Max. IR LEDs length 60m • IP67, PoE 	R	3,218.00
ICDA229-5	IPC-HFW3241E-Z	Dahua AI 2MP Bullet Perimeter Protection <ul style="list-style-type: none"> • 1/2.8" 2Megapixel progressive scan CMOS • H.265&H.264 triple-stream encoding • WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC • 2.7mm -13.5mm motorized lens • Max. IR LEDs Length 50m • Micro SD memory, PoE+ 	R	4,349.00
ICDA229-7	IPC-HFW3241T-ZAS Coming Soon	Dahua 2MP Lite AI IR Varifocal Bullet Network Camera 60m IR <ul style="list-style-type: none"> • 2MP, 1/2.8" CMOS image sensor, low luminance, high image definition • H.265 codec, high compression rate, low bit rate • Built-in IR LED, max. IR distance: 60 m • Rotation mode, WDR, 3D DNR, HLC, BLC, • Intelligent detection: Intrusion, tripwire • Alarm: In, out; Audio: In, out; Supports max. 256 G Micro SD card • 12V DC/POE power supply • IP67, IK10(optional) protection • SMD Plus 		SQ

ICDA229-8	PC-HFW5241E-Z5E Coming Soon	Dahua 2MP Pro AI IR Vari-focal Bullet Network Camera 130m IR <ul style="list-style-type: none"> • 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS • ROI, SMART H.264+/H.265+ > 25/30 fps@1080P (1920 × 1080) • WDR (120 dB), Day/Night (ICR), 3D DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS (DSS/PSS) & DMSS • 7 mm –35 mm motorized lens • 2/1 Alarm in/out, 1/1 audio in/out • Max. IR LEDs Length 130 m • Micro SD memory, IP67, IK10 	SQ
ICDA228-3	ITC215-PW4I-IRLZF27135	Dahua ITC215 ANPR Cam Up to 40KM/H 2.7 13.5mm MVF <ul style="list-style-type: none"> • 1/2.8 inch 2Megapixel Progressive scan CMOS • WDR, Day/Night(ICR), 3DNR,BLC, HLC • H.265& H.264 dual-stream encoding • Micro SD memory • Powerful 2.7-13.5mm motorized lens for ANPR distance 3-8m • IP67, and superior performance for outdoor applications • Embedded with LPR algorithm inside the camera • License plate recognition, vehicle make and vehicle colour 	R 12,256.00
ICDA228-4	ITC237-PW6M-IRLZF1050-B	Dahua ITC237 ANPR Cam Up to 80KM/H 10-50 mm MVF <ul style="list-style-type: none"> • 1/1.8 inch 2Megapixel Progressive scan CMOS • WDR, Day/Night(ICR), 3DNR,BLC, HLC • H.265& H.264 dual-stream encoding • Motorized lens , 10 50mm, cover 8 30 meters for LPR. • Deep Learning: Support vehicle detection and vehicle data structuring (11sizes and 11 colour in daytime). • Working temperature: 30 – 65 ; IP67 • 2V DC, 24V AC, POE+(802.3at) Power 	R 14,150.00
ICDA228-5	ITC231-RU1A-IRL-VF1042 Bracket "BRDA111" not included	Dahua ITC231 ANPR Cam Up to 120KM/H 10.5-42 mm VF <ul style="list-style-type: none"> • Adopt 1/1.9inch Starlight CMOS image sensor. • Adopt H.265 standard HD video format and 50/60 fps HD video frame rate • Built-in a variety of algorithms, such as ANPR ,traffic data collection and analysis, vehicle type classification , traffic incidents detection, vehicle brand detection and so on • The accuracy of vehicle capture over 95%, the license plate recognition rate is over 90%. • Support regional cropping, details can be seen with low bandwidth. • Support 250 vehicle brand and 8 vehicle type recognition • Support traffic flow, occupancy, headway, average speed, queue length statistics • Support motor, tricycle detection 	R 23,615.00
ICDA221-5	DH-IPC-HFW3441EP-AS-0360B	Dahua IP Bullet Starlight 4MP IR 50m 3.6mm WDR AI SMD <ul style="list-style-type: none"> • 4MP, 1/3" CMOS image sensor, • H.265 codec, high compression rate, low bit rate • Built-in IR LED, max. IR distance: 50 m • Rotation mode, WDR, 3D DNR, HLC, BLC, • Intelligent detection: Intrusion, tripwire • Supports max. 256 G Micro SD card, built-in Mic • 12V DC/PoE power support • IP67 protection • SMD 	R 2,556.00
ICDA220-8	DH-IPC-HFW2431SP-S-0280B-S2	Dahua IP Bullet Camera 4MP IR 30m 2.8mm WDR IP67 PoE <ul style="list-style-type: none"> • H.265 Dual-stream encoding • Max 20fps@4M (2688x1520) & 25/30fps@3M (2304 × 1296) • WDR (120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC • 2.8mm fixed lens • Max. IR LEDs length 30m • IP67, PoE 	R 1,656.00
ICDA220-9	IPC-HFW2439S-SA-LED-S2 Coming Soon	Dahua 4MP Lite Full-color Fixed-focal Bullet Network Camera <ul style="list-style-type: none"> • 4MP, 1/3" CMOS image sensor, low illuminance, high image definition • Outputs 4MP (2560 × 1440) @ 25/30 fps, Max. supports 4MP (2688 × 1520) @ 20 fps • H.265 codec, high compression rate, ultra-low bit rate • Built-in warm lights, max. illumination distance: 30 m • Intelligent detection: Intrusion, tripwire • Built-in Mic • Supports max. 256 GB Micro SD card • 12V DC/PoE power supply • IP67 protection 	SQ
ICDA227-2	IPC-HFW2431TP-ZS-IRE6	Dahua IP Bullet Camera 4MP IR WDR IP67 PoE <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 20fps@4M (2688×1520) & • WDR (120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC • Micro SD card slot, up to 128GB • 2.7-13.5mm motorized lens • Max IR LEDs Length 60m • IP67, IK10 (optional), PoE 	R 3,550.00

ICDA220-7	IPC-HFW2531SP-S-0280B-S2	Dahua 1/2.7" 5MP IR 30m 2.8mm Mini Bullet WDR H.265+ & H.264 IP67 PoE <ul style="list-style-type: none"> • H.265 Dual-stream encoding • Max 20fps@4M (2688x1520) & 25/30fps@3M (2304x 1296) • WDR (120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC • 2.8mm fixed lens • Max. IR LEDs length 30m • IP67, PoE 	R	1,989.00
ICDA220-5	IPC-HFW5541T-AS-PV	Dahua IP 5MP WDR IR Bullet AI Network Camera Active Deterrence <ul style="list-style-type: none"> • H.265&H.264 triple-stream encoding • 20fps@2592x1944 • WDR(120dB), Day/Night(ICR), 3D DNR, AWB, AGC, BLC • 3.6mm fixed lens • 1/1 Alarm in/out, 1/1 audio in/out • Max. IR LEDs Length 50m • Micro SD memory, IP67 	R	4,344.00
ICDA220-6	IPC-HFW5541T-AS-PV	Dahua IP 5MP WDR IR Bullet AI Network Camera Active Deterrence <ul style="list-style-type: none"> • H.265&H.264 triple-stream encoding • 20fps@2592x1944 • WDR(120dB), Day/Night(ICR), 3D DNR, AWB, AGC, BLC • 8mm fixed lens • 1/1 Alarm in/out, 1/1 audio in/out • Max. IR LEDs Length 50m • Micro SD memory, IP67 	R	4,344.00
ICDA222-2	IPC-HFW5631EP-ZE While Stocks Last	Dahua IP 6MP Bullet IR MZ ES3 <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 20fps@6M (3072x2048), 25/30fps@4M (2688x1520) • Supports IVS • 2.7mm-13.5mm motorized lens • Max. IR LEDs length 50m • IP67, IK10, PoE 	R	2,552.00
ICDA602-1	TPC-BF2221 P-O-R Thermal T&C Apply	Thermal Network Value Hybrid Bullet 7mm/8mm Optical AD Camera <ul style="list-style-type: none"> • 256x192 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Support ROI, motion detection, color palettes • Smart alarm linkage with white light & loudspeaker • Support Fire detection & alarm • Built-in 2/2 alarm in/out • Micro SD memory, IP67, PoE/ePoE 		SQ
ICDA603-1	DH-TPC-BF5401-B7 P-O-R Thermal T&C Apply	Dahua Thermal 400*300 IVS & Fire Detection 7mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2/1 alarm in/out • Micro SD memory, IP67, PoE 		SQ
ICDA603-2	DH-TPC-BF5401-B13 P-O-R Thermal T&C Apply	Dahua Thermal 400*300 IVS & Fire Detection 13mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2/1 alarm in/out • Micro SD memory, IP67, PoE 		SQ
ICDA603-4	DH-TPC-BF5401-B25 P-O-R Thermal T&C Apply	Dahua Thermal 400*300 IVS & Fire Detection 25mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2/1 alarm in/out • Micro SD memory, IP67, PoE 		SQ
ICDA603-5	DH-TPC-BF5401-B35 P-O-R Thermal T&C Apply	Dahua Thermal 400*300 IVS & Fire Detection 35mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2/1 alarm in/out • Micro SD memory, IP67, PoE 		SQ
ICDA605-1	DH-TPC-BF8421-B25Z45 B112 P-O-R Thermal T&C Apply	Dahua Hybrid Thermal 400*300 IVS & Fire Detection 25mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2 MP 45X Zoom Optical Camera • 2/1 alarm in/out • Micro SD memory, IP67, PoE 		SQ

ICDA605-2	DH-TPC-BF8421-B35Z45 P-O-R Thermal T&C Apply	Dahua Hybrid Thermal 400*300 IVS & Fire Detection 35mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2 MP 45X Zoom Optical Camera • 2/1 alarm in/out • Micro SD memory, IP67, PoE 	SQ
ICDA605-3	DH-TPC-BF8421-B50Z45 P-O-R Thermal T&C Apply	Dahua Hybrid Thermal 400*300 IVS & Fire Detection 50mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2 MP 45X Zoom Optical Camera • 2/1 alarm in/out • Micro SD memory, IP67, PoE 	SQ
ICDA605-4	DH-TPC-BF8421-B75Z45 P-O-R Thermal T&C Apply	Dahua Hybrid Thermal 400*300 IVS & Fire Detection 75mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2 MP 45X Zoom Optical Camera • 2/1 alarm in/out • Micro SD memory, IP67, PoE 	SQ
ICDA605-5	DH-TPC-BF8421-B100Z45 P-O-R Thermal T&C Apply	Dahua Hybrid Thermal 400*300 IVS & Fire Detection 100mm <ul style="list-style-type: none"> • 400*300 VOx uncooled thermal sensor technology • Athermalized Lens (thermal), Focus-free • Supports Fire detection & alarm • 2 MP 45X Zoom Optical Camera • 2/1 alarm in/out • Micro SD memory, IP67, PoE 	SQ

IP CAMERAS

Dome CAMERAS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
ICDA321-10	IPC-HDW2230TP-AS-0280B-S2	Dahua IP 2MP IR 30m 2.8mm IP67 Built in Mic Mini Dome DWDR S2 <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 25/30fps@1080P (1920x1080) • DWDR, Day/Night (ICR), 3DNR, HLC, AGC, BLC • 2.8 mm fixed lens • Max IR LEDs length 30m • IP67, PoE • Built in Mic 	R 1,421.00
ICDA326-6	IPC-HDBW2231RP-ZS	Dahua 2MP WDR IR Dome Network Camera <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 25/30fps@1080P (1920x1080) • WDR (120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC • 2.7-13.5mm motorized lens • Max. IR LEDs length 30m • IP67, IK10, PoE 	R 3,077.00
ICDA326-7	IPC-HDBW3241R-ZAS Coming Soon	Dahua 2MP IR Vari-focal Dome WizSense Network Camera <ul style="list-style-type: none"> • 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition • Outputs max. 2MP (1920 x 1080)@30 fps • H.265 codec, high compression rate, low bit rate • Built-in IR LED, max. IR distance: 40 m • Intelligent detection: Intrusion, tripwire • Alarm: In, out; Audio: In, out; Supports max. 256 G Micro SD card • 12V DC/POE power supply • IP67, IK10 protection • SMD Plus 	SQ
ICDA321-12	IPC-HDW2439T-AS-LED-S2	Dahua IP Mini Dome Camera 4MP IR30m WDR 2.8mm IP67 PoE <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 20fps@4M(2688x1520) • WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC • 2.8 mm fixed lens • Max IR LEDs length 30m • IP67, IK10, PoE 	R 1,656.00
ICDA321-13	DH-IPC-HDBW2431EP-S-0280B-S2 Coming Soon	Dahua 4MP Lite Full-colour Fixed-focal Eyeball Network Camera <ul style="list-style-type: none"> • 4MP, 1/3" CMOS image sensor, low illuminance, high image definition • Built-in warm lights, max. illumination distance: 30 m • Intelligent detection: Intrusion, tripwire • Built-in Mic • Supports max. 256 GB Micro SD card • 12V DC/PoE power supply • IP67 protection 	SQ

ICDA319-3	DH-IPC-HDBW4431EP-AS	4MP Dome Progressive Scan CMOS <ul style="list-style-type: none"> • H.265&H.264 triple-stream encoding • 25/30fps@4M(2688x1520) • WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC • 2.8mm fixed lens • 1/1 alarm in/out, 1/1 audio in/out • Max. IR LEDs length 30m • Micro SD memory, IP67, IK10, PoE 	R	2,542.00
ICDA319-5	IPC-HDBW4431F-AS-S2	Dahua IP Wedge Dome 4MP IR20m WDR 2.8mm Built in Mic <ul style="list-style-type: none"> • H.265&H.264 dual-stream encoding • 25/30fps@4M (2688x1520) • Smart detection supported • WDR (120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC, • Built in Mic • 2.8mm fixed lens • Max. IR LEDs length 20m • Micro SD memory, IP67, IK10, PoE 	R	2,926.00
ICDA319-6	IPC-HDBW3441FP-AS-M-0280B Coming Soon	Dahua IP Wedge Dome 4MP IR20m WDR 2.8mm Built in Mic <ul style="list-style-type: none"> • H.265&H.264 dual-stream encoding • 25/30fps@4M (2688x1520) • Smart detection supported • WDR (120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC, • Built in Mic • 2.8mm fixed lens • Max. IR LEDs length 20m • Micro SD memory, IP67, IK10, PoE 	SQ	
ICDA326-5	IPC-HDBW2431RP-ZS	Dahua IP 4MP Dome IR VF Lite <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 20fps@4M(2688x1520) • WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC • Micro SD card slot, up to 128GB • 2.7-13.5mm motorized lens • Max IR LEDs length 30m • IP67, IK10, PoE 	R	3,312.00
ICDA321-6	IPC-HDBW1531EP-0280B	Dahua IP 5MP Mini-Dome IR 2.8mm <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 20fps@5M(2592x1944) • WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC • 2.8 mm fixed lens • Max IR LEDs length 30m • IP67, IK10, PoE 	R	2,733.00
ICDA321-11	IPC-HDBW2531EP-S-0280B-S2	Dahua IP 2MP IR 30m 2.8mm IP67 PoE FF Mini Dome WDR S2 <ul style="list-style-type: none"> • H.265 & H.264 dual-stream encoding • 20fps@5M(2592x1944) • WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC • Micro SD card slot, up to 128GB • 2.8 mm fixed lens • Max IR LEDs length 30m • IP67, IK10, PoE 	R	1,989.00
ICDA322	IPC-HDW5541H-AS-PV	Dahua IP 5MP WDR IR Eyeball AI Network Camera Active Deterrence <ul style="list-style-type: none"> • H.265 & H.264 triple-stream encoding • 20 fps@2592 x 1944, 50/60 fps@1080 (1920 x 1080) • WDR (120 dB), Day/Night (ICR), 3D DNR, AWB, AGC, BLC • 2.8 mm fixed lens • 1/1 Alarm in/out, 1/1 audio in/out (Built-in MIC, Built-in Speaker) • Max. IR LEDs Length 50 m • Micro SD memory, IP67 	R	4,024.00

IP CAMERAS

PTZ CAMERAS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
ICDA403-1	SD6CE230U-HNI	Dahua 2MP 30x Starlight PTZ Network Camera 200m IR) <ul style="list-style-type: none"> • Powerful 30x optical zoom • Starlight technology • Max. 50/60fps@1080P • IR distance up to 200m • Supports PoE+ • IP67, IK10 	R 17,509.00

ICDA408-2	SD6AL245U-HNI-IR	Dahua PTZ 2MP StarLight 45X Zoom 300M IR 1/2.8" 2Megapixel STARVIS™ CMOS • Powerful 45x optical zoom • Max. 50/60fps@1080P • Auto tracking and IVS • Supports Hi-PoE • IR distance up to 300m • IP67	R	23,662.00
ICDA408-3	SD6AL245U-HNI	Dahua PTZ 2MP StarLight 45X 550M Lazer 1/2.8" 2Megapixel STARLIGHT™ CMOS • Powerful 45x optical zoom • Max. 50/60fps@1080P • Auto tracking and IVS • Supports Hi-PoE • llazer distance up to 550m • IP67	R	33,127.00
ICDA410-1	DH-SD22204T-GN	Dahua IP 2MP PTZ 4X 1/2.7" 2Megapixel CMOS • Powerful 4x optical zoom • WDR, Day/Night(ICR), Ultra DNR • Max. 25/30fps@1080P • IVS • Support PoE, IP66, IK10	R	3,675.00
ICDA604-1	TPC-SD2221 P-O-R	Thermal Network Value Hybrid Speed Dome Camera Active Deterence • 256x192 VOx uncooled thermal sensor technology • Support ROI, motion detection, color palettes • Smart alarm linkage with white light & loudspeaker • Support Fire detection & alarm • Up to 300 presets, 5 auto scan, 8 tour, 5 patern • Built-in 2/1 alarm in/out • Micro SD memory, IP66, PoE		SQ

IP CAMERAS

PINHOLE & FISHEYE CAMERAS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
ICDA702	DH-IPC-HUM8231P-E1	Dahua 2MP Covert Pinhole Network Camera-Main Unit • H.265 & H.264 triple-stream encoding • 50/60fps@1080P (1920x1080) • Day/Night (electronic), WDR, 3DNR, AWB, AGC, BLC • Smart detection • Micro SD memory, PoE	R	1,609.00
ICDA702-2	DH-IPC-HUM8231-L4-028 B	2MP Covert Pinhole Network Camera-Lens Unit Square 2.8mm incl 8m Cable • Day/Night (electronic), WDR • 2.8mm Fixed Pinhole Lens • 8-meters cable • Requires ICDA702	R	1,609.00
ICDA902-1	IPC-EBW81242P	Dahua IP Fisheye Dome Camera 12MP IR10m 1.55mm IP67 IK10 Micro SD PoE • Max output 12MP (4000x3000)@30fps • 3D DNR,AWB,HLC, BLC,ROI, SVC, SMART H.264/H.265 • Supports People counting in multiple areas, • Supports queue management in multiple areas • Supports heat map in multiple areas • 2/2 Alarm in/out, 1/1 audio in/out	R	16,562.00
ICDA902-2	IPC-EW5541-AS Coming Soon	Dahua 5MP Wiz Mind IR Fisheye Network Camera • 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition • Built-in efficient IR illuminator, and the max. illumination distance: 10 m • 120dB WDR, 3D DNR, HLC, BLC, digital watermarking, applicable to various monitoring scenes • Intelligent detection: Intrusion, tripwire, people counting in area • Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max. 256 G Micro SD card, built-in Mic • 12V DC/PoE power supply, easy for installation • Heat map for people counting. You can adjust the number of people, time threshold to generate a heat map, which can be exported.		SQ

NVRS

8, 16, 32 & 64 CHANNEL

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
RCDA317-A	NVR4208-8P-4KS2	Dahua 8Ch 8PoE 4K & H.265 NVR <ul style="list-style-type: none"> • Smart H.265+/H.265/Smart H.264+/H.264 • Max 200Mbps incoming bandwidth • Up to 8MP resolution for preview and playback • Up to 2ch@4K/8ch@1080P decoding • HDMI/VGA simultaneous video output • Supports IPC UPnP, 8PoE ports • 2 SATA Up to 6TB Per HDD 	R 5,015.00
RCDA311-A	NVR2108-8P-S2	Dahua 8Ch Smart 8 PoE NVR <ul style="list-style-type: none"> • H.265/H.264 codec decoding • Max 80Mbps incoming bandwidth • Up to 8MP resolution preview & playback • Up to 1ch@8MP/4ch@1080P decoding • HDMI/VGA simultaneous video output • Supports IPC UPnP, 8PoE ports • 1 SATA Up to 6TB Per HDD 	R 3,265.00
RCDA318-A	NVR4216-16P-4K	Dahua IP 16Ch 16 PoE NVR 4K <ul style="list-style-type: none"> • Smart H.265+/H.265/Smart H.264+/H.264 • Max 200Mbps incoming bandwidth • Up to 8MP resolution for preview and playback • Up to 2ch@4K/8ch@1080P decoding • HDMI/VGA simultaneous video output • Supports IPC UPnP, 16PoE ports • 2 SATA Up to 6TB Per HDD 	R 6,389.00
RCDA318-3	NVR4216-I Coming Soon	Dahua 16 Channel 1U Wiz Sense Network Video Recorder <ul style="list-style-type: none"> • 16 Channel IP video access • Smart H.265+/H.265/Smart H.264+/H.264/MJPEG • Up to 4 Channel perimeter protection • Up to 2 Channel video stream face recognition/8 channel face recognition (with FD camera) • Up to 12 face pictures/sec processing • Up to 10 face databases with 20,000 face images in total 	SQ
RCDA327	NVR5216-8P-4KS2	Dahua 16Ch NVR 8P PoE 4KS2 <ul style="list-style-type: none"> • H.265/H.264/MJPEG/MPEG4 codec decoding • Max 320Mbps incoming bandwidth • Up to 12MP resolution preview & playback • HDMI/VGA simultaneous video output • Support IPC UPnP, 8PoE ports • 3D intelligent positioning with Dahua PTZ camera • 2 SATA Up to 8TB Per HDD 	R 8,440.00
RCDA327-1	NVR5216-8P-I	Dahua 16 Channel 1U 8PoE AI Network Video Recorder <ul style="list-style-type: none"> • 16 Channel IP video access • Smart H.265+/H.265/Smart H.264+/H.264/MJPEG • Up to 16 Channel perimeter protection • Up to 4 Channel video stream face recognition • Up to 24 face pictures /sec processing • Up to 20 face databases with 100,000 face images in total • 1-8 PoE Ports supports ePoE & EoC 	R 20,301.00
RCDA322	NVR5232-16P-4KS2	Dahua IP 32Ch 16 PoE NVR 4K <ul style="list-style-type: none"> • H.265/H.264/MJPEG/MPEG4 codec decoding • Max 320Mbps incoming bandwidth • Up to 12MP resolution preview & playback • HDMI/VGA simultaneous video output • Supports IPC UPnP, 16PoE ports • 3D intelligent positioning with Dahua PTZ camera • 2 SATA Up to 8TB Per HDD 	R 9,939.00
RCDA322-2	NVR5832-I Coming Soon	Dahua 32 Channel 2U Wiz Mind Network Video Recorder <ul style="list-style-type: none"> • 32 Channel IP video access • Smart H.265+/H.265/Smart H.264+/H.264/MJPEG • Up to 16 Channel perimeter protection • Up to 4 Channel video stream face recognition • Up to 24 face pictures/sec processing • Up to 20 face databases with 100,000 face images in total 	SQ
RCDA324	NVR608-32-4K	Dahua IP 32Ch NVR 4K <ul style="list-style-type: none"> • Intel Processor • Max 32 IP Camera Inputs • Max 384Mbps Incoming Bandwidth • Up to 12MP Resolution for Preview and Playback • Supports RAID 0/1/5/6/10 • Smart Tracking and Intelligent Video • 8 SATA Up to 8TB Per HDD 	R 14,197.00

RCDA326	NVR608-64-4KS2	Dahua NVR 64Ch 4K Ultra H.265 <ul style="list-style-type: none"> • Intel Processor • Max 64/128 IP camera inputs • Max 384Mbps incoming bandwidth • Up to 12MP resolution for preview and playback • Supports RAID 0/1/5/10 • Smart Tracking and Intelligent Video • 8 SATA Up to 8TB Per HDD 	R	25,554.00
RCDA323	NVR5464-16P-4KS2	Dahua IP 64Ch 16 PoE NVR 4KS2 <ul style="list-style-type: none"> • Smart H.265+/H.265/Smart H.264+/H.264/MJPEG • Max 320Mbps incoming bandwidth • Up to 12MP resolution for preview and playback • 2HDMI/2VGA simultaneous video output • Smart Tracking and Intelligent Video • Supports IPC UPnP, 16PoE ports • 4 SATA Up to 10TB Per HDD 	R	15,618.00

DSS & STORAGE

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
RCDA320-1	DSS4004-S2 S-O-I	Dahua DSS4004-S2 VMS up to 512Ch up to 128 Devices <ul style="list-style-type: none"> • Supports facial Recognition • Supports remote face library • Supports full ANPR Functions • Supports Average Speed VIA ANPR • Supports New Google maps • Supports People counting 	R	68,088.00
RCDA310-1	DH-DSS7016DR S-O-I	Dahua DSS7016-S2 VMS up to 2000Ch up to 500 Devices <ul style="list-style-type: none"> • Supports facial Recognition • Supports remote face library • Supports full ANPR Functions • Supports Average Speed VIA ANPR • Supports New Google maps • Supports People counting 	R	176,038.00

NETWORK

Switches

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
SWDA101	PFS3005-4ET-60	Dahua 4-port PoE switch 60W + 1 Port Uplink <ul style="list-style-type: none"> • Layer two commercial switch • Supports PoE power management • MAC auto learning and aging, MAC address capacity is 1K • Supports IEEE802.3, IEEE802.3u and IEEE802.3X standards • RJ45 port supports 10/100Mbps self-adaptation • Supports 250 meters long distance PoE transmission • Conforms to IEEE802.3af and IEEE802.3at power supply standard. Port 1 supports Hi-PoE 60W power supply 	R	844.00
SWDA102	PFS3009-8ET-96	Dahua 8-port PoE switch 96W + 1 Port UplinkSATA <ul style="list-style-type: none"> • Layer two commercial switch • Supports PoE power management • MAC auto learning and aging, MAC address capacity is 2K • Supports IEEE802.3, IEEE802.3u and IEEE802.3X standards • RJ45 port supports 10/100 Mbps self-adaptation • Supports 250 meters long distance PoE transmission • Conforms to IEEE802.3af and IEEE802.3at power supply standard. Port 1 supports Hi-PoE 60W power supply 	R	1,332.00
SWDA103	PFS4218-16ET-190	Dahua 16-port PoE switch 190W + 2 Ports Combo SFP <ul style="list-style-type: none"> • Layer 2 management PoE switch • PoE budget: 190W • Support PoE, PoE+, Hi-PoE • 'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300) • 250 meters long distance PoE transmission • PoE management, PoE Setting/Event Statistics/Green PoE • Search and upgrade via Config Tool • Support Web management • High lightning protection design • Non-blocking video transmission 	R	4,881.00

SWDA104	PFS4226-24ET-240	Dahua 24-port PoE switch 240W + 2 Ports Combo SFP <ul style="list-style-type: none"> Layer 2 management PoE switch PoE budget: 240W Support PoE, PoE+, Hi-PoE 'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300) 250 meters long distance PoE transmission PoE management, PoE Setting/Event Statistics/Green PoE Search and upgrade via Config Tool Support Web management High lightning protection design Non-blocking video transmission 	R	5,989.00
SWDA104-1	PFS4428-24GT-370 Coming Soon	Dahua 24-port GB PoE switch 370W + 4 Ports SFP <ul style="list-style-type: none"> Layer 2 network management PoE switch Support IEEE802.3af, IEEE802.3at standard Network Redundancy: STP/RSTP/MSRP Support IPv4/IPv6, and DHCP Network management based on SNMP Configuration: Web, Telnet, CLI Command QoS (IEEE802.1p/1Q), CoS/ToS to Increase Determinism Enhanced Network Security with IEEE802.1X, SNMP v1/v2c/v3, HTTPS, and SSH/SSL Large data cache(4M), real-time transmission MAC auto study and aging, MAC address list capacity is 8K 		SQ
SWDA105	PFS3106-4ET-60 Coming Soon	Dahua Industrial 4 Port POE + 1 Port SFP + 1 Port UL <ul style="list-style-type: none"> Layer two Hardened PoE switch Supports PoE power management MAC auto learning and aging, MAC address capacity is 8K Conforms to IEEE802.3af and IEEE802.3at power supply standard. Port 1 supports Hi-PoE 60W power supply Supports IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards Wide working temperature design: -30°C- 65°C Supports dual power backup 		SQ
SWDA105-1	PFS3110-8ET-96 Coming Soon	Dahua Industrial 8 Port POE + 1 Port SFP + 1 Port UL <ul style="list-style-type: none"> Layer two Hardened PoE switch Supports PoE power management MAC auto learning and aging, MAC address capacity is 8K Conforms to IEEE802.3af and IEEE802.3at power supply standard. Port 1 supports Hi-PoE 60W power supply Supports IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards Wide working temperature design: -30°C- 65°C Supports dual power backup 		SQ
SWDA105-2	PFS3211-8GT-120 Coming Soon	Dahua Industrial 8 Port GB POE + 2 Port SFP + 1 Port UL <ul style="list-style-type: none"> Layer 2 Hardened PoE switch MAC auto study and aging, MAC address list capacity is 4K Support IEEE802.3af, IEEE802.3at and Hi-PoE standard Conform IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards Adopts metal structure Industrial wide working temperature design: -30°C-+65°C High protection grade, supports common mode 4KV, differential mode 2KV Supports dual power backup 		SQ
SWDA300	PFS3016-16GT Coming Soon	Dahua 16 Port GB Unmanaged Switch <ul style="list-style-type: none"> Layer 2 unmanaged access switch All gigabit Ethernet ports Lightning protection Plug and play Adopts metal enclosure Good heat dissipation 		SQ
SWDA200	PFT3950 Coming Soon	Dahua SFP 1.25GB 500M MM <ul style="list-style-type: none"> Data Rate: 1.25 Gbps Interface: LC Transmission Distance: 500m Transmission Medium: Multi-mode Wavelength: 850nm Sensitivity: <= -25 dBm Operating Voltage: 3.3V Output Power: -9.5 dBm -- -3 dBm Working Temperature: -40 degree C - +85 degree C Dimensions: 0.35" x 0.54" x 2.22" 		SQ
SWDA201	PFT3970 Coming Soon	Dahua SFP 1.25GB 20Km SM <ul style="list-style-type: none"> 1.25GB TX 1550nm / 1310nm Transmission Distance: 20km Working Temperature: -40 C - 85 Single Core Bi-Directional Transmission Fiber Optic Interface Type: L 		SQ

ACCESSORIES

KEYBOARDS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
KBDA101	NKB1000	Dahua USB 3D keyboard controller <ul style="list-style-type: none"> Dahua high speed dome (all models) NKB1000: RS485, RS422, USB, RS232 & Network Three dimensional joystick control of PTZ Functions Preset position, auto scan, auto pan, auto tour & pattern On-screen menu & user operation procedure tips Connect to SmartPSS via USB 	R 4,815.00
KBDA102	NKB5000-F While Stocks Last	Dahua Keyboard Controller NKB 5000-F <ul style="list-style-type: none"> RS232, RS485 & Network Connections(Wi-Fi) Four Dimensional Joystick Control of PTZ Functions Supports 4K decoding live view Supports 4CH HDMI output Supports snapshot and recording to U-disk Supports video-wall display control Supports bidirectional talk Preset Position, auto scan, auto pan, auto tour & pattern Auxiliary functions, OSD and operation guides control NKB5000-F model includes an extension keypad module 	R 30,642.00

ACCESSORIES

MONITORS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
CMDA100	LM18-L100	Dahua 18.5 LCD Monitor HDMI/VGA 24/7 Operation <ul style="list-style-type: none"> Industrial level LCD panel, suitable for extensive 7x24 continuous works High fidelity digital processing, brilliant and vivid video 5ms fast response time, no image ghosting 	R 2,120.00

ACCESSORIES

NETWORK CABLING

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
CBDA100	PFM920I-5EU-U Coming Soon	Dahua 305m UTP CAT5E 0.53mm Solid Copper <ul style="list-style-type: none"> 305 m pull box UTP CAT5e, power over Ethernet, compatible with one cable High-purity oxygen-free copper conductor material Customized PVC outer sheath; ANSI UL CM flame retardant class certified 10-year warranty 	R 2,143.00
CBDA101	PFM920I-6U-C/U Coming Soon	Dahua 305m UTP CAT6 0.57mm Solid Copper <ul style="list-style-type: none"> 305m UTP CAT6: Support PoE long-distance transmission; Excellent OFC with 99.99% OFC(oxygen free copper) purity; Environmentally-friendly outer sheath, meet the CPR E/ UL CM class; 10-year warranty 	R 2,982.00

ACCESSORIES

BRACKETS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
BRDA101-1	DH-PFB203W	Dahua Dome IP66 wall Mount <ul style="list-style-type: none"> Material: Aluminum Wall mount bracket Neat & integrated design 	R 208.00

BRDA102	PFA151	Dahua Corner Wall Mount Bracket for Speed Dome • Material: SECC • Corner mount bracket • Aesthetic design	R	413.00
BRDA102-1	PFA150	Dahua Pole Mount Bracket for Speed Dome • Material: SECC & SUS304 • Pole mount bracket • Aesthetic design	R	413.00
BRDA107	PFA122	Water-proof Junction Box 3 Hole • Material: SECC & SUS304 • Pole mount bracket • Aesthetic design	R	363.00
BRDA107-1	PFA121	Water-proof Junction Box 4 Hole • Material: SECC & SUS304 • Pole mount bracket • Aesthetic design	R	363.00
BRDA107-2	DH-PFA134	Dahua IP66 Junction Box Round (3 Line) • Material: Aluminum • Wall mount bracket • Neat & integrated design	R	156.00
BRDA111	PFB604W	Dahua Wall mount Bracket for ICDA228-5 • Material: Aluminum • Wall mount bracket • Hidden line design • Aesthetic design	R	311.00
BRDA113	PFA152-E	Pole Mount Bracket 0-3 KG • Material: SECC & SUS304 • Pole mount bracket • Aesthetic design	R	234.00

ACCESSORIES

UTC & ALARM

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
ASDA102	PFM820	Dahua UTC Format Controller Switch HDCVI AHD • Supports different formats(HDCVI/ AHD/HDTVI/CVBS) switch,which is to satisfy the requirements of different storage device environments for clients. • Various format indicator lights, which makes it convenient for users to check the current format status and prompt if the format switch is successful.	R	283.00
ASDA106	ARB1606	Dahua XVR alarm Box 16 In 6 Out • Supports RS485 access to the back-end storage • Supports 16ch alarm In/6ch alarm out interface • Supports 2-bit DIP switch (0/1) to determine the different alarm box access: Max support 4 alarm boxes having access to the back-end storage device	R	754.00

CCTV

Software Solutions

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
ARTECO PURE			
AS-PUR	AS-PUR	Pure Server License-Base Arteco Pure Server License -	SQ
AS-PUR-CH	AS-PUR-CH	Pure Camera recording License Arteco Pure Camera License - Basic Recording Max 20 Cameras channels	R 1,000.00
ARTECO EMOTION			
AS-EM	AS-EM	eMotion Server License Arteco eMotion Server Base License - Free - AS-EM	SQ
AS-EM-CH	AS-EM-CH	eMotion Camera License Arteco eMotion Camera License - AS-EM-CH	R 2,000.00
AS-EM-SC	AS-EM-SC	eMotion Server Centralization Arteco eMotion Server Centralization- AS-EM-SC	R 8,150.00
ARTECO- ACTIVE			
AS-AC	AS-AC	Active server license BASE - Required for every Recording Server	SQ
AS-AC-CH	AS-AC-CH	Active Camera License Active server Channel License - Required for every Recording Channel/Camera	R 4,000.00
AS-AC-FO	AS-AC-FO	Server Failover	SQ
AS-MX-AC	AS-MX-AC	Active Server License Mix to connect eMotion Camera Licenses	R 27,600.00
ARTECO- EXTREME			
AS-EX	AS-EX	Extreme Server License	SQ
AS-EX-CH	AS-EX-CH	Extreme Camera License EXTREME server Channel License - Required for every Recording Channel/Camera	R 6,000.00
AS-MX-EX	AS-MX-EX	Extreme Server License Mix - connect Active/eMotion Camera Licenses Active server Channel MIX License - Required for Server having eMotion OR AtiveChannel Licenses	R 37,600.00
VIRTUALIZATION (for all software versions)			
AS-VM-LS	AS-VM-LS	Virtual Machine (software only solution)	SQ
ARTECO LPR			
AS-LPR-CH	AS-LPR-CH	LPR Camera License LPR Camera License-For Third party cameras	R 6,000.00
AS-LPR-CH-A	AS-LPR-CH-A	LPR Camera License - for Arteco server based LPR LPR Camera License-For ARTEC Server based LPR	R 10,000.00
AS-LPR-CH-S	AS-LPR-CH-S	LPR SAMSUNG Camera License LPR LPR SAMSUNG Camera License + App (Camera Serial Number required)	R 10,000.00
SOFTWARE PROTECTION PLAN (2Years updates included)			
APP-SW-1Y	APP-SW-1Y	Software Protection Plan additional 1 year updates - 15% software value	SQ
APP-SW-3Y	APP-SW-3Y	Software Protection Plan additional 3 years updates - 13% software value per year	SQ
APP-SW-8Y	APP-SW-8Y	Software Protection Plan additional 8 years updates - 8% software value per year	SQ



APP-SW-UPD-2Y	APP-SW-UPD-2Y	Software Protection Plan single update to latest version (2 year updates included)	SQ
---------------	---------------	--	----

CCTV

Hardware Solutions

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
ARTEC-NVR HARDWARE			
A5-00-2TB	A5-00-2TB	A5000 with 2TB Installed A5000: camera licenses not included, 4 Hot swap hard disk bays, 2TB storage drive included	R 36,200.00
A7-00-2TB	A7-00-2TB	A7000 with 2TB Installed A5000: camera licenses not included, 8 Hot swap hard disk bays, 2TB storage drive included	R 70,000.00
ARTEC-EVERYWHERE I/O UNITS			
APP-HW-1Y	APP-HW-1Y	Hardware Protection Plan additional 1 year warranty - 20% hardware value	SQ
APP-HW-2Y	APP-HW-2Y	Hardware Protection Plan additional 2 years warranty - 35% hardware value	SQ
APP-HW-3Y	APP-HW-3Y	Software Protection Plan additional 3 years warranty - 50% hardware value	SQ
ARTEC-EVERYWHERE I/O UNITS			
EVERY-4IO-POE	EVERY-4IO-POE	Module 4 Input + 4 outputs Module 4 Input + 4 Output ethernet PoE	R 6,000.00
EVERY-8IO-POE	EVERY-8IO-POE	Module 8 Input + 8 Outputs Module 8 Input + 8 Output ethernet PoE	R 7,200.00
Notes:			
1. Optional features have to be considered "per server": e.g. 1 Maps Supervisor for each server			
2. Server licenses are for free, but the related product codes must be included in the Purchase Order			
3. Software Protection Plan allows: i. Updates to new releases; ii. Upgrades to higher software by paying price difference only			
4. Hardware Protection Plan can cover up to a maximum of 5 years after hardware purchase			
5. Upgrade is to be purchased on all camera licenses			

LICENSES ACC7

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
ACC7-COR	ACC 7 Core Edition camera license	R	1,878.00
ACC7-STD	ACC 7 Standard Edition camera license	R	3,618.00
ACC7-ENT	ACC 7 Enterprise Edition camera license	R	6,366.00
ACC7-ENT-FO	ACC 7 Enterprise Edition camera failover license	R	1,008.00
ACC7-COR-TO-STD-UPG	ACC 7 Core to Standard Edition Upgrade license	R	2,336.00
ACC7-COR-TO-ENT-UPG	ACC 7 Core to Enterprise Edition Upgrade license	R	4,946.00
ACC7-STD-TO-ENT-UPG	ACC 7 Standard to Enterprise Edition Upgrade license	R	3,847.00
ACC7-STD-VER-UPG	ACC 5 or ACC 6 to ACC 7 Standard Edition Version Upgrade license	R	367.00
ACC7-ENT-VER-UPG	ACC 5 or ACC 6 to ACC 7 Enterprise Edition Version Upgrade license	R	687.00

LICENSES ACC6

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
1C-ACC6-COR	ACC 6 Core license for up to 1 camera channels	R	2,153.00
4C-ACC6-COR	ACC 6 Core license for up to 4 camera channels	R	7,190.00
8C-ACC6-COR	ACC 6 Core license for up to 8 camera channels	R	14,243.00
16C-ACC6-COR	ACC 6 Core license for up to 16 camera channels	R	28,211.00
24C-ACC6-COR	ACC 6 Core license for up to 24 camera channels	R	41,583.00
1C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 1 camera channel	R	2,657.00
4C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 4 camera channels	R	9,343.00
16C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 16 camera channels	R	37,141.00
24C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 24 camera channels	R	55,917.00
1C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 1 camera channel	R	5,908.00
4C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 4 camera channels	R	20,288.00
8C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 8 camera channels	R	39,568.00
16C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 16 camera channels	R	77,853.00
24C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 24 camera channels	R	116,230.00
1C-ACC6-STD	ACC 6 Standard license for up to 1 camera channels	R	4,168.00
4C-ACC6-STD	ACC 6 Standard license for up to 4 camera channels	R	14,609.00

8C-ACC6-STD	ACC 6 Standard license for up to 8 camera channels	R	29,081.00
16C-ACC6-STD	ACC 6 Standard license for up to 16 camera channels	R	58,069.00
24C-ACC6-STD	ACC 6 Standard license for up to 24 camera channels	R	86,783.00
1C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 1 camera channel	R	4,809.00
4C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 4 camera channels	R	15,754.00
1C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for 1 camera channel	R	367.00
4C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 4 camera channels	R	1,283.00
8C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 8 camera channels	R	2,382.00
16C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 16 camera channels	R	4,305.00
24C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 24 camera channels	R	5,313.00
1C-ACC6-ENT	ACC 6 Enterprise license for up to 1 camera channels	R	7,419.00
4C-ACC6-ENT	ACC 6 Enterprise license for up to 4 camera channels	R	25,325.00
8C-ACC6-ENT	ACC 6 Enterprise license for up to 8 camera channels	R	50,238.00
16C-ACC6-ENT	ACC 6 Enterprise license for up to 16 camera channels	R	98,598.00
24C-ACC6-ENT	ACC 6 Enterprise license for up to 24 camera channels	R	146,729.00
48C-ACC6-ENT	ACC 6 Enterprise license for up to 48 camera channels	R	292,542.00
1C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for 1 camera channel	R	779.00
4C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 4 camera channels	R	2,382.00
8C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 8 camera channels	R	4,534.00
16C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 16 camera channels	R	8,427.00
24C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 24 camera channels	R	11,724.00
48C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 48 camera channels	R	21,158.00
1C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for 1 camera	R	1,008.00
4C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 4 cameras	R	3,893.00
8C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 8 cameras	R	7,694.00
16C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 16 cameras	R	15,113.00
24C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 24 cameras	R	21,937.00
48C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 48 cameras	R	43,598.00
ACC5-4TO5-COR-UPG	ACC 5 upgrade license for one ACC 4 Core server	R	2,153.00
ACC5-4TO5-STD-UPG	ACC 5 upgrade license for one ACC 4 Standard server	R	4,168.00

ACC5-4TO5-ENT-UPG	ACC 5 upgrade license for one ACC 4 Enterprise server	R	7,419.00
-------------------	---	---	----------

OTHER LICENSES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
ACC7-POS-STR	ACC 7 POS Transaction SW license for recording a stream of transaction details. Compatible with Enterprise and Standard Edition Only.	R	5,038.00
ACC6-POS-1STR	ACC 6 POS Transaction SW license for recording a single stream of transaction details. Compatible with Enterprise and Standard only.	R	5,038.00
ACC-POS-HW-2S	2 port serial server to allow two streams of RS232 serial transaction information to be converted and transmitted over the network to an A	R	11,358.00
ACC-SDK-DEV	Grants access to the Avigilon SDK Developer's Portal, and the Avigilon Control Center SDK.	R	76,708.00
ACC7-MEDIA	ACC 7 media	R	458.00
ACC6-AMAG-SMTRY	Amag Symmetry Integration Module for a site. Enables event and video integration between Amag Symmetry and an Avigilon Control Center	R	54,772.00
ACC6-GLGR-CMNDC	Gallagher (Formerly Cardax) Integration Module for a site. Enables bi-directional event and video integration between Gallagher Command C	R	54,772.00
ACC6-HRSH-VLCTY	Hirsch Velocity Integration Module for a site. Enables alarm integration from Hirsch Velocity to an Avigilon Control Center site.	R	54,772.00
ACC6-INTX-FORCE	Interlogix Forcefield Integration Module for a site. Enables video and event integration to Interlogix Forcefield from an Avigilon Control Center	R	54,772.00
ACC6-JAQS-INTCM	Jacques Integration Module for a site. Enables bi-directional event integration between Jacques VoIP Voice Communication System and an A	R	54,772.00
ACC6-LENL-ONGRD	OAAP Certified Lenel OnGuard Integration Module for a site. Enables event and video integration between Lenel OnGuard and an Avigilon C	R	54,772.00
ACC6-SWHS-CCURE	Software House CCURE 9000 Integration Module for a site. Enables video integration between Software House CCURE 9000 and an Avigilo	R	54,772.00
ACC6-PXTN-NET2	Paxton Net2 Integration Module for a site. Enables event and video integration between Paxton Net2 and an Avigilon Control Center site.	R	54,772.00
ACC6-S2-NETBX	S2 NetBox Integration Module for a site. Enables video integration between S2 NetBox and an Avigilon Control Center site.	R	54,772.00
ACC6-STFN-ALPHA	Stentofon AlphaCom Integration Module for a site. Enables bi-directional event integration between Stentofon AlphaCom and an Avigilon Con	R	54,772.00

ACC7-RADIO-ALERT	ACC7 Radio Alert feature license	R	32,882.00
------------------	----------------------------------	---	-----------

NVR SERVERS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
HD-NVR4-PRM-64TB-EU	HD NVR4 PRM 64TB 2U Rack Mnt, Windows Server 2016	R	829,746.00
HD-NVR4-PRM-96TB-EU	HD NVR4 PRM 96TB 2U Rack Mnt, Windows Server 2016	R	963,543.00
HD-NVR4-PRM-128TB-EU	HD NVR4 PRM 128TB 2U Rack Mnt, Windows Server 2016	R	1,271,356.00
HD-NVR4-PRM-157TB-EU	HD NVR4 PRM 157TB 2U Rack Mnt, Windows Server 2016	R	1,561,437.00
HD-NVR4-PRM-192TB-EU	HD NVR4 PRM 192TB 2U Rack Mnt, Windows Server 2016	R	1,913,718.00
HD-NVR4-STD-16TB-EU	HD NVR4 STD 16TB 2U Rack Mnt, Windows 10 IoT LTSB	R	351,331.00
HD-NVR4-STD-24TB-EU	HD NVR4 STD 24TB 2U Rack Mnt, Windows 10 IoT LTSB	R	403,462.00
HD-NVR4-STD-32TB-EU	HD NVR4 STD 32TB 2U Rack Mnt, Windows 10 IoT LTSB	R	439,653.00
HD-NVR4-STD-48TB-EU	HD NVR4 STD 48TB 2U Rack Mnt, Windows 10 IoT LTSB	R	627,763.00
NVR4-VAL-6TB-EU	NVR4 VAL 6TB EU 1U Rack Mnt, Windows 10 IoT	R	120,429.00
NVR4-VAL-12TB-EU	NVR4 VAL 12TB EU 1U Rack Mnt, Windows 10 IoT	R	152,592.00
NVR4-VAL-16TB-EU	NVR4 VAL 16TB EU 1U Rack Mnt, Windows 10 IoT	R	180,728.00
NVR4-VAL-24TB-EU	NVR4 VAL 24TB EU 1U Rack Mnt, Windows 10 IoT	R	269,050.00
HD-NVR3-VAL-12TB-EU	HD NVR3 VAL 12TB 1U Rack Mnt, Windows 10 IoT LTSB	R	152,592.00

NVR SERVER ACCESSORIES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
HD-NVR-ANK2-1	Analytics Kit for Appearance Search and Face Recognition, NVR4 Value or any NVR3 models	R	24,093.00
HD-NVR4-PRM-2NDCPU	2nd CPU + Heatsink, 2x 16GB RAM, NVR4 PRM	R	73,767.00
HD-NVR4-STD-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR4 STD	R	45,514.00
HD-NVR4-PRM-2NDPS-EU	Power Supply, Hot-Swappable, NVR4 STD, AU power cord	R	11,456.00
HD-NVR4-STD-2NDPS-EU	Power Supply, Hot-Swappable, NVR4 STD, EU power cord	R	11,456.00
HD-NVR4-SFPPLUS-DA	SFP+ 10GbE Transceiver at each end of Twinax Direct Attach Copper Cable, 3m	R	3,237.00
HD-NVR4-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single)	R	7,346.00
HD-NVR4-STD-10GBE	Network Card, DP 10G-SFP+, NVR4 Standard	R	19,213.00
IDRAC9-ENT-UPG	IDRAC 9 Enterprise Upgrade for NVR4/AIA	R	16,541.00

HD-NVR3-PRM-2NDPS-EU	Power Supply, Hot-Swappable, NVR3 PRM, EU power cord	R	11,456.00
HD-NVR3-STD-2NDPS-EU	Power Supply, Hot-Swappable, NVR3 STD, EU power cord	R	11,456.00
NVR4-VAL-2NDPS-EU	Power Supply, Hot-Swappable, NVR4 VAL, EU power cord	R	10,172.00
HD-NVR3-VAL-2NDPS-EU	Power Supply, Hot-Swappable, NVR3 VAL, EU power cord	R	10,172.00
HD-NVR3-SFPPLUS-DA	SFP+ 10GbE Transceiver at each end of Twinax Direct Attach Copper Cable, 3m	R	3,237.00
HD-NVR3-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single)	R	7,346.00
HD-NVR3-STD-10GBE	NETWORK CARD, DP 10G-SFP+, NVR3 Standard	R	19,213.00
HD-NVR3-PRM-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR3 PRM	R	51,010.00
HD-NVR3-STD-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR3 STD	R	45,514.00
IDRAC8-ENT-UPG	IDRAC 8 Enterprise Upgrade for NVR3	R	16,541.00
HD-NVR3-STD-W10UPG	WES7 to Win10 Upgrade - HD NVR3 Standard models	R	6,216.00
HD-NVR3-VAL-W10UPG	WES7 to Win10 Upgrade - HD NVR3 Value models	R	6,216.00
HD-NVR4-HDDN-HOT-10TB	10TB HDD in Caddie (Front/Rear Bay Only) - NVR4-PRM-157 (see compatibility guide)	R	57,072.00
HD-NVR4-HDDN-INT-10TB	10TB HDD (Internal Bay Only) - NVR4-PRM-157 (see compatibility guide)	R	55,787.00
HD-NVR4-HDDN-HOT-8TB	8TB HDD in Caddie (Front/Rear Bay Only) - NVR4-PRM-128, NVR4-PRM-96 (see compatibility guide)	R	45,514.00
HD-NVR4-HDDN-INT-8TB	8TB HDD (Internal Bay Only) - NVR4-PRM-128, NVR4-PRM-96 (see compatibility guide)	R	44,384.00
HD-NVR4-HDDN-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR4-PRM-64 (see compatibility guide)	R	28,819.00
HD-NVR4-HDDN-INT-4TB	4TB HDD (Internal Bay Only) - NVR4-PRM-64 (see compatibility guide)	R	27,123.00
HD-NVR4-HDDS-HOT-8TB	8TB HDD in Caddie (Front/Rear Bay Only) - NVR4-STD-48, NVR4-STD-32, NVR4-VAL-24, NVR4-VAL-16 (see compatibility guide)	R	37,603.00
HD-NVR4-HDDS-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR4-STD-24, NVR4-STD-16, NVR4-VAL-12 (see compatibility guide)	R	22,757.00
HD-NVR3-HDDN-HOT-10TB	10TB HDD in Caddie (Front/Rear Bay Only) - NVR3-PRM-137 (see compatibility guide)	R	57,483.00
HD-NVR3-HDDN-INT-10TB	10TB HDD (Internal Bay Only) - NVR3-PRM-137 (see compatibility guide)	R	56,661.00
HD-NVR3-HDDN-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR3-STD-24 (see compatibility guide)	R	28,819.00
HD-NVR3-HDDS-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR3-VAL-12, Gen 2 (see compatibility guide)	R	20,189.00
HD-NVR3-HDDS-HOT-2TB	2TB HDD in Caddie (Front/Rear Bay Only) - NVR3-VAL-6, Gen 2 (see compatibility guide)	R	16,541.00
HD-NVR3-HDDS-HOT-1TB	1TB HDD in Caddie (Front/Rear Bay Only) - NVR3-VAL-3, Gen 2 (see compatibility guide)	R	13,562.00
HD-NVR4-HDDS-PACK-32TB	32TB Storage Expansion Pack for NVR4-STD-32TB, NVR4-STD-16TB (see compatibility guide)	R	225,049.00
HD-NVR4-HDDS-PACK-16TB	16TB Storage Expansion Pack for NVR4-STD-32TB, NVR4-STD-16TB (see compatibility guide)	R	135,204.00
HD-NVR4-PRM-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR4-PRM	R	46,346.00

HD-NVR4-PRM-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR4-PRM	R	91,958.00
HD-NVR4-STD-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR4-STD	R	31,004.00
HD-NVR4-STD-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR4-STD	R	61,321.00
NVR4-VAL-WARR-EXTEND-1YR	1 Year Extended Warranty for NVR4-VAL	R	13,235.00
NVR4-VAL-WARR-EXTEND-2YR	2 Year Extended Warranty for NVR4-VAL	R	25,325.00
NVR4-WKS-WARR-EXTEND-1YR	1 Year Extended Warranty for NVR4-WKS or RM5-WKS	R	4,397.00
NVR4-WKS-WARR-EXTEND-2YR	2 Year Extended Warranty for NVR4-WKS or RM5-WKS	R	8,427.00
HD-NVR3-VAL-WARR-EXTEND-1YR-G2	1 Year Extended Warranty for HD-NVR3-VAL, Gen 2	R	19,143.00
HD-NVR3-VAL-WARR-EXTEND-2YR-G2	2 Year Extended Warranty for HD-NVR3-VAL, Gen 2	R	36,637.00
HD-NVR3-PRM-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR3-PRM	R	46,208.00
HD-NVR3-PRM-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-PRM	R	91,958.00
HD-NVR3-STD-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR3-STD	R	46,208.00
HD-NVR3-STD-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-STD	R	91,958.00
HD-NVR3-VAL-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR3-VAL	R	21,662.00
HD-NVR3-VAL-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-VAL	R	42,957.00
HD-NVR2-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR2	R	31,004.00
HD-NVR2-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR2	R	61,321.00
HD-NVR-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR	R	40,942.00
HD-NVR-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR	R	81,379.00

AI APPLIANCE

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
VMA-AIA1-CG1-EU	Avigilon AI Appliance A10 Model, EU	R	294,963.00
VMA-AIA1-CG2-EU	Avigilon AI Appliance A20 Model, EU	R	583,709.00
VMA-AIA1-WARR-EXTEND-1YR	1 Year Extended Warranty for VMA-AIA1	R	43,827.00
VMA-AIA1-WARR-EXTEND-2YR	2 Year Extended Warranty for VMA-AIA1	R	86,646.00
VMA-AIA-2NDPS-EU	Replacement, hot-swappable power supply, for EU	R	11,456.00

NVR APPLIANCE

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
VMA-AS3-16P06-EU	HD Video Appliance Pro 16-port 6TB unit, EU. ACC licenses sold separately	R	111,703.00
VMA-AS3-16P09-EU	HD Video Appliance Pro 16-port 9TB unit, EU. ACC licenses sold separately	R	133,854.00

VMA-AS3-16P12-EU	HD Video Appliance Pro 16-port 12TB unit, EU. ACC licenses sold separately	R	160,591.00
VMA-AS3-24P18-EU	HD Video Appliance Pro 24-port 18TB unit, EU. ACC licenses sold separately	R	209,814.00
VMA-AS3-24P24-EU	HD Video Appliance Pro 24-port 24TB unit, EU. ACC licenses sold separately	R	258,869.00
VMA-AS3-8P2-EU	HD Video Appliance 8-port 2TB unit, EU. ACC licenses sold separately	R	53,531.00
VMA-AS3-8P4-EU	HD Video Appliance 8-port 4TB unit, EU. ACC licenses sold separately	R	58,173.00
VMA-AS3-8P4-UK	HD Video Appliance 8-port 4TB unit, UK. ACC licenses sold separately	R	58,173.00
VMA-AS3-8P8-EU	HD Video Appliance 8-port 8TB unit, EU. ACC licenses sold separately	R	71,542.00
VMA-AS3-8P8-UK	HD Video Appliance 8-port 8TB unit, UK. ACC licenses sold separately	R	71,542.00

NVR APPLIANCE ACCESSORIES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
VMA-AS2-8PPS	HD Video Appliance 200W Power Supply - no power cord	R	4,675.00
VMA-AS2-8PRMS1U	1U Rack mount shelf for HD Video Appliance 8-port	R	2,107.00
VMA-AS2-HDD02	HD Video Appliance 2TB Hard Drive Compatible with 8-Port,16-Port	R	4,264.00
VMA-AS2-HDD03	HD Video Appliance Pro 3TB Hard Drive Compatible with 16-Port	R	5,086.00
VMA-AS2-HDD04	HD Video Appliance 4TB Hard Drive Compatible with 8-Port,16-Port, 24-Port	R	6,627.00
VMA-AS2-HDD06	HD Video Appliance Pro 6TB Hard Drive Compatible with 24-Port	R	9,452.00
VMA-AS2-HDD08	HD Video Appliance Pro 8TB Hard Drive Compatible with 24-Port	R	12,278.00
VMA-AS1-HDDP02	HARD DRIVE, 2TB, HD Video Appliance Pro	R	10,018.00
VMA-AS1-HDDP03	HARD DRIVE, 3TB, HD Video Appliance Pro	R	14,281.00
VMA-AS1-HDDP04	HARD DRIVE, 4TB, HD Video Appliance Pro	R	17,928.00
VMA-AS1-8PRMS1U	1U Rack mount shelf for HD Video Appliance 8-port	R	2,107.00
VMA-AS1-8PPS	HD Video Appliance 8-port - Power Supply - 200W External, power cord not included	R	4,675.00
RAILS-B-AS3-16/24P	Mounting Rails for HDVA3 16/24-Port	R	1,696.00
RMS1U-B-AS3-8P	1U Rack mount shelf for HDVA3 8-port	R	3,391.00
PS-920W-AS3-16/24P	920W Power Supply for HDVA3 16/24-Port (no power cord)	R	10,326.00

PS-270W-AS3-8P	270W Power Supply for HDVA3 8-Port (no power cord)	R	5,805.00
VMA-AS3-HDD02	HDVA3 2TB Hard Drive for VMA-AS3-8P2, VMA-AS3-16P06	R	4,264.00
VMA-AS3-HDD03	HDVA3 3TB Hard Drive for VMA-AS3-16P09	R	5,086.00
VMA-AS3-HDD04	HDVA3 4TB Hard Drive for VMA-AS3-8P4, VMA-AS3-16P12	R	6,627.00
VMA-AS3-HDD06	HDVA3 6TB Hard Drive for VMA-AS3-24P18	R	9,452.00
VMA-AS3-HDD08	HDVA3 8TB Hard Drive for VMA-AS3-8P8, VMA-AS3-24P24	R	12,278.00
VMA-AS3-8P-WARR-EXTEND-1YR	1 Year Extended Warranty for VMA-AS3-8P, excluding hard drive	R	3,664.00
VMA-AS3-8P-WARR-EXTEND-2YR	2 Year Extended Warranty for VMA-AS3-8P, excluding hard drive	R	6,687.00
VMA-AS3-16P-WARR-EXTEND-1YR	1 Year Extended Warranty for VMA-AS3-16P, excluding hard drive	R	7,419.00
VMA-AS3-16P-WARR-EXTEND-2YR	2 Year Extended Warranty for VMA-AS3-16P, excluding hard drive	R	13,739.00
VMA-AS3-24P-WARR-EXTEND-1YR	1 Year Extended Warranty for VMA-AS3-24P, excluding hard drive	R	10,946.00
VMA-AS3-24P-WARR-EXTEND-2YR	2 Year Extended Warranty for VMA-AS3-24P, excluding hard drive	R	21,158.00
8C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 8 camera channels	R	18,777.00
16C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 16 camera channels	R	62,466.00
24C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 24 camera channels	R	93,057.00

NVR APPLIANCE EMBEDDED

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
VMA-ENVR1-8P4-EU	ACC ES 8-Port Appliance, 4 TB, EU	R	71,374.00
VMA-ENVR1-8P8-EU	ACC ES 8-Port Appliance, 8 TB, EU	R	82,617.00
VMA-RPO-4P2-EU	ACC ES HD Recorder, 4-port, 4 channels, 2TB	R	46,930.00
VMA-RPO-4P4-EU	ACC ES HD Recorder, 4-port, 4 channels, 4TB	R	55,824.00
VMA-RPA-4P2-EU	ACC ES Analytics Appliance, 4 Port, 6 channels, 2TB	R	107,061.00
VMA-RPA-4P4-EU	ACC ES Analytics Appliance, 4 Port, 6 channels, 4TB	R	116,122.00
VMA-RPX-4PRMS1U	1U Rack mount shelf and rails, ES Products	R	5,959.00
VMA-RPX-4PPS-90	Power supply, 90W (Power cord not included)	R	3,802.00

MONITORING AND WORKSTATIONS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
NVR4-WKS-4TB-EU	NVR4 Workstation 4TB, EU	R	62,592.00
NVR4-WKS-8TB-EU	NVR4 Workstation 8TB, EU	R	71,542.00
RM5-WKS-4MN-EU	Remote Monitoring Workstation, 4 monitors, EU	R	77,260.00
RM5-WKS-2MN-EU	Remote Monitoring Workstation, 2 monitors, EU	R	49,161.00
HD-NVRWS3-W10UPG	WES7 to Win10 Upgrade - HD NVR3 Workstations (3rd Generation only)	R	5,542.00
HD-RMWS3-4MN-W10UPG	WES7 to Win10 Upgrade - 4 Monitor Remote Monitoring Workstations (3rd Generation only)	R	5,542.00

HD-RMWS3-2MN-W10UPG	WES7 to Win10 Upgrade - 2 Monitor Remote Monitoring Workstations (3rd Generation only)	R	5,542.00
WKS-RACK	Rack Shelf for three(3) NVR4-WKS or RM5-WKS in 7U	R	10,172.00
M1300-EU	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	R	8,065.00
M2324-EU	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio - EU	R	10,172.00
M4K32-EU	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - EU	R	53,425.00
M4K43-EU	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - EU	R	40,839.00
HD-NVRWS3-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVRWS3	R	7,923.00
HD-NVRWS3-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVRWS3	R	15,754.00
HD-NVRWS-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVRWS	R	7,923.00
HD-NVRWS-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVRWS	R	15,754.00
HD-RMWS3-2MN-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-RMWS3-2MN	R	7,923.00
HD-RMWS3-2MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS3-2MN	R	15,754.00
HD-RMWS-2MN-WARR-EXTEND-1YR	1 Year Extended Warranty for 2MN-HD-RMWS	R	7,923.00
HD-RMWS-2MN-WARR-EXTEND-2YR	2 Year Extended Warranty for 2MN-HD-RMWS	R	15,754.00
HD-RMWS4-4MN-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-RMWS4-4MN	R	7,190.00
HD-RMWS4-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS4-4MN	R	14,380.00
HD-RMWS3-4MN-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-RMWS3-4MN	R	7,190.00
HD-RMWS3-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS3-4MN	R	14,380.00
HD-RMWS-4MN-WARR-EXTEND-1YR	1 Year Extended Warranty for 4MN-HD-RMWS	R	7,190.00
HD-RMWS-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for 4MN-HD-RMWS	R	14,380.00

NETWORK SWITCHES, AND ACCESSORIES

PRODUCT CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
S8P-124W-EU	8 Port Gigabit PoE Switch, 124W - EU	R	16,541.00
S24P-382W-EU	24 Port Gigabit PoE Switch, 382W - EU	R	41,096.00
EX1	Single port 100Mbps POE Extender for extending Cat 5 beyond the 100m cable limit	R	7,757.00
POE-INJ2-STD-EU	Indoor single port Gigabit 802.3af PoE injector, Class 3 - EU power cord.	R	1,850.00
C2E-EDGE	C2E edge unit, up to 500m on RG-11 (requires C2E-HEAD1 or C2E-HEAD4)	R	7,757.00
C2E-HEAD1	C2E head-end unit, up to 500m on RG-11 (requires C2E-EDGE)	R	8,322.00

C2E-HEAD4	C2E quad head-end unit, up to 500m on RG-11 (requires up to 4 C2E-EDGE)	R	23,733.00
C2E-PSU-40W	40W Power Supply compatible with C2E-HEAD1 and C2E-HEAD4	R	2,209.00
ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	R	8,631.00
ENC-BRK1U	Mounting bracket for 3 Avigilon Analog Video Encoders in 1U of standard rack space	R	1,439.00
ACC-MIC	Omni-directional, low impedance, electret condenser microphone with built in preamp for producing line level output. It is housed in a high im	R	7,192.00
ACC-USB-JOY	Programmable USB Surveillance Joystick for controlling digital and conventional PTZ within Avigilon Control Center	R	15,411.00
ACC-USB-JOY-PRO	Fully configured Professional USB Surveillance joystick for full control of Avigilon Control Center including shuttle playback control and digit	R	23,322.00
ACC-SPLIT	POE Splitter for Camera Installation, extracts 12V DC from a POE input for powering a camera during focusing	R	1,439.00

H5A DOME CAMERAS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
2.0C-H5A-D1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	R	21,536.00
2.0C-H5A-D1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	22,766.00
2.0C-H5A-D2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	R	22,598.00
2.0C-H5A-DC1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	R	22,766.00
2.0C-H5A-DC1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	24,165.00
2.0C-H5A-DC2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	R	23,829.00
2.0C-H5A-DO1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	R	25,563.00
2.0C-H5A-DO1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	26,794.00
2.0C-H5A-DO2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	R	26,626.00
2.0C-H5A-DP1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics. Must use with a H4A-M	R	23,829.00
2.0C-H5A-DP1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics. Must use	R	25,227.00
2.0C-H5A-DP2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-M	R	24,948.00

4.0C-H5A-D1	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	R	25,227.00
4.0C-H5A-D1-IR	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	26,626.00
4.0C-H5A-D2	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	R	26,290.00
4.0C-H5A-DC1	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	R	26,626.00
4.0C-H5A-DC1-IR	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	28,024.00
4.0C-H5A-DC2	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	R	27,689.00
4.0C-H5A-DO1	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	R	29,367.00
4.0C-H5A-DO1-IR	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	30,597.00
4.0C-H5A-DO2	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	R	30,317.00
4.0C-H5A-DP1	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL	R	27,689.00
4.0C-H5A-DP1-IR	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H	R	29,087.00
4.0C-H5A-DP2	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL1	R	28,751.00
5.0C-H5A-DO2	5.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	R	31,996.00
5.0C-H5A-DP2	5.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL1	R	30,485.00
6.0C-H5A-D1	6.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	R	29,087.00
6.0C-H5A-D1-IR	6.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	30,485.00
6.0C-H5A-DC1	6.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	R	30,485.00
6.0C-H5A-DC1-IR	6.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	31,828.00
6.0C-H5A-DO1	6.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	R	33,058.00
6.0C-H5A-DO1-IR	6.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	34,457.00
6.0C-H5A-DP1	6.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL	R	31,548.00

6.0C-H5A-DP1-IR	6.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H	R	32,946.00
8.0C-H5A-D1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	R	34,904.00
8.0C-H5A-D1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	36,135.00
8.0C-H5A-DC1	8.0 MP (4K) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	R	36,135.00
8.0C-H5A-DC1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	37,533.00
8.0C-H5A-DO1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	R	38,932.00
8.0C-H5A-DO1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	40,162.00
8.0C-H5A-DP1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-W	R	37,253.00
8.0C-H5A-DP1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics. Must use wit	R	38,596.00

H5A BULLET CAMERAS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
2.0C-H5A-BO1-IR	2.0 MP (1080p) WDR, LightCatcher, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	26,794.00
2.0C-H5A-BO2-IR	2.0 MP (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	R	27,856.00
4.0C-H5A-BO1-IR	4.0 MP WDR, LightCatcher, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	R	30,597.00
4.0C-H5A-BO2-IR	4.0 MP WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	R	31,716.00
5.0C-H5A-BO2-IR	5.0 MP WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	R	33,394.00
6.0C-H5A-BO1-IR	6.0 MP WDR, LightCatcher, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	34,457.00
8.0C-H5A-BO1-IR	8.0 MP (4K) WDR, LightCatcher, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	R	40,162.00

H5A BOX CAMERAS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
2.0C-H5A-B1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Next-Generation Analytics	R	22,766.00
2.0C-H5A-B2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	R	21,536.00
4.0C-H5A-B2	4.0 MP WDR, LightCatcher, Day/Night, 3.3-9mm f/1.3 lens, Next-Generation Analytics	R	25,227.00

4.0C-H5A-B3	4.0 MP WDR, LightCatcher, Day/Night, 9-22mm f/1.6 lens, Next-Generation Analytics	R	26,290.00
6.0C-H5A-B2	6.0 MP WDR, LightCatcher, Day/Night, 4.9-8mm f/1.8 lens, Next-Generation Analytics	R	29,087.00
8.0C-H5A-B2	8.0 MP (4K) WDR, LightCatcher, Day/Night, 4.9-8mm f/1.8 lens, Next-Generation Analytics	R	34,904.00

CCTV ACCESSORIES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	R	309.00
CM-AC-GROM1	Cable sealing grommet for use with 3/4" conduit entry, pack of 10	R	309.00
H4A-AC-GROM1	Cable sealing grommet for use with H5A/H4A dome cameras, pack of 10	R	309.00
H4-AC-WIFI2-EU	WiFi Installation Kit with WIFI USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use with countries within EU, Norway, R	R	3,237.00
H4A-DC-CLER1	Replacement clear transparent cover for H5A/H4A in-ceiling dome camera. Includes dome bubble and grey camera cover.	R	977.00
H4A-DC-CLER1-BL	Replacement clear transparent cover for H5A/H4A in-ceiling dome camera. Includes dome bubble and black camera cover.	R	977.00
H4A-DC-SMOK1	Replacement smoked transparent cover for H5A/H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for lo	R	977.00
H4A-DC-SMOK1-BL	Replacement smoked transparent cover for H5A/H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for lo	R	977.00
H4A-DD-CLER1	Replacement clear transparent cover for H5A/H4A indoor dome camera. Includes dome bubble and grey camera cover.	R	977.00
H4A-DD-CLER1-BL	Replacement clear transparent cover for H5A/H4A indoor dome camera. Includes dome bubble and black camera cover.	R	977.00
H4A-DD-SDWL1	Replacement sidewall knockout plug for H5A/H4A indoor dome cameras, pack of 5	R	155.00
H4A-DD-SDWL1-BL	Replacement sidewall knockout plug for H5A/H4A indoor dome cameras, black, pack of 5	R	155.00
H4A-DD-SMOK1	Replacement smoked transparent cover for H5A/H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low	R	977.00
H4A-DD-SMOK1-BL	Replacement smoked transparent cover for H5A/H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low	R	977.00
H4A-DO-CLER1	Replacement clear transparent cover for H5A/H4A outdoor dome camera. Includes dome bubble and grey camera cover.	R	1,542.00
H4A-DO-SMOK1	Replacement smoked transparent cover for H5A/H4A outdoor dome camera. Reduces light transmission by 50%. Not recommended for low	R	1,542.00
H4A-DP-SMOK1	Replacement smoked transparent cover for H5A/H4A pendant dome camera. Reduces light transmission by 50%. Not recommended for low	R	1,542.00

H4A-MT-NPTA1	NPT adapter for use with H5A/H4A pendant dome cameras	R	1,542.00
H4A-MT-WALL1	Wall mount bracket for use with H5A/H4A pendant dome cameras	R	1,542.00
H4-BO-JBOX1	Junction box for the H4A HD Bullet, H4SL HD Bullet, or H4 Thermal cameras.	R	2,261.00

H4 EDGE SOLUTION CAMERAS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
1.0C-H4A-12G-DO1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 12	R	38,932.00
1.0C-H4A-12G-DP1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 12	R	38,932.00
2.0C-H4A-25G-DO1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 2	R	46,930.00
2.0C-H4A-25G-DP1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 2	R	46,930.00
3.0C-H4A-25G-DO1-IR-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Bu	R	53,531.00
3.0C-H4A-25G-DP1-IR-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Bu	R	53,531.00
1.0C-H4A-12G-BO1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD	R	38,932.00
1.0C-H4A-12G-BO2-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD	R	40,162.00
2.0C-H4A-25G-BO1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	R	46,930.00
2.0C-H4A-25G-BO2-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	R	48,329.00
3.0C-H4A-25G-BO1-IR-B	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	R	53,531.00
3.0C-H4A-25G-BO2-IR-B	3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	R	54,761.00
1.0C-H4A-12G-B1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics, 128GB Built-in SSD	R	37,981.00
2.0C-H4A-25G-B1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics, 256GB Built-in SSD	R	45,979.00

3.0C-H4A-25G-B1	3.0 Megapixel WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics, 256GB Built-in SSD	R	52,636.00
H4A-DP-CLER1	Replacement clear transparent cover for H5A/H4A pendant dome camera. Includes dome bubble and grey camera cover.	R	1,542.00
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F, H4 PTZ, H4 IR PTZ and H4 Multisensor cameras.	R	2,261.00

H5SL RANGE DOMES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
1.3C-H5SL-D1	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	R	9,677.00
1.3C-H5SL-D1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	R	10,628.00
1.3C-H5SL-DO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	R	12,642.00
2.0C-H5SL-D1	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	R	11,076.00
2.0C-H5SL-D1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	R	12,027.00
2.0C-H5SL-DO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	R	13,984.00
3.0C-H5SL-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	R	12,474.00
3.0C-H5SL-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	R	13,369.00
3.0C-H5SL-DO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	R	15,383.00
5.0C-H5SL-D1	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.1-8.4mm f/1.6	R	15,103.00
5.0C-H5SL-D1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.1-8.4mm f/1.6, Integrated IR	R	15,998.00
5.0C-H5SL-DO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	R	18,012.00

H5SL RANGE BULLETS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
1.3C-H5SL-BO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	R	12,642.00
2.0C-H5SL-BO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	R	13,984.00
3.0C-H5SL-BO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	R	15,383.00
3.0C-H5SL-BO2-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 9.5-31mm f/1.4, Integrated IR	R	16,613.00
5.0C-H5SL-BO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	R	18,012.00

5.0C-H5SL-BO2-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 9.5-31mm f/1.4, Integrated IR	R	19,410.00
------------------	---	---	-----------

SL RANGE ACCESSORIES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
H4-DC-CPNL1	Metal ceiling panel for use with H5A, H4A or H4SL-MT-DCIL1 in-ceiling dome cameras to replace or reinforce the existing ceiling tile in susp	R	2,415.00
H4SL-AC-CNID1	Conduit Opening Cover Grey,5pk, ,H4SL dome camera	R	309.00
H4SL-AC-CNPL1	Conduit Plate, Grey for 1/2" 5 pk, for H4SL dome camera	R	411.00
H4SL-AC-CNPL2	Conduit Plate, Grey for 3/4" 5 pk, for H4SL dome camera	R	411.00
H4SL-AC-COND1	Conduit Cover Gray 5 pk,Grey, for H4SL dome camera	R	309.00
H4SL-AC-GROM1	Rubber grommet cable seal 10 pk, for H4SL dome camera	R	411.00
H4SL-BO-SHLD1	Replacement sun shield for H4SL bullet camera	R	309.00
H4SL-DD-CLER1	Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover.	R	874.00
H4SL-DD-SMOK1	Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applic	R	977.00
H4SL-MT-DCIL1	In-Ceiling mount for H4SL dome cameras	R	874.00
H4SL-MT-NPTA1	NPT adapter for use with H4SL cameras	R	874.00

New H5 Outdoor MINI "Micro" DOME CAMERAS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
2.0C-H5M-DO1-IR	2.0 MP, Dual Exp WDR, LightCatcher, Day/Night, Outdoor / Indoor Dome, 2.8mm 1/2.8" f/1.2, IR, H.265 support, 5 Year Warranty. IP66 and IK08 Impact rated. UMD.	R	9,915.00
5.0C-H5M-DO1-IR	5.0 MP, Dual Exp WDR, LightCatcher, Day/Night, Outdoor / Indoor Dome, 2.8mm 1/2.8" f/1.2, IR, H.265 support, 5 Year Warranty. IP66 and IK08 Impact rated. UMD.	R	12,278.00
H5M-DO-BZL1	Black surface mount bezel for H5M dome cameras, package of 5	R	771.00
H5M-MT-DCIL1	In-Ceiling mount for H5M dome cameras	R	771.00

MINI "Micro" DOME CAMERAS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
1.3C-H4M-D1	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2	R	6,216.00
1.3C-H4M-D1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2, IR	R	7,089.00
2.0C-H4M-D1	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2	R	8,476.00

2.0C-H4M-D1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2, IR	R	9,350.00
3.0C-H4M-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2	R	9,607.00
3.0C-H4M-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2, IR	R	10,480.00

MINI "Micro" DOME ACCESSORIES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
H4M-BZL1-BL	Black surface mount bezel for H4M dome cameras, package of 5	R	850.00
H4M-MT-DCIL1	In-Ceiling mount for H4M dome cameras	R	874.00
H4M-MT-DCIL1-BL	In-Ceiling mount for H4M dome cameras, Black	R	874.00
H4M-MT-NPTA1	Pendant mount for H4M dome cameras	R	874.00
H4M-MT-NPTA1-BL	Pendant mount for H4M dome cameras, Black	R	874.00
H4M-MT-DSPL	Package of 5 wall plates for H4M dome cameras	R	874.00

H4A PTZ's, non IR

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
1.0C-H4PTZ-DP45	1.0 Megapixel (720p) WDR Day/Night, 45x, Pendant Dome, Self-learning analytics	R	61,082.00
2.0C-H4PTZ-DP30	2.0 Megapixel (1080p) WDR Day/Night, 30x, Pendant Dome, Self-learning analytics	R	71,206.00
1.0C-H4PTZ-DC45	1.0 Megapixel (720p) WDR Day/Night, 45x, In-Ceiling Dome, Self-learning analytics	R	53,866.00
2.0C-H4PTZ-DC30	2.0 Megapixel (1080p) WDR Day/Night, 30x, In-Ceiling Dome, Self-learning analytics	R	63,991.00
ES-PS-S4	Managed switch, 5 port, Outdoor IP66, -40°C (-40°F) to 50°C (122°C), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45.	R	27,843.00
PTZMH-DC-CPNL1	Metal Ceiling panel for H4 PTZ and HD Multisensor cameras.	R	2,261.00
PTZMH-ACCS-CABL1	Replacement cable accessory and adapter kit for H4 PTZ and HD Multisensor (H3-xMH) pendant mount cameras. Includes waterproof RJ4	R	1,285.00
PTZMH-DP-CLER1	IK10 replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant cam	R	2,980.00
PTZMH-DP-SMOK1	IK10 replacement smoked transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant c	R	2,980.00
PTZMH-DC-CLER1	In-ceiling replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant	R	2,980.00
PTZMH-DC-SMOK1	Replacement smoked transparent cover, includes dome bubble and camera cover H4 PTZ and HD Multisensor (H3-xMH) In-Ceiling cameras	R	2,980.00
PTZMH-MT-NPTA1	Replacement male NPT adapter for use with H4 PTZ or HD Multisensor (H3-xMH) cameras.	R	720.00
POE-INJ2-60W-NA	Indoor single port Gigabit PoE++ 60W, North American power cord included. May also be used in European Union, Japan, Australia, New Z	R	3,802.00

POE-INJ2-PLUS-UK	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F);	R	2,004.00
------------------	--	---	----------

H4A IR PTZ's

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
1.0C-H4IRPTZ-DP45-WP	1MP H4 IR PTZ with Wiper 45X, Self-learning analytics, IK10, IP66, 250m IR	R	87,092.00
2.0C-H4IRPTZ-DP30-WP	2MP H4 IR PTZ, with Wiper 30X, Self-learning analytics, IK10, IP66, 250m IR	R	94,475.00
IRPTZ-MNT-NPTA1	Pendant NPT adapter. For use with H4 IR PTZ or H4A-MH-AD-PEND1 on H4 Multisensor.	R	1,439.00
POE-INJ2-95W-NA	Indoor single Port PoE Injector Gigabit, 95W, NA power cord, for use with H4IR PTZ - indoor installation rated. Temperature range of the PoE	R	9,915.00
IRPTZ-ACCS-CABL1	Replacement power and I/O cable for H4 IR PTZ.	R	720.00

FISHEYE

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
6.0L-H4F-DO1-IR	6.0 MP, Fisheye Camera, LightCatcher, Day/Night, 1.45mm f/2.2, Integrated IR	R	17,564.00
12.0-H4F-DO1-IR	12.0 MP, Fisheye Camera, Day/Night, 1.45mm f/2.2, Integrated IR	R	28,919.00
H4F-MT-NPTA1	NPT adapter for use with H4F cameras	R	1,542.00
H4F-AC-DES11	Desiccant packs for use with H4F cameras, contains qty 5. individually packaged dessicant packs	R	309.00
H4F-ACCS-KIT1	Replacement installation accessories for H4F camera. Includes accessories kit, Aux IO cable, and torx screw driver.	R	874.00
H4F-DO-CVER1	Replacement top cover assembly for H4F camera. Includes dome bubble, IR board, mic and grey camera cover.	R	3,956.00
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F, H4 PTZ, H4 IR PTZ and H4 Multisensor cameras.	R	2,261.00
CM-MT-WALL1	Pendant wall arm for H4 Fisheye (needs H4F-MT-NPTA1), H4SL (needs H4SL-MT-NPTA1), H4 PTZ or H3-xMH-DP-B cameras.	R	1,850.00

H4A MULTISENSORS WITH ANALYTICS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
9C-H4A-3MH-270	3x 3 MP, WDR, LightCatcher, 2.8mm, Camera Only	R	44,301.00
9C-H4A-3MH-180	3x 3 MP, WDR, LightCatcher, 4mm, Camera Only	R	44,301.00
15C-H4A-3MH-270	3x 5 MP, WDR, LightCatcher, 2.8mm, Camera Only	R	48,329.00
15C-H4A-3MH-180	3x 5 MP, WDR, LightCatcher, 4mm, Camera Only	R	48,329.00

15C-H4A-3MH-270	3x 5 MP, WDR, LightCatcher, 2.8mm, Camera Only	R	48,329.00
15C-H4A-3MH-180	3x 5 MP, WDR, LightCatcher, 4mm, Camera Only	R	48,329.00
24C-H4A-3MH-270	3x 8 MP, WDR, LightCatcher, 4mm, Camera Only	R	56,327.00
24C-H4A-3MH-180	3x 8 MP, WDR, LightCatcher, 5.2mm, Camera Only	R	56,327.00
12C-H4A-4MH-360	4x 3 MP, WDR, LightCatcher, 2.8mm, Camera Only	R	51,070.00
20C-H4A-4MH-360	4x 5 MP, WDR, LightCatcher, 2.8mm, Camera Only	R	56,327.00
32C-H4A-4MH-360	4x 8 MP, WDR, LightCatcher, 4mm, Camera Only	R	64,326.00
H4AMH-AD-PEND1	Outdoor pendant mount adapter, must order one of IRPTZ-MNT-WALL1 or IRPTZ-MNT-NPTA1 and one of H4AMH-DO-COVR1 or H4AMH-DO	R	3,956.00
H4AMH-AD-DOME1	Outdoor surface mount adapter, must order either a H4AMH-DO-COVR1 or H4AMH-DO-COVR1-SMOKE.	R	3,956.00
IRPTZ-MNT-WALL1	Pedant wall mount adapter. For use with H4 IR PTZ or H4A-MH-AD-PEND1 on H4 Multisensor.	R	2,415.00
H4AMH-DO-COVR1	Dome bubble and cover, for outdoor surface mount or pendant mount, clear.	R	3,956.00
H4AMH-DO-COVR1-SMOKE	Dome bubble and cover, for outdoor surface mount or pendant mount, smoked. Not recommended for lowlight applications.	R	3,956.00
H4AMH-AD-CEIL1	In-ceiling adapter, must order either a H4AMH-DC-COVR1 or H4AMH-DC-COVR1-SMOKE.	R	3,802.00
H4AMH-DC-COVR1	Dome bubble and cover, for in-ceiling mount, clear.	R	1,850.00
H4AMH-DC-COVR1-SMOKE	Dome bubble and cover, for in-ceiling mount, smoked. Not recommended for lowlight applications.	R	1,850.00
H4AMH-DC-CPNL1	Drop ceiling metal panel for use with H4A-MH-AD-CEIL1.	R	2,826.00
H4AMH-AD-IRIL1	Optional IR illuminator ring, up to 30m (100ft), for use with H4AMH-DO-COVR1.	R	8,220.00
POE-INJ2-PLUS-EU	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F);	R	2,004.00

THERMAL

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
320S-H4A-THC-BO50	320x256, Thermal Outdoor Bullet, 4.3mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	R 99,062.00
320S-H4A-THC-BO24	320x256, Thermal Outdoor Bullet, 9.1mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	R 104,432.00
320S-H4A-THC-BO12	320x256, Thermal Outdoor Bullet, 18.0mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	R 125,855.00
640S-H4A-THC-BO50	640x512, Thermal Outdoor Bullet, 8.7mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	R 157,962.00
640S-H4A-THC-BO24	640x512, Thermal Outdoor Bullet, 18mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	R 163,388.00
640S-H4A-THC-BO12	640x512, Thermal Outdoor Bullet, 36mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	R 223,518.00
H4A-BO-SHLD1	Replacement sun shield for H5A bullet cameras, H4A bullet cameras and H4 Thermal Cameras.	R 411.00
H4-BO-DEMO1	Replacement H4 HD Bullet or H4 Thermal configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo pur	R 155.00

VIDEO INTERCOM

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
3.0C-H4VI-RO1-IR	3.0 MP, H4 Video Intercom, WDR, LightCatcher, Day/Night, 1.83mm f/2.4, Integrated IR, Recessed Mount	R	30,933.00
H4VI-AC-RELY1	Safety Relay for H4 Video Intercom	R	2,980.00
H4VI-MT-SURF1	Surface mount adapter for H4 Video Intercom	R	5,651.00
H4VI-RO-CVER1	Replacement dome cover for H4VI camera, package of 5	R	977.00

PRO RANGE CCTV

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
24L-H4PRO-B	6K (24 MP) H.264 HD Pro with LightCatcher Technology	R	240,914.00
30L-H4PRO-B	7K (30 MP) H.264 HD Pro with LightCatcher Technology	R	267,651.00
8L-H4PRO-B	4K (8 MP) H.264 HD Pro with LightCatcher Technology	R	55,824.00
12L-H4PRO-B	4.5K (12 MP) H.264 HD Pro with LightCatcher Technology	R	189,510.00
16L-H4PRO-B	5K (16 MP) H.264 HD Pro with LightCatcher Technology	R	200,753.00

PRO RANGE LENSES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
LEF2414CA	Canon, 24mm, f/1.4, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light	R	87,020.00
LEF2818CA	Canon, 28mm, f/1.8, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality, good in low light, excellent value	R	22,911.00
LEFS3014SI	Sigma, 30mm, f/1.4, Auto-Iris Recommended for 4K-5K H4PRO-B Highest image quality available, excellent in low light	R	25,582.00
LEF3514SI	Sigma, 35mm, f/1.4, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light	R	51,164.00
LEF4028CA	Canon, 40mm, f/2.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, excellent value	R	9,915.00
LEF5012CA	Canon, 50mm, f/1.2, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light; use AUX power w	R	81,934.00
LEF5014CA	Canon, 50mm, f/1.4, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, excellent in low light, excellent value	R	20,651.00
LEF5018CA2	Canon, 50mm, f/1.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, good in low light, excellent value	R	7,911.00
LEF8512CA	Canon, 85mm, f/1.2, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light	R	100,992.00
LEF8518CA	Canon, 85mm, f/1.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, good in low light, excellent value	R	23,733.00

LEF10020CA	Canon, 100mm, f/2.0, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality	R	22,346.00
LEF20028CA	Canon, 200mm, f/2.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality Not recommended for low light on HD-PRO came	R	47,312.00
LEF163528CA2	Canon, 16-35mm, f/2.8L, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image	R	119,383.00
LEF247028TA2	Tamron 24-70, f/2.8, Gen 2, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal	R	55,377.00
LEFS183518SI	Sigma, 18-35mm, f/1.8, Auto-Iris, Vari Focal Recommended for 4K-5K H4PRO-B Highest image quality available, vari-focal, excellent in lo	R	40,839.00
LEF7020028CA	Canon, 70-200mm, f/2.8, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal	R	66,678.00
LEF7030040CA	Canon, 70-300mm, f/4-f/5.6, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Good	R	27,843.00
LEF7030040CA2	Canon, 70-300mm, f/4-f/5.6L, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest	R	80,804.00
LEF10040045CA2	Canon, 100-400mm, f/4.5-f/5.6, Auto-Iris, Vari Focal	R	107,670.00

ENCLOSURES

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined	R 3,802.00
ES-HD-HWS	Standard Format Enclosure for cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens leng	R 5,651.00
ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and le	R 8,220.00
ES-HD-HWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combin	R 10,326.00
ES-HD-CWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum	R 12,278.00
ES-HD-HS-XL	Extra Large Format Enclosure for Avigilon HD IP Professional Cameras with 24 VAC Triple fan assisted heater. Maximum combined camera	R 41,969.00
ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features & camera with a single Ethernet connection. Compatible with ES-HD-	R 5,805.00
ES-HD-MNT-POLE-LG	Large pole mount for pole diameter 210mm (8.2 in) to 225mm (8.85 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-	R 3,956.00

ES-HD-MNT-POLE-SM	Small pole mount for pole diameter 60mm (2.5 in) to 110mm (4.3 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HW	R	2,004.00
ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	R	2,980.00
ES-HD-MNT-WBLA	Ball joint mount for ES-HD-HS-XL	R	19,932.00

APD AND LPR

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
APD-S1-D	Avigilon Presence Detector with Ceiling Mount	R	20,908.00
APD-MT-WALL1	Wall or Corner Mount for Avigilon Presence Detector	R	206.00
3.0C-HD-LP-B1	Box camera, 3.0 MP, 4.7-84.6mm f/1.6 lens, with visible light blocker	R	23,717.00
ES-HD-LP-HS	Standard format enclosure with heater, sunshield and PoE passthrough for a camera. PoE+ powers the camera enclosure and camera usi	R	16,130.00
ES-HD-IR-IP6	IR illuminator, PoE+, Outdoor, included lens option for 60°, 35°, or 10° horizontal coverage. Included mounting adapter to ES-HD-LP-HS.	R	16,541.00
ACC7-LPR	ACC 7 LPR lane license	R	70,159.00
1LPR-ACC6	ACC 6 license to enable 1 lane of LPR. Additional lanes each require a license. Dual lane capture kits require 2 licenses each.	R	70,159.00

ACCESSORIES, SPARES AND BRACKETS

PRODUCT CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosure.	R	2,826.00
ES-HD-MNT-POLE-MD	Medium pole mount for pole diameter 80mm (3 in) to 150mm (5.9 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HW	R	4,829.00
ES-HD-MNT-CORNER	Corner mount adapter. Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CW	R	1,696.00
ES-HD-MNT-PLATE	Wall reinforcing wall plate, compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-	R	977.00
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	R	1,850.00
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	R	977.00
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% co	R	977.00
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	R	977.00
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50%	R	977.00

H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installatio	R	2,415.00
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	R	1,542.00
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmiss	R	1,542.00
CAM-ACCS-H3-D-PLUG	Replacement H3 Dome NPT Plugs, pack of 6	R	566.00
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	R	2,261.00
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	R	2,261.00
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	R	2,261.00
H3-BO-SHLD1	Replacement sun shield for H3 bullet cameras	R	411.00
H3-BO-JB	Junction box for the H3-BO-IR HD Bullet Cameras	R	2,415.00
H3-MC-CLER1	Replacement clear transparent cover, includes dome bubble and gray trim for in-ceiling microdomes.	R	411.00
H3-MC-CLER1-BL	Replacement clear transparent cover, includes dome bubble and black trim for in-ceiling microdomes.	R	411.00
DOME-CLEAR	Replacement clear dome bubble and trim for JPEG2000 Panoramic and JPEG2000 dome cameras.	R	411.00
DOME-CVR-CLEAR	Replacement dome bubble for JPEG2000 Dome and JPEG2000 Panoramic cameras.	R	2,107.00
DOME-INDE-PLT	Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box.	R	566.00
DOME-SMOKE	Replacement smoked transparent dome and trim for JPEG2000 Panoramic and JPEG2000 dome cameras. Reduces light transmission by 50	R	309.00
DOME-OD-BASE	Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting.	R	720.00
DOME-OD-PEND	Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall brackets.	R	720.00
DOME-IND-CEL	Indoor in-ceiling mount add-on adapter allows the camera to be ceiling mounted with only the external clear bubble showing.	R	2,415.00
IND-CEL-PNL	Metal ceiling panel for use with the DOME-IND-CEL to replace or reinforce the existing ceiling tile in suspended ceiling installations.	R	2,261.00



WIS NETWORKS

NETWORK PRODUCTS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
WAVEFLEX RANGE - 300Mbps 802.11a/n			
NW200	WIS-Q5300L	WIS 5GHz Outdoor Hi-Gain CPE 300Mbps (802.11n) <ul style="list-style-type: none"> • 16dBi Dual Polarised Antenna • 23dBm 2*2 MIMO Radio • 10/100Mbps Ethernet Port • Supports WIS TDMA 	R 1,445.00
NW201	WIS-Q5300	WIS 5GHz Outdoor Hi-Power Wireless CPE 300Mbps (802.11n) <ul style="list-style-type: none"> • 16dBi Dual Polarised Antenna • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R 2,391.30
NW203	WIS-Q300	WIS 5GHz 1 KM Wireless Kit 100Mbps (802.11n) <ul style="list-style-type: none"> • 16dBi Dual Polarised Antenna • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R 2,547.00
NW211	WIS-S5300	WIS 5GHz Outdoor Wireless Base station 300Mbps (802.11n) - Requires Antenna <ul style="list-style-type: none"> • Seamlessly integrates with all Wis Networks Antennas • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R 2,564.90
NW204	WIS-Q2300	WIS 2.4GHz Outdoor Hi-Power Wireless CPE 300Mbps (802.11n) <ul style="list-style-type: none"> • 12dBi Dual Polarised Antenna • 27dBm 2*2 MIMO Radio • 10/100Mbps Ethernet Port • Supports WIS TDMA 	R 1,990.00
NW240	WIS-L5819S	WIS 5GHz Wireless Outdoor 120 Deg Sector BaseStation 19dBi 300Mbps (802.11n) <ul style="list-style-type: none"> • 19dBi 120° Dual Polarised Antenna • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R 6,906.10
NW220	WIS-D5320	WIS 5GHz Outdoor Wireless Dish CPE/Bridge 300Mbps (802.11n) <ul style="list-style-type: none"> • 23dBi Dual Polarised Antenna • 25dBm 2*2 MIMO Radio • 10/100Mbps Ethernet Port • Supports WIS TDMA 	R 1,836.80
AC RANGE (867Mbps 802.11ac)			
NW210	WIS-S8000AC	WIS 5GHz Outdoor Wireless Base station 867Mbps (802.11ac) -Requires Antenna <ul style="list-style-type: none"> • Seamlessly integrates with all Wis Networks Antennas • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R 4,473.00
NW241	WIS-L525AC	WIS 5GHz Wireless Outdoor Panel Bridge 867Mbps (802.11ac) <ul style="list-style-type: none"> • 25dBi Dual Polarised Antenna • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R 9,638.00



NW230	WIS-S516AC	WIS 5GHz Wireless Outdoor 120 Deg Sector BaseStation 16dBi 867Mbps (802.11ac) <ul style="list-style-type: none"> • 19dBi 120° Dual Polarised Antenna • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R	3,628.00
NW231	WIS-D523AC	WIS 5GHz Wireless Outdoor Dish CPE/Bridge 867Mbps (802.11ac) <ul style="list-style-type: none"> • 23dBi Dual Polarised Antenna • 27dBm 2*2 MIMO Radio • 10/100/1000Mbps Ethernet Port • Supports WIS TDMA 	R	2,512.00
ANTENNAS				
NW221	ANS5819-120	WIS 5GHz Outdoor Wireless Sector Antenna 120 19 dBi (Use with NW211/NW210) <ul style="list-style-type: none"> • Seamlessly integrates with NW210 (WIS-S800AC) and NW211 (WIS-S5300) • Ideal for Point to Multi-Point Setups • Supports WIS TDMA 	R	4,822.90
NW222	WIS-AND5830	WIS 5GHZ Outdoor WirelessDish Antenna 30dBi (NW211/NW210) <ul style="list-style-type: none"> • Seamlessly integrates with NW210 (WIS-S800AC) and NW211 (WIS-S5300) • Ideal for Long distance Point to Point Setups • Supports WIS TDMA 	R	4,275.60
NW224-1	WIS-AND5812 WIS-PT50SN	WIS 5GHz Wireless Omni Antenna 12dBi with Pigtaills (NW211/NW210) <ul style="list-style-type: none"> • Seamlessly integrates with NW210 (WIS-S800AC) and NW211 (WIS-S5300) • Ideal for Point to Multi-Point Setups • Supports WIS TDMA 	R	4,136.40

UTEPO

NETWORK PRODUCTS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
GIGABIT & GIGABIT-POE				
NW100-4	UTP3-GSW04-TP60	UTEPO 4 Port Gigabit PoE + 2 Gb TP Uplink Switch <ul style="list-style-type: none"> • 4*10/100/1000Mbps PoE Ports • 2*10/100/1000Mbps Ethernet Uplink Ports • IEEE 802.3af/at • Up to 250m in CCTV Mode 	R	2,639.00
NW101-6	UTP3-GSW0802-TP120	UTEPO 8 Port Gigabit PoE + 2 Gb TP Uplink Switch <ul style="list-style-type: none"> • 8*10/100/1000Mbps PoE Ports • 2* 10/100/1000Mbps Ethernet Uplink Ports • IEEE 802.3af/at • Up to 250m in CCTV Mode 	R	4,145.00
NW101-4	UTP3-GSW0802S-POE	UTEPO 8 Port Gigabit PoE + 2 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 8*10/100/1000Mbps PoE Ports • 2* GB SFP Uplink Ports • IEEE 802.3af/at • Up to 250m in CCTV Mode 	R	3,759.40
NW101-3	SG8-M	UTEPO 8 Port Gigabit (12VDC Input) Switch <ul style="list-style-type: none"> • 8 * 10/100/1000Mbps Ports • 3 Operating Modes (Default/ VLAN/ CCTV) • 12V DC 1A Power Supply 	R	1,086.00



NW111-7	UTP3-GSW1604TS-P	UTEPO 16 Port Gigabit PoE + 2 Gb TP + 2 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 16 * 10/100/1000Mbps PoE Ports • 2*10/100/1000Mbps Ethernet Uplink Ports • 2* GB SFP Uplink Ports • 3 Operating Modes (DEFAULT/VLAN/FLOW CONTROL) 	R	8,685.00
NW121-4	UTP3-GSW16	UTEPO 16 Port Gigabit (PoE Powered) <ul style="list-style-type: none"> • 16 * 10/100/1000Mbps Ports • 5 Operating Modes (STD/ SAG&LP VLAN/ LOCK/ ISOL) • Powered by AC or PoE (Port 16) 	R	2,496.00
GIGABIT-PoE-MANAGED & GIGABIT-MANAGED				
NW100-3	UTP7304GE-POE	UTEPO 4 Port Gigabit Managed Industrial PoE + 2 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 8*10/100/1000Mbps PoE Ports • 4* GB SFP Uplink Ports • PoE function: 1 port 60W HPoE, 7 ports 30W PoE • Web-based network management (VLAN, QoS, RSTP, SNMP) • One-key CCTV/LOCK/ONLINE/RING • Supports relay alarm for: power off, network down and PoE off 	R	7,288.00
NW101-7	UTP7308GE-POE	UTEPO 8 Port Gigabit Managed Industrial PoE + 4 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 8*10/100/1000Mbps PoE Ports • 4* GB SFP Uplink Ports • PoE function: 1 port 60W HPoE, 7 ports 30W PoE • Web-based network management (VLAN, QoS, RSTP, SNMP) • One-key CCTV/LOCK/ONLINE/RING • Supports relay alarm for: power off, network down and PoE off 	R	8,897.00
NW101-8	UTP3-GSW0802S-MTP150	UTEPO 8 Port Gigabit Managed PoE + 2 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 8 * 10/100/1000Base-T RJ45 Ports (PoE) • 2 * 1000Base-X SFP Ports • IEEE802.3af/at • Up to 250m Video Transmission • Layer 2 Management including QVLAN, QoS, IGMP Snooping, Fast-Ring and PoE 	R	5,177.00
NW115-2	UTP7524GE-POE-4GF	UTEPO 24 Port Gigabit Managed PoE + 4 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 24*10/100/1000Mbps PoE Ports • 4* Gb SFP Uplink Ports • Supports fast ring, Self-healing in 20ms min • Web layer 2 Network and PoE management 	R	16,230.00
NW115-4	UTP7624GE-L3	UTEPO 24 Ports Gigabit Managed + 4 Gb/10Gb Uplink Switch <ul style="list-style-type: none"> • 24 * 10/100/1000Mbps Ports • 4 * 10Gb SFP Uplink Ports • Web layer 3 Network management • Supports fast ring, Self-healing in 20ms min 	R	21,204.00
NW115-5	UTP7624GS-L3	UTEPO 24 Port SFP Managed + 8 shared Gb TP + 4 Gb/10Gb Uplink Switch <ul style="list-style-type: none"> • 24 * Gb SFP Ports • 8 * Shared 10/100/1000Mbps Ports • 4 * 10Gb SFP Uplink Ports • Web layer 3 Network management • Supports fast ring, Self-healing in 20ms min 	R	29,351.50
NW115-8	UTP3-GSW2404S-MTP250	UTEPO 24 Port Gigabit Managed PoE + 4 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 24 * 10/100/1000Base-T RJ45 Ports (PoE) Switch • 4 * 1000Base-X SFP Ports • IEEE802.3af/at • Layer 2 Management including QVLAN, QoS, IGMP Snooping, Dual IPV4/IPV6 Stack and PoE 	R	11,527.00



FAST ETHERNET-PoE & FAST ETHERNET-PoE-MANAGED				
NW100	UTP3-SW04-TP60	UTEPO 4 Port 10/100 PoE + 2 10/100 TP Uplink Switch <ul style="list-style-type: none"> • 4 * 10/100Mbps PoE Ports • 2 * 10/100Mbps Ethernet Uplink Ports • IEEE 802.3af/at • Up to 250m in CCTV Mode 	R	1,488.00
NW110-2	UTP3-SW08-TP120	UTEPO 8 Port 10/100 PoE + 1 10/100 TP Uplink Switch <ul style="list-style-type: none"> • 8 * 10/100Mbps PoE Ports • 1 * 10/100Mbps Ethernet Uplink Ports • IEEE 802.3af/at • Up to 250m in CCTV Mode 	R	2,396.00
NW110-4	UTP7208E-POE-A1	UTEPO 8 Port 10/100 Industrial PoE + 1 Gb TP + 1 SFP Uplink Switch <ul style="list-style-type: none"> • 8 * 10/100Mbps PoE Ports • 1 * 10/100/1000Mbps Ethernet Uplink Ports • 1 * 1000Mbps SFP Uplink Ports • IEEE 802.3af/at • Up to 250m in CCTV Mode 	R	5,148.00
NW121-6	UTP1-SW16-TP300	UTEPO 16 Port 10/100 PoE + 2 Gb TP + 1Gb SFP Uplink Switch <ul style="list-style-type: none"> • 16 * 10/100Mbps PoE Ports • 2 * 10/100/1000Mbps Ethernet Uplink Ports • IEEE 802.3af/at • 1 * 1000MbpsSFP Uplink Port • Up to 250m in CCTV Mode 	R	9,315.00
NW121-3	UTP7216E-POE-L2	UTEPO 16 Port 10/100 Managed PoE + 2 Gb TP + 2 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 16 * 10/100Mbps PoE Ports • 2 * 10/100Mbps Ethernet Uplink Ports • 2 * Gb SFP Uplink Ports • IEEE 802.3af/at • Layer 2 Network & PoE management 	R	11,622.00
NW121-8	UTP3-GSW1604S-MTP250	UTEPO 16 Port Gigabit Managed PoE + 4 SFP Uplink Switch <ul style="list-style-type: none"> • 16 * 10/100/1000Base-T RJ45 Ports (PoE) • 4 * 1000Base-X SFP Ports • IEEE802.3af/at • Layer 2 Management including QVLAN, QoS, IGMP Snooping, Dual IPv4/IPv6 Stack and PoE 	R	9,703.00
NW113-2	UTP1-SW24-TP420	UTEPO 24 Port 10/100 PoE + 2 Gb TP + 1Gb SFP Combo Uplink Switch <ul style="list-style-type: none"> • 24 * 10/100Mbps PoE Ports • 2 * 10/100/1000Mbps Ethernet Uplink Ports • IEEE 802.3af/at • Layer 2 Network & PoE management 	R	10,178.40
NW114-1	UTP3-SW24-TP420	UTEPO 24 Port 10/100 Managed PoE + 2 Gb TP Uplink Switch <ul style="list-style-type: none"> • 24 * 10/100Mbps PoE Ports • 2 * 10/100/1000Mbps Ethernet Uplink Ports • IEEE 802.3af/at • Layer 2 Network & PoE management 	R	12,662.50
PoE INJECTOR				
NW143	UTP7201GE-PSE30	UTEPO PoE Injector Gigabit (30Watt) <ul style="list-style-type: none"> • IEEE 802.3af/at • 30 Watts Maximum • 220V AC Input 	R	805.00
NW143-2	UTP7201GE-PSE60	UTEPO PoE Injector Gigabit (60Watt) <ul style="list-style-type: none"> • IEEE 802.3af/at • 60 Watts Maximum • 220V AC Input 	R	1,237.50
MEDIA CONVERTER				
NW169-7	UOF7201GE	UTEPO 1000Base-T to 1000Base-FX Media Converter (Requires SFP) <ul style="list-style-type: none"> • Media conversion between 10/100/1000BASE-T and 1000BASE-X • LC Port, SFP Optical Module, Single or Dual Fibre 	R	1,258.80



PLANET

NETWORK PRODUCTS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		
GIGABIT & GIGABIT-POE				
NW121-5	GSW-1601	PLANET 16 Port Gigabit <ul style="list-style-type: none"> • 16 * 10/100/1000Mbps Ports • Per port auto-MDI, MDI-X detection 	R	3,051.60
NW100-5	GSD-603F	PLANET 5 Port Gigabit + 1 Gb SFP Uplink Switch <ul style="list-style-type: none"> • 5 * 10/100/1000Mbps PoE Ports • 1 * Gb SFP Uplink Ports • 5V DC 1A Power Supply • Per port auto-MDI, MDI-X detection 	R	1,682.00
NW101-5	GSD-803	PLANET 8 Port Gigabit (5VDC Input) Switch <ul style="list-style-type: none"> • 8 * 10/100/1000Mbps Ports • 5V DC 1A Power Supply • Per port auto-MDI, MDI-X detection 	R	1,474.00
NW100-2	GSD-604HP	PLANET 4 Port Gigabit PoE + 2 Gb TP Uplink Switch <ul style="list-style-type: none"> • 4 * 10/100/1000Mbps PoE Ports • 2 * 10/100/1000Mbps Ethernet Uplink Ports • Port-based VLAN & Loop Protection Features • Compact size, fanless design 	R	3,111.00
NW110-6	GS-4210-8P2S	PLANET 8 Port Gigabit Managed PoE + 2 Shared SFP Uplink Switch <ul style="list-style-type: none"> • 8 * 10/100/1000Mbps PoE Ports • 2 * GbSFP Uplink Ports • IEEE 802.3af/at • Advanced L2/L4 Switching & Security 	R	8,713.20
NW121-2	WGSW-20160HP	PLANET 16 Port Gigabit Managed PoE + 4 shared Gb TP/SFP Uplink Switch <ul style="list-style-type: none"> • 16 * 10/100/1000Mbps PoE Ports • 4 * 10/100/1000Mbps Ethernet & SFP Shared Uplink Ports • IEEE 802.3af/at • Advanced L2/L4 Switching & Security 	R	15,580.80
NW114-5	GS-4210-24PL4C	PLANET 24 Port Gigabit Managed PoE + 4 Gb TP/SFP Uplink Switch <ul style="list-style-type: none"> • 24 * 10/100/1000Mbps PoE Ports • 4 * 10/100/1000Mbps Ethernet & SFP Shared Uplink Ports • IEEE 802.3af/at • Advanced L2/L4 Switching & Security 	R	20,688.00
FAST ETHERNET, PoE				
NW110-9	FGSD-1022VHP	PLANET 8 Port 10/100 PoE + 2 Gb TP/SFP Uplink Switch <ul style="list-style-type: none"> • 8 * 10/100Mbps PoE Ports • 2 * 10/100/1000Mbps Ethernet & 2 Gb SFP shared Uplink Ports • 3 Modes (STD/ VLAN/ EXTEND) • LCD Display for PoE Usage and System status 	R	6,624.00
SFP				
NW169-10	MGB-LX	PLANET SFP-Port 1000 BASE-LX mini-GBIC module - 20km (Single Mode) <ul style="list-style-type: none"> • Single-mode Fibre • LC connector • IEEE 802.3z 1000BASE-SX • Maximum distance 20km • Wavelength -1310nm 	R	944.00
NW169-3	MGB-SX	PLANET SFP-Port 1000 BASE-SX mini-GBIC module - 550m (Multi Mode) <ul style="list-style-type: none"> • Multimode Fibre • LC connector • IEEE 802.3z 1000BASE-SX • Maximum distance 550m • Wavelength -850nm 	R	875.00



NW169	MGB-SX2	PLANET SFP-Port 1000 BASE-SX mini-GBIC module - 2km (Multi Mode) <ul style="list-style-type: none"> • Multimode Fibre • LC connector • IEEE 802.3z 1000BASE-SX • Maximum distance 2km • Wavelength -1310nm 	R	897.00
NW169-1	GT-802	PLANET 1000Base-T to 1000Base-SX Media Converter (SC, MM) -220/550m <ul style="list-style-type: none"> • 10/100/1000BASE-T port • 1 x 1000BASE-SX port • Maximum Distance: 550m 	R	2,249.00
NW169-2	GT-802S	PLANET 1000Base-T to 1000Base-LX Media Converter (SC, SM) - 10km <ul style="list-style-type: none"> • 1 x 10/100/1000BASE-T port • 1 x 1000BASE-LX port • Maximum Distance: 10km 	R	2,422.00
CABLES				
CB92		HDMI Cables <ul style="list-style-type: none"> • HDMI Cable Male to Male 2m 30AWG 	R	141.60
CB92-1		HDMI Cables <ul style="list-style-type: none"> • HDMI Cable Male to Male 0.5m 30AWG 		
CB92-5		HDMI Cables <ul style="list-style-type: none"> • HDMI Cable Male to Male 5m 28AWG 	R	238.80
CB92-10		HDMI Cables <ul style="list-style-type: none"> • HDMI Cable Male to Male 10m 26AWG 		SQ
CB92-20		HDMI Cables <ul style="list-style-type: none"> • HDMI Cable Male to Male 20m 26AWG + Chipset 24AWG 	R	2,130.10
CB93		HDMI Cables <ul style="list-style-type: none"> • HDMI Active Optical Cable 4K UHD 50m 	R	8,227.30
HDMI EXTENDER				
NW270-5		HDMI Extender Kit Over CAT5E/6 Full HD1080P to 50m (Bi-directional IR) <ul style="list-style-type: none"> • 1080p/60fps up to 50m • Full HD & 3D Compliant • Supports DTS-HD Master Audio & Dolby TrueHD Audio • 7.1 Digital HDMI • EDID Control • Bi-directional Infra-red support 	R	1,306.00
NW270-2		HDMI Extender Kit Rx & Tx Over CAT5E/6 up to 200m <ul style="list-style-type: none"> • 1080p/60fps up to 200m • Full HD & 3D Compliant • Built-in DIP switch for multiple displays • Supports USB 2.0 • Bi-directional Infra-red support • Additional Receiver NW270-3 (IPHU-200D RX) 	R	3,500.50
HDMI SELECTOR				
NW278		HDMI 5 in 1 Out Switcher <ul style="list-style-type: none"> • HDMI v1.4, HDCP, 3D support • Supports video resolutions up to 4Kx2K@24/30 Hz • Manual, automatic or remote control switching 	R	758.40
HDMI SPLITTER				
NW273-1		HDMI Splitter 1 - 4 HDMI 2.0 1080P <ul style="list-style-type: none"> • Supports 4K x 2K@30Hz, 1080P • Full HD & 3D Compliant • EDID Control • HDMI v1.4, HDCPv2.0 	R	1,377.80
NW274		HDMI Super Mini Splitter 1-In 2-Out with pigtail 4K x 2K <ul style="list-style-type: none"> • Supports 4K x 2K@30Hz, 1080P 	R	660.10



HDMI SWITCHER			
NW275		HDMI 2 Port Bi-direction 1 x 2 Splitter 2 x 1 Switch 4K <ul style="list-style-type: none"> • Supports High Definition 4K@60Hz YUV 4:4:4 & full 3D • 2 HDMI Host to 1 HDMI Monitor • 1 HDMI Host to 2 HDMI Monitors • Supports 600MHz/ 6.0Gbps per channel bandwidth • HDMI v1.4, HDCPv2.2 	R 325.20
NW100-6		Waterproof PoE Network Switch <ul style="list-style-type: none"> • Wall or Pole mount • 6 x 10/100Mbps PoE+ (30W) Ports • 2 x 10/100/1000Mbps PoE++ (60W) Ports • 2 x 10/100/1000Mbps Ethernet Uplink Ports • 1 x 10/100/1000Mbps Fibre Uplink Port • Input Power 220V • Cable Management • PC/ABS polymer waterproof (IP65) enclosure 	SQ
HDMI CONVERTER			
NW276		Converter AV(CVBS) to HDMI in mini Metal Housing <ul style="list-style-type: none"> • Supports up to 1080P@60Hz • Supports HDCP 1.2 • Supports 5V power supply • Supports CVBS input to HDMI output 	R 913.30
NW276-2		HDMI to AV Mini Converter 1080p <ul style="list-style-type: none"> • Supports resolutions up to 1080p/60fps • Supports NTSC and PAL formats • USB power cable 	R 724.90
NW276-3		VGA and AV to HDMI Converter 720&1080p <ul style="list-style-type: none"> • Supports resolutions up to 1080p/60fps • Supports both 3.5mm (VGA) and R/L (YPbPr) audio • 5V power supply 	R 1,116.10
Repeater			
NW144		UTEPO 10/100 PoE Repeater (Up to 300m) <ul style="list-style-type: none"> • Supports High Definition 4K@60Hz YUV 4:4:4 & full 3D • 2 HDMI Host to 1 HDMI Monitor • 1 HDMI Host to 2 HDMI Monitors • Supports 600MHz/ 6.0Gbps per channel bandwidth • HDMI v1.4, HDCPv2.2 	R 1,623.80
NEW EP Fast Tool			
NW159		UTEPO Network Engineering Tool <ul style="list-style-type: none"> • Network Diagnosis • Emergency Power • WiFi Transmission • ONVIF Devices • Plug and Play 	R 3,366.10
Network equipment			
NW276-4		16 Channel IP Split Screen Decoder <ul style="list-style-type: none"> • ONVIF complaint, ideal for decoding multi-brand IP cameras • Simple Setup - Enter the link address of the video stream in the configuration interface of the video decoder. • Multi-channel Switch - Support multi video HD streams decoding and switch 	SQ
NW139		PoE Extender/ Splitter <ul style="list-style-type: none"> • PoE/ PoE+ • 1 x 10/100 Mbps Uplink Port, 2 10/100 Downlink Ports • Transmission distance up to 100m • Cat5e/ Cat6 	SQ
NW139-2		PoE Extender/ Splitter (waterproof enclosure) <ul style="list-style-type: none"> • Waterproof Housing • PoE/ PoE+ • 1 x 10/100 Mbps Uplink Port, 2 10/100 Downlink Ports • Transmission distance up to 100m 	SQ
NW139-5		RJ45 Combiner/ Splitter <ul style="list-style-type: none"> • 0/100Mbps • Transmission distance up to 100m • Cat5e/ Cat6 	R 70.00



HW22-9		RJ45 Combiner/ Splitter • Waterproof Cable Gland for NW139-4	SQ
--------	--	---	----

PAXTON NET2

PAXTON ACCESS CONTROL SYSTEMS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK250	682-493-EX	Net2 Plus Controller Only <ul style="list-style-type: none"> • Use existing LAN or RS485 infrastructure on a site • Easy installation with minimal wiring • Future proof and easily scalable 	R 4,336.00
LK250-1	682-531-EX	Net2 Plus ACU PSU Plastic <ul style="list-style-type: none"> • Use existing LAN or RS485 infrastructure on a site • Easy installation with minimal wiring • Future proof and easily scalable 	R 6,540.00
LK250-5	654-772-EX	Net2 Nano ACU PSU Plastic <ul style="list-style-type: none"> • Use existing LAN or RS485 infrastructure on a site • Easy installation with minimal wiring • Future proof and easily scalable 	R 7,155.00
LK251	682-284-EX	Net2 Plus ACU POE Plastic <ul style="list-style-type: none"> • Enjoy all the benefits of Net2 plus, with a single cable for power and data • Choose to use mains or PoE • Installation is more efficient and convenient • Save time and money on extra cabling 	R 8,383.00
LK253-2	411-623-EX	Net2 I/O PSU Plastic <ul style="list-style-type: none"> • Communicates using Net2Air technology, Paxton's secure and reliable wireless protocol • Minimal wiring needed • Easy installation and configuration 	R 8,325.00
LK250-9	857-250-EX	Paxton Net2 Enclosure with PSU <ul style="list-style-type: none"> • Communicates using Net2Air technology, Paxton's secure and reliable wireless protocol • Minimal wiring needed • Easy installation and configuration 	R 2,472.00
VR READER			
LK263-4		Vandal Proof Reader The vandal proof reader is for use with Switch2 and Net2 systems. The barrel-like construction of the reader means that it can be buried in a wall. This means that it is ideal for use in vandal prone areas where malicious damage could be a problem.	R 4,943.00
ACCESS - RFID READERS			
LK260-1	353-110-EX	Net2 Reader P50	R 1,780.00
LK260-2	373-110-EX	Net2 Reader P75	R 2,313.00
LK260-3	323-110-EX	Net2 Reader P200	R 3,398.00
LK260-4	333-210-EX	Net2 COMPACT Reader P38	R 3,773.00
LK260-5	353-210-EX	Net2 COMPACT Reader P50	R 3,773.00
LK260-6	373-210-EX	Net2 COMPACT Reader P75	R 3,773.00
LK260-8	345-220-EX	Paxton Net2 Reader - Mullion	R 3,010.00
LK261-2	355-110-EX	Net2 Keypad Reader KP50	R 2,181.00
LK261-5	351-110-EX	Net2 Keypad K50	R 1,171.00

LK261-6	371-110-EX	Net2 Keypad K75	R	1,171.00
LK261-7	351-210-EX	Net2 COMPACT TOUCHLOCK Keypad K50	R	1,822.00
LK261-8	371-210-EX	Net2 COMPACT TOUCHLOCK Keypad K75	R	1,822.00
LK261-9	352-210-EX	Net2 COMPACT TOUCHLOCK Keypad SS K50	R	2,602.00
LK261-11	372-110-EX	Paxton Net2 Keypad - TOUCHLOCK Stainless	R	2,082.00
LK262	500-010-EX	Net2 Reader Marine	R	5,805.00
LK262-1	500-020-EX	Net2 Reader Marine Chrome	R	4,719.00
LK263-6	339-111-EX	Paxton Net2 Reader Universal Clock & Dat	R	4,660.00
LK265	568-855-EX	Net2 Reader Vandal Proof	R	3,903.00
LK282	353-467-EX	Net2 Reader Mifare P50	R	2,215.00
LK282-2	375-130-EX	Net2 Keypad Reader Mifare Metal KP75	R	3,513.00
LK266	313-110-EX	Net2 Reader Long Range	R	7,359.00
LK269-1	356-310-EX	Net2 Exit Button E50	R	816.00
LK268	595-248-EX	Net2 Reader Energy Saving	R	2,862.00
LK267	514-326-EX	Net2 Desktop Reader	R	1,334.00
LK267-2	350-910-EX	Net2 Desktop Reader Magstripe USB	R	2,039.00
LK267-4	460-210-EX	Net2 Reader Caller ID Plastic Housing	R	9,319.00
ACCESSORIES				
LK270	250-110-EX New 695-644-US	Net2 Keyfobs EM 10 Pack	R	952.00
LK270-1	695-644-EX	Net2 Keyfobs 10 Pack	R	952.00
LK270-10	820-010G-EX	Net2 Keyfobs Green 10 Pack	R	1,822.00
LK271-3	125-005-EX	Net2 125kHz HID Tech Card 5 Pack	R	3,252.00
LK271-4	125-201-EX	Paxton Net2 Cards Weigand Activation HID	R	1,171.00
LK271-5	692-148-EX	Paxton Net2 Cards - ISO Mifare - 10 Pack	R	952.00
LK271-6	477-222-EX	Net2 Hands Free Interface Plastic	R	2,862.00
LK272	690-222-EX	Net2 Hands Free Keyfob 2.5m Max	R	913.00
LK273	690-333-EX	Net2 Hands Free KeyCard	R	1,049.00
LK273-1	696-100-EX	Net2 Hands Free KeyCard Holder 5 Pack	R	391.00
LK269-2	325-030-EX	Net2 Reader Port Connector 5 Pack	R	1,640.00
LK274-1	695-573-EX	Net2 Cards Magstripe 10 Pack	R	680.00
LK274-2	692-053-EX	Paxton Prox ISO Card Magstripe 500 Pack	R	41,528.00
LK274-10	830-010G-EX	Net2 Cards Green 10 Pack	R	1,822.00
LK274-5	698-574BL-EX	Net2 Watchprox Black 10 Pack	R	781.00
LK274-6	698-574SL-EX	Net2 Watchprox Silver 10 Pack	R	781.00
LK274-8	660-100-EX	Net2 EM Adhesive Disc 10 Pack	R	874.00
CB78	166-025	Paxton Reader Cable 25m 10 Core Belden	R	761.00
CB79	166-100	Paxton Reader Cable 100m 10 Core Belden	R	3,589.00
ACCESS - STAND ALONE				
LK250-8	405-321-EX	Paxton COMPACT - Switch2 Controller	R	2,342.00
LK260-5	353-210-EX	Net2 COMPACT Reader P50	R	3,773.00

LK261-7	351-210-EX	Net2 COMPACT TOUCHLOCK Keypad K50	R	1,822.00
PANELS				
LK279	337-410-EX	Net2 Entry Panel MKII with RS SM	R	17,236.00
LK279-1	337-420-EX	Net2 Entry Panel MKII SM	R	17,236.00
LK280-15	337-520-EX	Net2 Entry Panel MKII VR SM	R	25,865.00
LK280-17	337-400-EX	Net2 Entry Panel MKII FM	R	17,236.00
LK279-2	337-520-EX	Net2 Entry Panel MKII VR SM	R	21,326.00
LK279-3	337-510-EX	Net2 Entry Panel MKII VR with RS SM	R	25,865.00
LK279-6	337-620-EX	Net2 Entry Panel Touch SM	R	43,123.00
LK279-7	337-610-EX	Net2 Entry Panel Touch with RS SM	R	43,123.00
LK279-8	37-600-EX	Net2 Entry Panel Touch FM	R	43,123.00
MONITOR & ACCESSORIES				
LK280-2	337-286-EX	Net2 Entry STD Monitor	R	7,961.00
LK280-20	337-290-EX	Net2 Entry Prem SM Monitor	R	16,805.00
LK280-24	337-270-EX	Paxton Net2 Entry - Audio Monitor	R	3,469.00
LK280-25	337-272-EX	Net2 Entry Audio Monitor with Handset		SQ
LK280-27	337-294-EX	Net2 Desk Stand Prem Monitor	R	1,274.00
LK280-7	337-847-EX	Net2 Entry Desk Stand for Monitor	R	477.00
LK280-3	337-727-EX	Net2 Entry Control Unit	R	10,020.00
LK280-6	337-773-EX	Net2 Entry Extension Switch	R	4,746.00
LK275	930-010-EX	Net2 Pro Software		SQ
PAXLOCK				
LK254-1	477-600-EX	Paxton Net2 Air Bridge Mk3 - PoE	R	4,081.00
LK281-1	901-010-EX	Net2 PaxLock Mortice Sash 72mm	R	651.00
LK281-7	901-172-EX	Net2 PaxLock 72mm Euro	R	8,456.00
LK284-1	900-100BL-EX	Net2 PaxLock Pro Black Indoor Euro	R	10,765.00
LK284-2	900-200WT-EX	Net2 PaxLock Pro Black Outdoor Euro	R	12,081.00
LK284-3	900-200BL-EX	Net2 PaxLock Pro Black Outdoor Euro	R	12,081.00
LK284-4	900-059-EX	Paxton Net2 PaxLock Pro 50-54mm Door Kit	R	583.00
LK284-5	900-060-EX	Paxton Net2 PaxLock Pro 57-60mm Door Kit	R	583.00
LK284-6	900-053-EX	Paxton PaxLock Pro- Euro Plate kit 70-72	R	1,446.00
LK284-7	900-054-EX	Paxton PaxLock Pro-Euro Plate Kit 90-92	R	1,446.00
NEW PAXTON10 RANGE				
CC240	010-372-EX	Paxton10 Mini Bullet Camera - 2.8mm, 8MP	R	7,274.00
CC241	010-029-EX	Paxton10 Vari-Focal Bullet Camera - 8MP	R	11,679.00
CC243	010-517-EX	Paxton10 Mini Dome Camera - 2.8mm, 8MP	R	7,274.00
CC244	010-075-EX	Paxton10 Vari-Focal Dome Camera - 8MP	R	11,679.00
LK251-10	010-187-EX	Paxton10 Video Controller - 12V 4A PSU	R	11,300.00
LK251-11	010-203-EX	Paxton10 Alarm Connector	R	2,139.00
LK251-12	010-403-EX	Paxton10 Door Controller - PCB only	R	7,347.00

LK251-13	010-552-EX	Paxton10 Reader Converter	R	726.00
LK251-15	010-751-EX	Paxton10 Door Controller - 12V 2A PSU	R	9,282.00
LK251-16	010-907-EX	Paxton10 Video Controller - PoE	R	12,555.00
LK251-5	003-375-EX	Paxton10 Server	R	25,346.00
LK251-9	010-052-EX	Paxton10 Door Controller - PoE	R	9,282.00
LK261-15	010-824-EX	Paxton10 Keypad Reader	R	4,074.00
LK265-1	010-254-EX	Paxton10 VR Reader	R	4,371.00
LK265-2	010-296-EX	Paxton10 Slimline Reader	R	3,628.00
LK265-3	010-387-EX	Paxton10 Desktop Reader	R	3,348.00
LK271-8	010-427-EX	Paxton10 Cards - Pack of 10	R	826.00
LK272-10	010-170-EX	Paxton10 Keyfobs - Pack of 10	R	838.00
LK272-9	010-690-EX	Paxton10 Bluetooth Hands Free Keyfob	R	875.00
LK284-11	010-602BL-EX	Paxton10 PaxLock Pro - Euro, external, black	R	12,204.00
LK284-12	010-602WT-EX	Paxton10 PaxLock Pro - Euro, external, white	R	12,204.00
LK284-13	010-603BL-EX	Paxton10 PaxLock Pro - Euro, internal, black	R	10,418.00
LK284-14	010-603WT-EX	Paxton10 PaxLock Pro - Euro, internal, white	R	10,418.00
NW261	010-687-EX	Paxton10 Wireless Connector	R	3,999.00



MORPHOACCESS

MA Sigma Lite

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK419	MA Sigma Lite WR Bio	MA Sigma Lite Bio Morpho Sigma Lite IP65 (1:500) Bio	R 10,558.00
LK419-1	MA-SIGMA-LITE-PROX	MA Sigma Lite Prox Morpho Sigma Lite IP65 (1:500) Bio with Prox Card Reader	R 13,772.00
LK419-2	MA-SIGMA-LITE-MULTI	MA Sigma Lite Multi Morpho Sigma Lite IP65 (1:500) Bio with Mifare/Desfire Card Reader	R 11,817.00
LK419-3	MA-SIGMA-LITE-ICLASS	MA Sigma Lite iClass Morpho Sigma Lite IP65 (1:500) Bio with iClass Card Reader	R 13,772.00
LK419-4	MA-SIGMA-LITE-CVR	MA Sigma Lite Cover Morpho Sigma Lite Series Ruggedised S/S Outdoor Cover/Rainshield	R 1,290.00
LK419-5	MA-SIGMA-LITE-BRK	MA Sigma Lite Bracket Morpho Sigma Lite Series Ruggedised S/S Indoor Mounting Bracket	R 818.00
LK419-6	NEW	MA Sigma Lite Case Morpho Sigma Lite Plus & Lite series Portable Case and Battery	R 11,314.00
LK420	MA-SIGMA-LITE-PLUS-W	MA Sigma Lite+ Bio - With Screen Morpho Sigma Lite + Display IP65 (1:500) Bio	R 12,545.00
LK420-1	MA-SIG-LITE-PLUS-PRX	MA Sigma Lite+ Prox - With Screen Morpho Sigma Lite + Display IP65 (1:500) Bio with Prox Reader	R 16,424.00
LK420-2	MA-SIG-LITE-PLUS-MUL	MA Sigma Lite+ Multi - With Screen Morpho Sigma Lite + Display IP65 (1:500) Bio with Mifare/Desfire	R 14,772.00
LK420-3	MA-SIG-LITE-PLUS-IC	MA Sigma Lite+ iClass - With Screen Morpho Sigma Lite + Display IP65 (1:500) Bio with iClass Reader	R 16,424.00

MORPHOACCESS

MOPHO

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK421	MSO_1300	Morpho MSO1300 V3 Enrollment Morpho Smart 1300 V3 USB Enrollment Reader with 2m cable	R 2,717.00
LK421-1	MSO_1300	Morpho MSO1300 E3 Enrollment Morpho Smart 1300 E3 USB Enrollment Reader with FFD & 0.7m cable	R 2,963.00
LK421-2	MSO_300	Morpho MSO300 Enrollment Morpho Smart 300 Enrollment Reader	R 7,051.00
LK421-3	MSO_350	Morpho MSO350 Enrollment Morpho Smart 350 with integrated contact smart card reader	R 10,612.00



MORPHOACCESS

SIGMA STANDARD

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK422	MA-SIGMA-BIO-WR	MA Sigma Standard Series Bio Morpho Sigma STD IP65 (1:5000) Bio	R 17,805.00
LK422-1	MA-SIGMA-PROX-WR	MA Sigma Standard Series Prox Morpho Sigma STD IP65 (1:5000) Bio with Prox Card Reader	R 20,982.00
LK422-2	MA-SIGMA-MULTI-WR	MA Sigma Standard Series Multi Morpho Sigma STD IP65 (1:5000) Bio with Mifare/Desfire Card Reader	R 22,202.00
LK422-3	MA-SIGMA-ICLASS	MA Sigma Standard Series iClass Morpho Sigma STD IP65 (1:5000) Bio with iClass Card Reader	R 23,853.00
LK422-4	MA-SIGMA-SS	MA Sigma Cover Morpho Sigma STD Series Ruggedised S/S Outdoor Cover/Rainshield	R 1,469.00
LK422-5		MA Sigma Bracket Morpho Sigma STD Series Ruggedised S/S Indoor Mounting Bracket	R 1,021.00
LK422-6	NEW	MA Sigma Standard Series Case Morpho Sigma STD Series Portable Case and Battery	SQ

MORPHOACCESS

SIGMA EXTREME

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK423-1	MA-SIGMA-EXTREME-PROX	MA Sigma Exteme Prox Morpho Access Sigma Extreme IP65 (1:5000) Bio with Mifare/Desfire	R 34,254.00
LK423-2	MA-SIGMA-EXTREME-MULTI	MA Sigma Exteme Multi Morpho Access Sigma Extreme IP65 (1:5000) Bio with iClass Card Reader	R 34,254.00
LK423-3	MA-SIGMA-EXTREME-ICLASS	MA Sigma Extreme iClass Morpho Sigma Extreme Series Ruggedised S/S Outdoor Cover/Rainshield	R 2,090.00
LK423-4	MA-SIGMA-EXTREME-CVR	MA Sigma Extreme Cover Morpho Sigma Extreme Series Ruggedised S/S Indoor Mounting Bracket	R 1,173.00
LK423-5	MA-SIGMA-EXTREME-BRK	MA Sigma Extreme Bracket Morpho Sigma Extreme Series Ruggedised S/S Indoor Mounting Bracket	SQ

MORPHOACCESS

UPGRADE

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK424	Sigma Lite Upg 3K	MA Sigma Lite Series Upgrade to 3K Morpho Sigma Upgrade - Increase Lite Series to 3 000 Persons	R 2,075.00



LK424-1	Sigma Lite & STD 10K	MA Sigma Lite & STD Upgrade to 10K Morpho Sigma Upgrade - Increase Lite & STD Series to 10 000 Persons	R	2,828.00
LK424-2	Sigma STD Upg 50K	MA Sigma STD Upgrade to 50K Morpho Sigma Upgrade - Increase STD Series to 50 000 Persons		SQ
LK424-3	Sigma STD Upg 100K	MA Sigma STD Upgrade to 100K Morpho Sigma Upgrade - Increase STD Series to 100 000 Persons		SQ

MORPHOACCESS

UPGRADE

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
LK425	IDECO-MM	Morpho Manager Software - USB Dongle Morpho Manager Software - USB Dongle	R	298.00
LK425-1	VERIF	Morpho Verif License for MSO Morpho Software Verification licence (1:1) (MSOs or PC licence)	R	5,707.00
LK425-2	IDENTLITEDONGLE	Morpho Verif Dongle for MSO Morpho USB Dongle Verification licence (1:1) (MSOs or PC licence)	R	5,135.00

MORPHOACCESS

UPGRADE

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
LK426	Morpho Wave MD	Morpho Wave Compact MD Morpho Wave reader Compact version with Mifare/Desfire Reader	R	99,654.00
LK426-3	Morpho Wave Upg 40K	Morpho Wave Upgrade License Morpho Wave Compact Upgradeto 40K Persons		SQ

BIOMETRICS

ACCESS CONTROL READERS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK343		Virdi UBioTab5 Biometrics Android Tablet	R 15,900.00
LK345		KL100S Doorlock Standalone SC BT	R 5,500.00
LK347		AC2000RF FP Reader IP65 EM AC2000RF, Max 1500 Users, 1500 FP users, 3000 FP Templates (Recommend 2 FP per User), 100 000 Transaction Log, RFID Card Reader, No Keypad, No Screen, LED Authentication.	R 7,900.00
LK347-1		AC2000HRF FP Reader IP65 EM AC2000HRF, Max 5000 Users, 5000 FP users, 10000 FP Templates (Recommend 2 FP per User), 100 000 Transaction Log, RFID Card Reader, No Keypad, No Screen, LED Authentication.	R 9,600.00
LK348		AC1100SC LCD BT AC1100SC, Max 200 000 users, 200 000 cards, 1 000 000 event log, 35 000 photo log, 4" Touch LCD, Camera, Ambient Light Sensor, Flash, VOIP, Mobile Key Support, Mifare Card Reader, 12VDC. (No PSU) Requires UNIS V4 and above.	R 8,200.00
LK349		AC2000SC FP Reader IP65 SC AC2000SC, Max 1500 Users, 1500 FP users, 3000 FP Templates (Recommend 2 FP per User), 100 000 Transaction Log, Mifare Card Reader, No Keypad, No Screen, LED Authentication.	R 8,200.00
LK349-1		AC2000HSC FP Reader IP65 SC AC2000HSC, Max 5000 Users, 5000 FP users, 10000 FP Templates (Recommend 2 FP per User), 100 000 Transaction Log, Mifare Card Reader, No Keypad, No Screen, LED Authentication.	R 9,900.00

BIOMETRICS

ACCESS CONTROL READERS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK350-8		AC2100PSC Reader IP65 SC LCD AC2100RF PLUS, Max 1500 Users, 1500 FP users, 3000 FP Templates (Recommend 2 FP per User), 100 000 Transaction Log, RFID Card Reader, LCD Screen, 4 x Function Keys.	R 9,400.00
LK350-9		AC2100PRF Reader IP65 EM LCD	R 9,100.00
LK350-5		AC2200RF FP Reader IP65 LCD BT	
LK351-2		AC2200HRF FP Reader IP65 LCD BT Max 20000 Proximity users, 5000 FP users (1:N-10000 Templates), 100000 Transaction Log, IP65, Bluetooth for Mobile Card, LCD Screen, Digital Camera, RFID Reader on Board, TCP/IP, RS-232, RS-485 OSDP, No Relay on Board -Use BLC-015 / MCP-040 No keypad	R 13,200.00
LK350-7		AC2200HSC FP Reader IP65 LCD BT AC2200HSC, Max 5000 Users, 5000 FP users, 10000 FP Templates (Recommend 2 FP per User), 100 000 Transaction Log, LCD Screen, Digital Camera, Mifare Card Reader, 4 x Function Keys.	R 13,500.00
LK353-1		AC5000PSC Reader IP65 SC LCD AC5000PSC, Max 20000 Users, 20000 FP users (Recommend 2 FP per User), advised 1:N 7000 users, 60 000 Transactions, RFID Card Reader, 2,8" Colour Screen, Capacitance Keypad, IP65. - NO PoE	R 16,200.00

LK355		AC7000 Face Reader LCD EM/SC	R	25,200.00
-------	--	------------------------------	---	-----------

BIOMETRICS

ACCESS CONTROL READERS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
LK358		FMD10SC Reader SC RS485 BT	R	4,900.00
LK365		FOH02RF FP/EM Enrolment Reader USB	R	3,900.00

BIOMETRICS

ACCESS CONTROL READERS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
LK341		Virdi QR Code Scanner		

BIOMETRICS

ACCESS CONTROL READERS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION		RETAIL PRICE EXCL VAT
LK366		BioSeal-V FP Module and V-Terminal App	R	4,900.00
LK368		BLC015 Battery and Lock Controller Battery, Lock Controller with Battery Back-Up, Uses VIRDI PSU (ACC150), RS-485 Communication, Wiegand 26 bit Communication, 1 x 5A Relay for lock control, battery charge circuit (12V - 13.8V), lock override/exit sensor control.Excl. battery and PSU	R	800.00
LK369		ACC420 Relay Timer 26Bit Wiegand Secure Relay & Timer Circuit for all VIRDI units, 26bit Wiegand Interface, ID range 000001 - 65000	R	550.00
LK370		ACC220 Enclosure AC4000/6000 SS Virdi AC4000 S/Steel Robust Enclosure - ACC220	R	1,460.00
LK371		ACC230 Vertical SM Bracket for AC2100 Virdi AC2100/2500 cable management mounting bracket - ACC230	R	220.00
LK372		ACC210 Enclosure AC2100/5000 SS Virdi AC2100/2500/5000 robust enclosure - ACC210	R	1,300.00
LK373		ACC200 Enclosure AC2x00 SS Vertical Mounting Bracket with Side Panel, 316 S/S for AC2x00	R	690.00
LK388-1		Virdi Sunshield for AC2x00 Series	R	600.00

BIOMETRICS

SOFTWARE

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK384		UNIS V4 Standard UNIS MEAL Management Software operates with VirDI AC6000, 4000, 3000 & 1000 Terminals. The terminal must be dedicated to the Meal Management function and requires a separate Samsung Biloxion Thermal with a RS232 (serial) interface. Requires a USB port	R 3,800.00
LK390		MCP040K1 Four Door ACU Metal 6A PSU	R 12,500.00

BIOMETRICS

ACCESS CONTROL READERS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
VIRDI RFID SYSTEMS			
LK342		VSR20D Reader EM IP65 RS485	R 1,900.00
LK342-1		VSR20D Reader SC IP65 RS485	R 2,200.00



CCTV ACCESSORIES

COMPUTER MONITORS

PRODUCT CODE	MANUFACTURER CODE	MANUFACTURER CODE	RETAIL PRICE EXCL VAT
CM42	32L86	Mecer 32" HD LED Monitor, 2xHD Mecer 32" HD LED Monitor, 2xHD	R 3,520.00
CM43	43L86	Mecer 43" 16:9 Full HD 1080P LED Panel Mecer 43" 16:9 Full HD 1080P LED Panel	R 5,865.00
CM44	A2457H	Mecer 23,8" Full HD LED Monitor 1920X1080 - Black Dsub+HDMI Mecer Monitor 23.8" Dsub HDMI	R 2,580.00
CM46	A2057H	Mecer 19.5" 16X9 TFT LED Wide Monitor, VGA + HDMI & Built-in Speakers Mecer Monitor 19.5" VGA HDMI SPK	R 1,530.00
MONITOR MOUNTING BRACKETS			
CC30-1		Bracket Wall Mount for LCD Monitor Pan and Tilt For monitor size 13 to 27 inch, Maximum load of 20Kg, VESA 75 and 100 compliant Tilt range of 27.6 degrees, Pan range of 70 degrees, Horizontal 360 degree rotation Built in spirit level	R 652.00
CC32-1		Wall Mount Bracket for 32" to 55" LCD/LED Monitor Fixed Wall mount bracket for Flat screen monitors 32" to 55"	R 399.00

CCTV ACCESSORIES

HDMI MODULES & SURGE PROTECTION

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
NW274	NW274	HDMI Super Mini Splitter 1 In 2 Out HDMI Splitter with Lead - 1 Input to 2 Outputs sockets 4K X 2K @ 30Hz	R 660.10
NW278	NW278	HDMI 4 In 1 Out Switcher 4 HDMI inputs switched to 1 Monitor Output	R 758.40
CB92-1	CB92-1	0.5 Meter HDMI Cable HDMI Cable Male A-Male A, 19 Gold Platted Connectors 4K@ 60Hz-0.5M	R 92.40
CB92	CB92	2 Meter HDMI Cable HDMI Cable Male A- Male A, 19 Gold Platted Connectors 4K@ 60Hz-2M	R 141.60
CB92-5	CB92-5	5 Meter HDMI Cable HDMI Cable Male A-Male A, 19 Gold Platted Connectors 4K@ 60Hz-5M	R 238.80
CB92-20	CB92-20	20 Meter HDMI Cable HDMI Cable Male A-Male A,- Directional Chipped, 19 Gold Platted Connectors 4K@ 60Hz- 20M	R 2,130.10
CB93	CB93	50 Meter Optical HDMI Cable HDMI Optical Cable Male A-Male A, 19 Gold Platted Connectors 4K@ 60Hz-50M	R 8,227.30
SURGE PROTECTION			
CC25	CC25	CCTV Video Line Surge Protector 1ns Surge protection attack time 4KA Maximum surge current 300 Surges of 100Amps normal 10000 M Ohms resistance across coax insertion loss: Less than 0.2dB	R 504.10



CCTV ACCESSORIES

SURGE PROTECTION

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LT01-1	LT01-1	CL CCTV Protect 100 Base T CL CCTV Protect 100 Base T Single Port RJ45 None PoE	R 487.70
LT02-2	LT02-2	Single Ch Network Surge Protector 1Gigabit- PoE Single Port-Network Surge Protection 1000Mbps PoE, RJ45	R 765.00
LT10	LT10	ZAP3 - 3Wire +Live, Neutral and Earth ZAP3 - 3 Wire +Live, Neutral and Earth Surge Protector	R 146.00
POE INJECTORS			
NW143	Nw143	PoE Injector 30W-1000Mbps 1000 BaseT - PoE+ 30W injector. Status LED's. 6KV Lighting protection	R 805.00
CONNECTORS			
CN01	CN01	BNC Crimp Connector for RG59 BNC Male Crimp Connector for RG59 Video Coaxial Cable	R 11.40
CN03	CN03	BNC - In-Line Adaptor BNC - In-Line Adaptor-Female to Female	R 12.30
CN03-1	CN03-1	BNC Female - RCA Male Adaptor CCTV Adaptor for connection of CCTV cameras to RCA AV inputs on Tv' s, video' s etc.	R 19.20
CN03-2	CN03-2	BNC Male - RCA Male Adaptor CCTV Adaptor for connection of CCTV cameras to RCA leads and AV connectors	R 19.90
CN04	CN04	BNC Black Boots BNC Rubber black boots for crimp type 6mm BNC connectors Covers Covers crimped ferrule, neatens and strengthens	R 5.00
CN04-1	CN04-1	DC Plug incl Terminal Connector Professional appearance for power cabling, Easier for camera installation, saves time with a more secure cable connection No electrical tapping splicing, or crimping, only requires a small screw driver, 2.1 x 5.5mm Male power plug connector, Internal diameter of the plug: 2.1mm	R 16.10

CCTV ACCESSORIES

CABLE CONTAINMENT & ENCLOSURES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
CN04-3	CN04-3	DCplug with lead Moulded 2.5mm DC plug with lead, Electrical connector block for easy connection to power leads, 300mm lead plug to connector	R 26.50
CN04-5	CN04-5	DC Socket incl Terminal Connector Block Professional appearance for power cabling Easier for camera installation, saves time with a more secure cable connection No electrical tapping, splicing, or crimping, only requires a small screw driver, 5.5mm x 2.1mm Female power plug connector, Internal diameter of the plug: 2.1mm External diameter of the plug: 5.5mm, Dimension: 39mm(L) x 14mm(W) x 13mm(H)	R 16.00
CN05	CN05	Connector Block - 3A Plate 2.8mm Clamping maximum wire diameter, Includes clamping plate for better contact Dimensions : 94mm x 16mm x 13.5mm, 12 Terminal connector block strip	R 27.50
CN12	CN12	Junction Box - 24 Way White Junction Box, White -with 24 Way connector block	R 95.00



VIDEO CAT MEDIA CONVERTERS			
CC50-1	CC50-1	Balun 1 Ch Passive Video Transceiver Transfer 1ch analogue HD video over Cat5e/6 UTP cable No power required Real time transmission: 720P/1080P video signal, Sold as a pair TX and RX units	R 79.00
CC48	CC48	4Ch Balun Passive Video Transceiver 4channel HD analogue video signal over Cat5e/6 cable No power required, Real time transmission: 720P/1080P video signal	R 540.00
CABLE CONTAINMENT AND ENCLOSURES			
CA12-5	CA12-5	CONDUIT PVC - 4 x 2 inch Box CONDUIT PVC - 4 x 2 inch Box	R 22.50
CA19-3	CA19-3	ENCLOSURE - 240 x 190 x 90mm ENCLOSURE -IP55 240 x 190 x 90mm Plastic	R 418.90
CA20-1	CA20-1	ENCLOSURE - 190 x 140 x 70mm ENCLOSURE - IP55, 190 x 140 x 70mm Plastic	R 172.50
CA21-2	CA21-2	ENCLOSURE - 100 x 100 x 50 ENCLOSURE - IP 55, 100 x 100 x 50mm Plastic	R 67.00
CA22-1	CA22-1	ENCLOSURE - 150 x 110 x 70mm ENCLOSURE - IP55, 150 x 110 x 70mm Plastic	R 96.40
CA55-2	CA55-2	ENCLOSURE - Steal Box 460x305x ENCLOSURE - Steal Box 460x305x	R 1,010.00
CA59	CA59	ENCLOSURE - 150 x 150 x 70mm ENCLOSURE - IP65, 150 x 150 x 70mm Plastic	R 125.50

CCTV ACCESSORIES

CABLE CONTAINMENT & ENCLOSURES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
CA60		ENCLOSURE - 300 x 220 x 120mm ENCLOSURE - IP55, 300 x 220 x 120mm Plastic	R 670.90
GENERAL CCTV ACCESSORIES			
CC27-2		Camera Sound Module CSB Operating voltage 6 - 12V DC Frequency response 100 - 5500 Hz Range 30 square meters RCA output plug	R 226.10
CC27-4		CCTV Converter AV - VGA & HDMI Selectable VGA resolution: 800 x 600 / 1024 x 768 / 1280 x 1024 Full screen output accommodating both 4:3 and 16:9 aspect ratios Power requirement: DC-12V 500mA (AC Adaptor is included), Dimensions (L x W x H): 100 x 75 x 25mm, NTSC / PAL Auto detecting	R 1,831.30
CC27-7	UTP504CV-HD	Video Distribution Amp 1 - 4 Compatible with HDCVI/HDTV/HD/Analogue video formats, 1 Channel HD video input 4 Channel output; with automatic video format adjustment. Filtered input: 6MHz-70MHz, Output: 200MHz (-3dB), Operating voltage: 12VDC Metal housing for desktop installation, wall mount and rack mount.	R 553.30
CC53		CCTV Ground Loop Isolator Insertion loss: 0.5dB, Frequency response: 0 - 10 MHz, Input impedance: 75 Ohms Output impedance: 75 Ohms, Isolation voltage: 800 V (Minimum), Isolation resistance: 100 M Ohms Surge protection: 4 KV 10/700 µs, as per IEC6100-4-5, ESD Protection: Contact discharge - 6000V Air discharge - 8000V, Dimensions: 55mm (L) x 30mm (W) x 22mm (H)	R 283.00
HW14-1		Plug Top - Dedicated 15A Polycarb 3-pin red plug top 15 Amp Used for dedicated / clean power sources	R 27.80



CCTV ACCESSORIES

CABLE CONTAINMENT & ENCLOSURES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
UTP CONNECTORS				
HW22-1		RJ45 Connector for CAT5 & 6 Cables RJ45 8 Pin Ethernet cable Crimp Connector	R	2.30
HW22-3		RJ45 Connector Boot - Grey Grey rubber boot ofr RJ45 Crimp Connector	R	1.90



ACCESS CONTROL

ACCESSORIES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
FR02-1	FR02-1	Green Resettable call point-DP Green Resettable call point- Double Pole, selectable NO or NC contacts*. Mechanical emergency door release switch, green surface mount box with conduit knockout, manual key resettable actuator, push point activation hinged clear plastic protective cover	R 345.00
FR04	FR04	Additional Glass Face Additional Glass Face	R 27.00
DOOR CLOSER			
LK94-4	LK93	Medium duty door closer Medium duty door closer - 25-45Kg 100mm x 42mm x 63mm	R 599.00
LK94-2	LK93	Heavy duty door closer Heavy duty door closer 40-65Kg 207mm x 60mm x 43.5mm	R 2,930.80
LK94-5	LK93	Hold Open Arm For LK94-2 Hold Open Arm For LK94-2	R 265.30
LOCKS			
LK117	LK117	Electromagnetic lock SP150kg Electromagnetic lock SP150kg including quick mount brackets	R 971.00
LK117-1	LK117-1	Brackets ZL for SP150kg maglock Brackets ZL for SP150kg electromagnetic lock	R 344.00
LK117-2	LK117-2	Brackets L for SP150kg maglock Brackets L for SP150kg electromagnetic lock	R 244.80
LK117-3	LK117-2	Bracket U for Maglock Lk117 For use with SP 150Kg Maglock (LK117)	R 279.60
LK118	LK118	Electromagnetic lock SP272kg 12/24 VDC, Monitored with LED	R 1,137.00
LK118-1	LK118-1	ZL Bracket for Maglock LK118 Brackets ZL for LK118 electromagnetic lock	R 433.00
LK118-2	LK118-2	Brackets L for LK118 Maglock Brackets L for LK118 electromagnetic lock	R 279.60
LK118-3	LK118-3	Brackets U for LK118 Maglock Brackets U for LK118 electromagnetic lock	R 299.00
PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
LK119	LK119	Electromagnetic lock SP544kg Electromagnetic maglock SP544kg, Monitoring LED	R 2,203.50
LK119-1	LK119-1	Brackets ZL for LK119 Maglock Brackets ZL for SP600kg electromagnetic lock	R 798.10
LK119-2	LK119-2	Brackets L for LK119 Maglock Brackets L for SP600kg electromagnetic lock	R 421.20
LK126	LK126	Maglock Stainless Steel 360Kg Dual voltage: 12/24VDC, 500/250mA, Monitored with reed sensor only, (NO/NC dry contact) MOV surge protection, CE approved, Dimension: 220mm (L) x 46mm (W) x 29mm (D)	R 2,338.00



LK127	LK127	Maglock Stainless Steel 550Kg Dual voltage: 12/24VDC, 500/250mA, Monitored with reed sensor only, (NO/NC dry contact) MOV surge protection, CE approved, Dimension: 220mm (L) x 66mm (W) x 40mm (D)	R	2,816.00
LK128	LK128	Bracket Z for Outdoor Maglock Bracket Z for Outdoor Maglock - LK126 and LK127	R	694.00
LK128-1	LK12-1	Bracket L for Outdoor Maglock Bracket L for Outdoor Maglock - LK126 and LK127	R	567.00
ACCESSORIES				
SW165	SW165	Securi-Prod No-Touch to Exit Sensor *Securi-Prod No-Touch to Exit Sensor-surface mount, NO/NC Contact, 12VDC.*Fits 2 X 4 Wall Box	R	297.00
SW165-5	SW165-5	Securi-Prod Touch to Exit Sens Securi-Prod Touch to Exit Sensor-surface mount,NO/NC Contact, 12VDC,Size 56X86X20mm(W-H-D)*	R	297.90
SW168	SW168	Securi-Prod Slim-Line Push Button NO contact only, Stainless steel finish Dimensions: (W) 30 x (H) 94 x (D) 17 mm	R	141.60
SW168-1	SW168-1	Securi-Prod Slim-Line Button with Illumination Operating voltage: 12 VDC, NO/NC contact Button illuminated when power is applied Stainless steel finish, Dimensions: (W) 30 x (H) 94 x (D) 32 mm	R	297.70
SW169	SW169	Securi-Prod Push-to-Exit Button with Illumination Operating voltage: 12 VDC, NO/NC contact Button illuminated when power is applied Aluminium finish, Dimensions: (W) 52 x (H) 88 x (D) 32 mm	R	320.90

ACCESS CONTROL

ACCESSORIES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
SW171	SW171	Securi-Prod Push-to-Exit Button with Illumination Operating voltage: 12 VDC, NO/NC contact Button illuminated when power is applied Aluminium finish, Dimensions: (W) 52 x (H) 88 x (D) 32 mm	R	52.90
SW171-1	SW171-1	Door Release Push Button-Surfa Plastic surface mount release button with mounting base, NO/NC contact, Dimensions: (W) 88 x (H) 88 x (D) 20 mm	R	68.70
SW172	SW172	Securi-Prod Surface Mount Door Release Button Plastic surface mount release button with mounting base, NO/NC contact, Dimensions: (W) 88 x (H) 88 x (D) 20 mm	R	201.60
ACCESSORIES				
MC34	MC34	Industrial magnetic door senso Industrial magnetic door sensor, recessed	R	261.00
SD22	SD22	Electronic Siren 15W Combination 15W horn speaker with built-in siren driver, Economical 6-12VDC Operation Typical current drain 60mA at 12VDC, 108dB at 1m, Weather resistant ABS plastic design	R	95.90
SD29	SD29	Quad Piezo Maxi 80MB - 12V Piezo electric – hence high efficiency, Typical current drain 130mA at 12VDC 6 – 12VDC Operation, Polarity protected, 118 dB at 1m	R	283.40
SD30	SD30	Dual Piezo Mini sound bomb Piezo electric – hence high efficiency, Typical current drain 130mA at 12VDC 6 – 12VDC Operation, Polarity protected, 118 dB at 1m	R	127.70
SW37	SW37	External switch relay, NO,NC, 12VDC or 16VAC Operation, Reverse polarity protected Potential free relay contact N/O and N/C, 5A @ 12VDC	R	42.30



CABLE				
CB35	CB35	Mylar 2 Pair 0.22 / 100m Mylar 2 Pair 0.22 / 100m	R	745.00

ACCESS CONTROL ACCESSORIES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
CB37	CB37	Mylar - 3 pair 0.22 / 100m Mylar - 3 pair 0.22 / 100m	R	938.00
CB39	CB39	Mylar - 4 Pair 0.22 / 100m Mylar - 4 Pair 0.22 / 100m	R	1,149.00
CB43-1	CB43-1	Mylar 2 Pair 0.5/ 100m Mylar 2 Pair 0.5/ 100m	R	1,185.00
CB58	CB58	Stranded 4 Core Ripcord BC White Stranded 4 Core Ripcord BC White	R	297.00
CB59	CB59	Stranded 6 core cable white/10 Stranded 6 core cable white/11	R	449.00

CABLE, PSU's & BATTERIES

CABLE

Cable CAT5			
PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
CB65		Cable - CAT5 CCA 10Mbps / 100m	R 488.00
CB65-1		Cable - CAT5 CCA 10Mbps / 500m	R 1,912.00
CB65-2		Cable - CAT5 Fly Lead Grey / 3m	R 44.00
CB65-22		Cable - CAT5 Patch Cord Grey 0.5m	R 24.00
CB65-4		Cable - CAT5 Fly lead BC / 3m Yellow	R 84.00
CB65-5		Cable - CAT5 Fly lead / 20m - Grey	R 149.00
CB65-7		Cable - CAT5E Outdoor / 500m (CCA)	R 3,723.00
CB66		Cable - CAT5 CCA Solid GREEN / 100m	R 423.00
CB68		Cable - CAT5 CCA Blue / 500m	R 2,140.00
CB68-1		Cable - CAT5 CCA Green / 500m	R 2,145.00
CB68-2		Cable - CAT5 CCA Red / 500m	R 2,140.00
CB68-3		Cable - CAT5 CCA Yellow / 500m	R 2,145.00
CB69		Cable - CAT5E UTP BC 100m	R 767.00
CB69-1		Cable - CAT5E UTP BC 305m	R 2,032.00
CB69-11		Cable - CAT5E Green UTP BC 500m	R 3,450.00
CB69-2		Cable - CAT5E UTP BC 500m	R 3,450.00
CB69-7		Cable - CAT5E S/UTP Indoor Grey - 500m	R 5,398.00
CB69-8		CAT5E S/UTP Outdoor UV Black - 500m	R 5,900.00
CB69-9		CAT5E S/UTP Outdoor UV Black - 100m	R 1,250.00
Cable CAT6			
CB65-10		CAT5E Fly Lead 50M Outdoor	R 578.00
CB65-13		CAT6 Fly Lead Grey 3m	R 50.00
CB65-15		CAT6 Fly Lead Grey 5m	R 66.00
CB65-32		Cable - CAT6 Patch Cord Grey 0.5m	R 25.00
CB65-33		Cable - CAT6 Patch Cord Grey 1.0m	R 29.00
CB65-8		Cable - CAT6e Fly lead 60m Copper Solid - Green	R 998.00
CB66-3		Hikvision UTP (4-Pair) CAT 6 - 305m Roll - Orange PVC Sheath	R 4,153.00
CB67		Cable - CAT6 CCA Shielded Flex / 500m	R 3,056.00
CB70		Cable - CAT6E UTP BC 100m	R 904.00
CB70-2		Cable - CAT6E UTP BC 500m	R 4,520.00
CB70-3		Cable - CAT6E U/UTP BC/500m - GREEN (Solid)	R 4,560.00
CB70-4		Cable - CAT6E U/UTP BC 500m - Black (Solid)	R 5,720.00
CB70-5		Cable - CAT6E U/UTP BC 500m - Yellow (Solid)	R 4,560.00
CB70-7		Cable - CAT6E S/UTP Indoor Grey / 500m	R 7,545.00
CB70-8		Cable - CAT6E S/UTP Outdoor UV Black / 500m	R 8,887.00
CB71		Cable - CAT6E Blue BC / 500m	R 4,560.00
CB72		305m Cat6 UTP 0.53 OFC+PVC+Flame Retardant CPR E class	R 2,641.00

Cable HDMI Cable				
CB92		HDMI Cable Male to Male 2m 30AWG	R	141.60
CB92-1		HDMI Cable Male to Male 0.5m 30AWG	R	92.40
CB92-10		HDMI Cable Male to Male 10m 26AWG	R	483.60
CB92-20		HDMI Cable Male to Male 20m + Chipset 24AWG	R	2,130.10
CB92-5		HDMI Cable Male to Male 5m 28AWG	R	238.80
CB93		HDMI Active Optical Cable 4K@60Hz UHD Display - 50 meter	R	8,227.30
Coax Cable Black				
CB10		RG59 - Black Mil 75 Ohm / 100m	R	745.00
CB10-2		RG59 - Black 75 Ohm / 100m	R	489.00
CB11		RG59 - Black Mil 75 Ohm / 500m	R	4,056.00
CB11-3		RG59 - Black 75 Ohm Mil / 300m	R	2,370.00
CB11-6		RG6 Coaxial Cable 75 Ohm /m	R	3.35
Comms Solid Cable Brown				
CB12		Comms - 10 Core Brown / 100m	R	589.00
CB14		Comms - 12 Core Brown / 100m	R	707.00
CB20		Comms - 4 Core Brown / 100m	R	245.00
CB23		Comms - 6 Core Brown / 100m	R	347.00
CB25		Comms - 8 Core Brown / 100m	R	476.00
Comms Solid Cable White				
CB13		Comms - 10 Core White / 100m	R	589.00
CB15		Comms - 12 Core White / 100m	R	707.00
CB17		Comms - 20 Core White / 100m	R	1,255.00
CB22		Comms - 4 Core White / 100m	R	245.00
CB24		Comms - 6 Core White / 100m	R	347.00
CB26		Comms - 8 Core White / 100m	R	476.00
CB55-1		Ripcord - 1mm BC White / 100m	R	712.00
Comms Standed Cable White				
CB56		Stranded - 12 Core BC White / 100m	R	883.00
CB57		Stranded - 20 Core White / 100m (CCA)	R	878.00
CB58		Stranded - 4 Core BC White / 100m	R	297.00
CB59		Stranded - 6 Core BC White / 100m	R	449.00
CB60		Stranded - 8 Core BC White / 100m	R	585.00
Miscellaneous				
CB01		Cabtyre - 0.5mm 3 Core Black / 100m	R	660.00
CB03		Cabtyre - 0.5mm 4 Core White / 100m	R	780.00
CB04		Cabtyre - 1.0mm 3 Core Black / 100m	R	1,410.00
CB05		Cabtyre - 1.5mm 3 Core Black / 100m	R	1,490.00
CB06		Cabtyre - 1.5mm 3 Core White / 100m	R	1,490.00
CB07		Cabtyre - 0.5mm 3 Core White / 100m	R	660.00
CB09-2		Cabtyre - 1.5mm 2 Core Black /100m	R	1,112.00
CB44		Norsc - 1.5mm 2 Core + Earth / 100m	R	1,290.00
CB46		Ripcord - 0.2mm Brown / 100m	R	158.00
CB47		Ripcord - 0.2mm White / 100m	R	158.00
CB48		Ripcord - 1mm Red / Black / 100m (CCA)	R	556.00
CB49-1		Ripcord - 0.5mm Black / 500m	R	1,445.00



CB54		Ripcord - 0.5mm White / 100m BC	R	500.00
CB61		Twin + Earth 1.5mm Flat / 100m	R	1,120.00
CB61-1		Twin + Earth 2.5mm Flat / 100m	R	1,718.00
CB62		Twin + Earth 1.5mm Flat / 25m	R	412.00
CB62-1		Twin + Earth Flat 2.5mm / 25m	R	490.00
CB63		Fire Cable - 2 Pair 0.8mm / 500m FR20	R	6,096.00
CB63-1		Fire Cable - 1 Pair 0.8mm / 500m FR20	R	3,450.00
CB63-2		Fire Cable - 1 Pair 0.8mm / 100m FR20	R	843.00
CB63-3		Fire Cable - 2 Pair 0.8mm / 100m FR20	R	1,220.00
CB63-4		Fire Cable - 1 Pair 1mm / 100m FR20	R	1,212.00
CB63-7		Fire Cable - 1 Pair 1mm / 200m PH30 (Stranded)	R	3,150.00
CB64		Cable Silicon 1.5mm Red / 100m - Ground Loop	R	768.60
CB65-6		Cable - Coaxial Fly Lead 3m Male - Male BNC	R	65.00
CB75		Cable - USB Ext Lead / 5m Male to Male	R	255.00
CB76		Cable For System 300 /100m VCM/1D	R	1,720.00
CB78		Paxton Reader Cable - 25m 10 Core Belden CR9540	R	761.00
CB79		Paxton Reader Cable - 100m 10 Core Belden CR9540	R	3,589.00
CB80		Cable - 7Core 1.5mm Armoured/m	R	82.00
CB82		POS Y - Serial Cable Interface (DB9 Connector)	R	300.00
CB91-2		HDMI Cable 15m Male to Male Gold Plated Connectors	R	667.00
CB96		Extension Power Cable for UPS Male to Female	R	85.00
Mylar Cable_Miscellaneous				
CB33		Mylar - 1 Pair 0.22 / 100m	R	432.00
CB34		Mylar - 1 Pair 0.22 / 500m	R	2,093.00
CB35		Mylar - 2 Pair 0.22 / 100m	R	745.00
CB36		Mylar - 2 Pair 0.22 / 500m	R	3,300.00
CB37		Mylar - 3 Pair 0.22 / 100m	R	938.00
CB38		Mylar - 3 Pair 0.22 / 500m	R	4,688.00
CB39		Mylar - 4 Pair 0.22 / 100m	R	1,149.00
CB40		Mylar - 4 Pair 0.22 / 500m	R	6,358.00
CB41		Mylar - 6 Pair 0.22 / 100m	R	1,675.00
CB42		Mylar - 6 Pair 0.22 / 500m	R	8,027.00
CB42-2		Mylar - 8 Pair 0.22 / 500m	R	9,750.00
CB43		Mylar - 3 Pair 0.5 / 100m	R	1,763.00
CB43-1		Mylar - 2 Pair 0.5 / 100m	R	1,185.00
CB43-2		Mylar - 2 Pair 0.5 / 500m	R	6,375.00
CB43-3		Mylar - 3 Pair 0.5 / 500m	R	8,224.00
CB43-4		Mylar - 1 Pair 0.5 / 100m	R	677.00
CB43-5		Mylar - 1 Pair 0.5 / 500m	R	3,382.00
CB43-6		Mylar - 4 Pair 0.5 / 100m	R	2,443.00
CB43-7		Mylar - 6 Pair 0.5 / 500m	R	15,737.00
CB45		Mylar - 12 Pair 0.22 / 100m	R	3,127.00
CB45-1		Mylar - 12 Pair 0.22 / 500m	R	15,632.00
PowerAx Cable Black				
CB10-10		RG59 + Power - Black / 300m	R	2,340.00
CB10-11		RG59 + Power - Black / 100m (SP)	R	756.00
CB10-12		RG59 + Power - Black / 500m	R	3,900.00



CB10-7		RG59 + Power - Black Mil / 100m	R	1,167.00
CB10-8		RG59 + Power - Black Mil / 500m	R	6,378.00
CB10-9		RG59 + Power - Black / 100m	R	780.00
PowerAx Cable White				
CB10-1		RG59 + Power - White / 100m	R	780.00
CB10-5		RG179 Co-axial Cable/100m	R	834.00
POWER SUPPLIES				
PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
PS40-1	PS30	PSU - 12V CCTV Switch Mode 2.5 Amp Power supply with moulded DC lead and SA plug top, Switch mode power supply 100-240VAC Input, 12VDC / 2.5 Amp output	R	317.00
PS64-1	PS64-1	PSU - CCTV 9Way 5 Amp Distribution Box	R	1,137.00
PS64-2	PS64-2	PSU - CCTV 9Way 10 Amp Distribution Box	R	1,455.00
PS68	PS68	PSU - CCTV 10 Way 12V 10 Amp	R	1,437.00
PS69	PS69	PSU - CCTV 18 Way 12V 20 Amp	R	1,961.00
PS70	PS70	PSU - CCTV Enclosed 12V 10 Amp	R	779.00
PS49-1	PS49-1	PSU - 13.6V -3 Amp Power Supply Output voltage: 13.6VDC 3 Amp, Input voltage: 190-265VAC - 50-60Hz, Lockable enclosure, grey epoxy coated finish Output short-circuit protection, With SA plug top and 300mm lead	R	869.00
PS49-2	PS49-1	PSU - 13.6V 5 Amp Power Supply Output voltage: 13.6VDC 5 Amp, Input voltage: 190-265VAC - 50-60Hz, Lockable enclosure, grey epoxy coated finish Output short-circuit protection, With SA plug top and 300mm lead, Metal housing, dimensions : 295mm (H) x 198mm (W) x 90mm (D) With battery back-up 17AH (Battery supplied separately)	R	1,086.00

CABLE, PSU's & BATTERIES

POWER SUPPLIES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT	
PS62-10	ME-2000-WPRU	Mecer 2000VA / 1600W 2U ON-LINE Sine Wave Rackmount UPS Mecer 2000VA 2U Online Rackmount UPS	R	7,490.00
PS62-11	ME-2000-WPTU	Mecer 2000VA / 1600W ON-LINE UPS Mecer 2000VA / 1600W ON-LINE UPS	R	6,280.00
PS62-12	ME-3000-WPRU	Mecer 3000VA / 2400W 2U ON-LINE Sine Wave Rackmount UPS Mecer 3000VA 2U Online Rackmount UPS	R	9,455.00
PS62-13	ME-3000-WPTU	Mecer 3000VA / 2400W 2U ON-LINE Sine Wave Rackmount UPS Mecer 3000VA 2U Online Tower UPS	R	7,645.00
PS62-14	ME-6000-WPRU	Mecer 6000VA / 4800W 6U ON-LINE Sine Wave Rackmount UPS Mecer 6000VA 2U Online Rackmount UPS	R	22,115.00
PS62-15	ME-6000-WPTU	Mecer 6000VA / 4800W ON-LINE UPS Mecer 6000VA / 4800W ON-LINE UPS	R	17,875.00
PS62-5	ME-650-VU	Mecer 650VA / Line Interactive UPS Mecer 650VA / Line Interactive UPS	R	1,020.00
PS62-6	ME-1000-VU	Mecer 1000VA / 600W OFF-LINE UPS Mecer 1000VA / 600W OFF-LINE UPS	R	1,750.00

PS62-7	ME-2000-VU	Mecer 2000VA / 1200W OFF-LINE UPS Mecer 2000VA / 1200W OFF-LINE UPS	R	2,550.00
PS62-8	ME-1000-WPRU	Mecer 1000VA / 800W 2U ON-LINE Sine Wave Rackmount UPS Mecer 1000VA 2U Online Rackmount UPS	R	4,770.00
PS62-9	ME-1000-WPTU	Mecer 1000VA / 800W ON-LINE TOWER UPS Mecer 1000VA / 800W ON-LINE TOWER UPS	R	3,625.00
BATTERIES & POWER SUPPLIES				
BA04-2	BA04-2	Sealed Lead Acid (SLA) Battery 12V 17AH 12V - 17 Amp hours sealed lead acid battery Dimensions: 180mm (L) 76mm (W) 167mm (H)	R	832.00
BA09-2	BA09-2	Sealed Lead Acid (SLA) Battery 12V 8.0AH High Rate AGM 12V - 8 Amp hours sealed GEL battery Dimensions: 152mm (L) 64.5mm (W) 99.5mm (H)	R	448.00
BA13-2	BA13-2	Sealed Lead Acid (SLA) Battery 12V 7AH 12V - 7 Amp hours sealed lead acid battery Dimensions: 150mm (L) 64mm (W) 92mm (H)	R	345.00



UPS

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
PS62-5	ME-650	UPS 650VA Off-line UPS includ UPS 1000VA Off-line UPS including bundled Software -ME-650	R 1,020.00
PS62-6	ME-1000	UPS 1000VA Off-line UPS includ UPS 1000VA Off-line UPS including bundled Software -ME-1000	R 1,750.00
PS62-7	ME-2000	UPS 2000VA Off-line UPS includ UPS 2000VA Off-line UPS including bundled Software	R 2,550.00
ON-LINE UPS			
PS62-8	ME-1000-WPRU	UPS - 1KVA on-Line RM 1kva UPS on-line Rackmount	R 4,770.00
PS62-9	ME-1000-WPTU	Mecer 1000VA Online Tower UPS Mecer 1000VA Online Tower UPS	R 3,625.00
PS62-10	ME-2000-WPTU	Mecer 2000VA On-Line Tower UPS Mecer 2000VA On-Line Tower UPS	R 7,490.00
PS62-11	ME-2000-WPRU	Mecer 2000VA / 1600W ON-LINE Rackmount UPS Mecer 2000VA / 1600W ON-LINE UPS	R 6,280.00
PS62-12	ME-2000-WPRU	Mecer 2000VA / 1600W ON-LINE Rackmount UPS Mecer 2000VA / 1600W ON-LINE UPS	R 9,455.00
PS62-12	ME-3000-WPRU	Mecer 3000VA / 2400W 2U ON-LINE Sine Wave Rackmount UPS Mecer 3000VA 2U Online Rackmount UPS	R 9,455.00
PS62-13	ME-3000-WPTU	Mecer 3000VA / 2400W 2U ON-LINE Sine Wave Rackmount UPS Mecer 3000VA 2U Online Tower UPS	R 7,645.00
PS62-14	ME-6000-WPRU	Mecer 6000VA / 4800W 6U ON-LINE Sine Wave Rackmount UPS Mecer 6000VA 2U Online Rackmount UPS	R 22,115.00
PS62-15	ME-6000-WPTU	Mecer 6000VA / 4800W ON-LINE UPS Mecer 6000VA / 4800W ON-LINE UPS	R 17,875.00



HARD DRIVES

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
SKYHAWK SURVEILLANCE HARD DRIVES			
CH22-1	ST1000LM048	Seagate Barracuda Surveillance Hard Drive 1TB SATA 2.5"	R 1,582.50
CH22-3	ZA250CM1A002	Seagate Barracuda Solid State Drive 250GB SATA 2.5" OEM	R 1,067.00
CH22-3-1	ZA1000CM10002	SEAGATE 1TB 2.5" BARRACUDA SSD SATA 6GBPS 540/520M	R 3,650.00
PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
IRONWOLF SURVEILLANCE HARD DRIVES			
CH22-10	ST4000VX007	HDD - Seagate 4TB SATA 3.5" <ul style="list-style-type: none"> • 4TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 2,852.00
CH22-11	ST6000VX0023	HDD - Seagate 6TB SATA 3.5" <ul style="list-style-type: none"> • 6TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 4,505.00
CH22-12	ST8000VE0004	HDD - Seagate AI 8TB SATA 3.5" <ul style="list-style-type: none"> • 8TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 5,900.00
CH22-13	ST10000VE0008	HDD - Seagate AI 10TB SATA 3.5" <ul style="list-style-type: none"> • 10TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 8,007.00
CH22-14	ST12000VE0008	HDD - Seagate AI 12TB SATA 3.5" <ul style="list-style-type: none"> • 12TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 12,878.00
CH22-15	ST14000VE0008	HDD - Seagate AI 14TB SATA 3.5" <ul style="list-style-type: none"> • 14TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 10,330.00
CH22-16	ST16000VE000	HDD - Seagate AI 16TB SATA 3.5" <ul style="list-style-type: none"> • 16TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 12,158.00
CH22-6	ST1000VX005	HDD - Seagate 1TB SATA 3.5" <ul style="list-style-type: none"> • 1TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 1,264.00
CH22-8	ST2000VX008	HDD - Seagate 2TB SATA 3.5" <ul style="list-style-type: none"> • 2TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 1,719.00
CH22-9	ST3000VX010	HDD - Seagate 3TB SATA 3.5" <ul style="list-style-type: none"> • 3TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA 	R 2,420.00



PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
IRONWOLF SURVEILLANCE HARD DRIVES			
CH22-10N	ST4000VN008	HDD - Seagate 4TB SATA 3.5" • 4TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 2,954.00
CH22-11N	ST6000VN0033	HDD - Seagate 6TB SATA 3.5" • 6TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 4,630.00
CH22-12N	ST8000VN0022	HDD - Seagate 8TB SATA 3.5" • 8TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 5,947.00
CH22-13N	ST10000VN0004	HDD - Seagate 10TB SATA 3.5" • 10TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 7,632.00
CH22-14N	ST12000VN0008	HDD - Seagate 12TB SATA 3.5" • 12TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 9,915.00
CH22-15N	ST14000VN0008	HDD - Seagate 14TB SATA 3.5" • 14TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 11,999.00
CH22-16N	ST16000VN001	HDD - Seagate 16TB SATA 3.5" • 16TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 15,098.00
CH22-6N	ST1000VN002	HDD - Seagate 1TB SATA 3.5" • 1TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	SQ
CH22-8N	ST2000VN004	HDD - Seagate 2TB SATA 3.5" • 2TB HDD Capacity • Optimised for Surveillance Storage Applications • SkyHawk Health Management • 3.5" SATA	R 1,734.00
PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
SPECIAL SURVEILLANCE HARD DRIVES			
CH23-10	ST10000NM0016	Seagate EXOS Enterprise HDD 10TB SATA 3.5"	R 9,049.00
CH23-8	ST8000NM0075	Seagate EXOS Enterprise HDD 8TB SAS 3.5"	R 7,615.00
<p>Codes : Product Codes - Reditron's Code to be used when Quoting or ordering product where applicable. Abbreviation: - EOL - End of Life</p> <p>*All prices are Retail excl. VAT. This pricelist replaces all prior pricelists and specials. E & OE. These prices are subject to fluctuations. As such, prices will only be deemed as fixed once a written quotation is generated.</p> <p>Quotations are valid for a period of 30 days and all quotations provided prior to this release will be upheld within the 30 day period</p>			



Server Cabinets

PRODUCT CODE	MANUFACTURER CODE	PRODUCT DESCRIPTION	RETAIL PRICE EXCL VAT
CA100		27U 600 + 800 Floor standing Cabinet incl Fans and Power Black	R 8,750.00
CA100-1		18U 800mm Internal 950mm High Floor standing Cabinet Black	R 11,690.00
CA101		41U 600 + 800 Floor standing Cabinet incl Fans and Power	R 11,990.00
CA102		4U 300 + 200mm Collar Swing Frame Wall Box incl Fans and Power - GREY	R 3,240.00
CA102-1		4U 300 + 200mm Collar Swing Frame Wall Box incl Fans and Power Black	R 3,240.00
CA102-2		4U 500mm Solid Wall Box incl Fans and Power	R 2,443.00
CA102-3		4U 400mm Solid Wall Box Black	R 1,545.00
CA103		9U Swingframe Wallbox - 600mm Deep Incl Fan and 5-Way 3m Power Lead	R 3,974.00
CA104		12U Swingframe Wallbox - 600mm Deep Incl Fan and 5-Way 3m Power Lead	R 4,220.00
CA104-1		12U 400+200mm Collar Swing Frame Wall Box incl Fans & Power Special Bd	R 4,498.00
CA105		1U Blanking Panel	R 67.00
CA106		2U Blanking Panel	R 134.00
CA107		4U Blanking Panel	R 267.00
CA108		1 U Brush Panel	R 147.00
CA109		Front Mount Tray 450mm - Shelf to fit Wall Box or Cabinet	R 367.00
CA110		450mm Flat mount Tray	R 425.00
CA111		6U Swingframe Wallbox - 600mm Deep Incl Fan and 5-Way 3m Power Lead	R 3,720.00
CA111-1		6U 400+200mm Collar Swing Frame Wall Box Excl Fans and Power - Black	R 3,234.00
CA112		Cabinet Nuts and Bolts / 50	R 134.00

CONTACT US



JOHANNESBURG



 9 Electron Street, Linbro Park, Sandton, Johannesburg, 2090
 +27 87 802 2288
 jhbsales@reditron.co.za

CAPE TOWN



 Unit 2, 7 Gold Street, Northgate Estate Maitland Cape Town, 7442
 +27 21 551 5841
 cpt@reditron.co.za

NELSPRUIT



 Unit 4b, Waterfall Park, 17 Rapid Street Riverside Industrial, 1223
 +27 87 150 5517/8
 nelspruit@reditron.co.za

DURBAN



 35 Intersite Avenue, Block D2, Umgeni Business Park
 +27 31 263 1515
 dbn@reditron.co.za

Codes : Product Codes - Reditron's Code to be used when Quoting or ordering product where applicable.
Abbreviation: - EOL - End of Life - SQ - Subject to Quotation

*All prices are Retail excl. VAT. This pricelist replaces all prior pricelists and specials. E & OE. These prices are subject to fluctuations. As such, prices will only be deemed as fixed once a written quotation is generated. Quotations are valid for a period of 2 days and all quotations provided prior to this release will be upheld within the 2 day period. Product prices are subject to availability of stock. The ARTECO, AVIGILON & FLIR pricing is fixed to the RDR (Rand (R) Dollar (\$) Exchange Rate) . or the RER (Rand (R) Euro(€) Exchange Rate. Thermal camera pricing only valid with project registration.



RETAIL PRICELIST | 087 802 2288 | www.reditron.co.za

Due to continuous improvements of these products, certain specifications may be altered without notice.