



## NW274-1 HDMI 4K 1x2 SPLITTER

The NW274-1 HDMI Splitter is the perfect solution for anyone who needs to share a single high-definition video source with **two displays simultaneously**. It supports all HDMI-enabled equipment, such as NVRs, DVRs, Blu-Ray players and satellite set-top boxes.


### Front View



## Features

- Support HDMI resolution up to 3840x2160/30Hz
- Supports Full 3D
- Supports HDMI 1.4b
- Supports a maximum baud rate of 3.4G and a maximum bandwidth of 340Mhz
- Supports deep colour 8/10/12bit
- Maximum input and output HDMI cable length: 8 meters (AWG26)
- 5V/1A power adapter

## Application



Use with the following compatible cables:

CB92-1-4K (0.5m)

CB92-2-4K (2m)

CB92-5-4K (5m)

**N.B. Please use with the supplied 5VDC 1A Power supply**

## Technical Specifications

NW274-1	
HDMI Version	HDMI 1.4b
HDMI Resolution	up to 3840x2160/30Hz
Supported video format	8/10/12bit deep colour
Supported audio format	DTS-HD/Dolby-true HD/DTS/Dolby-AC3/DSD
Max bandwidth	340Mhz
Max baud rate	3.4Gbps
Max Input/ output cable distance	8m (26AWG)
HDMI Input	1
HDMI Output	2
Power Supply	Input AC (50hz,60hz)100-240V, Output: DC5V/1A
Operating Temperature range	(-15°C to +55°C)
Operating Humidity range	5 to 90%RH (No condensation)
Dimension (Lx W x H)	105x50x20(mm)
Weight	120g

## Packaging List

Item	Quantity
HDMI Splitter	1
Power Supply	1
User Manual	1