



tp-link

Reliably smart



PRODUCT
BROCHURE





NW800 Archer A5
TP-LINK Wi-Fi 5 AC1200 Dual Band Router

- Supports 802.11ac Wi-Fi 5 standard
- 2.4GHz 300 Mbps and 5GHz 867 Mbps connections - 1200Mbps Total
- 4 external antennas - Stable and optimal connection and coverage
- Easy network management at your fingertips with TP-Link Tether
- Supports IGMP Proxy/Snooping Bridge/ Tag VLAN optimize IPTV streams
- Supports Access Point mode to create a new Wi-Fi access point



NW800-1 Archer AX1500
TP-Link Wi-Fi 6 AX1500 Dual Band Router

- Archer AX1500 brings the latest Wi-Fi 6 technology to your home
- Experience speeds up to 1.5Gbps with Wi-Fi 6 - 4K streaming and gaming
- OFDMA organises the flow of data to multiple devices reducing lag
- Beamforming technology and 4 antennas focuses signal strength
- Target Wake Time (TWT) talks to your devices extending battery life
- Set up and manage your Wi-Fi through the TP-Link Tether App
- Ideal for 3 Bedroom Houses



NW800-2 Archer AX55
TP-Link Wi-Fi 6 AX3000 Dual Band Router


- Archer AX3000 brings the latest Wi-Fi 6 technology to your home
- Experience speeds up to 3Gbps with Wi-Fi 6 - 4K streaming and gaming
- OFDMA organises the flow of data to multiple devices reducing lag
- Beamforming technology and 4 antennas focuses signal strength
- Target Wake Time (TWT) talks to your devices extending battery
- Set up and manage your Wi-Fi through the TP-Link Tether App
- Ideal for 3 Bedroom Houses



NW800-3 Archer BE230
TP-Link Wi-Fi 7 BE3600 Dual Band Router

- Powered by Wi-Fi 7 technology Archer BE230 delivers up to 3.6Gbps
- Enjoy fluent 4K/8K streaming immersive AR/VR gaming and fast downloads
- 1 x 2.5 Gbps WAN port and 1 2.5 Gbps LAN port
- USB 3.0 Ports easily share files from an external drive
- 4 high-performance antennas boost WiFi signals
- Beamforming technology detects devices and concentrates signals
- Network management has never been easier with the Tether app

Connect More Devices Simultaneously





NW800-8 TL-MR100

TP-Link 300Mbps Wireless N 4G LTE Router

- Share internet access with up to 32 Wi-Fi devices
- Enjoy download speeds of up to 150 Mbps
- Plug a SIM card and play - No configurations needed
- Two detachable advanced LTE antennas - stable and efficient
- Wi-Fi router mode Plug an Ethernet cable into the LAN/WAN port



NW800-9 Archer MR500

TP-Link 4G+ Cat6 AC1200 Wireless Dual Band Gigabit Router

- Supports 4G+ Cat6 to boost the data speeds of up to 300 Mbps
- Plug a SIM card and play - No configurations needed
- Supports TP-Link OneMesh - create flexible mesh networks
- Supports Wi-Fi 5 up to 1200Mbps over the air
- Ideal for HD video streaming and lag-free online gaming.
- Connect up to 64 Wi-Fi Devices
- MU-MIMO means connection to multiple devices

Advanced Software Functions Help You Enhance Your Network Safety and Effectiveness



Robust Parental Controls

If you want to block harmful websites, set surfing time limits, check which sites your kids are using or just pause the internet, you can do it all.




Guest Network

It provides separate Wi-Fi access for guests while securing the whole network.

TP-Link Tether APP

TP-Link Tether provides the easiest way to remotely access and manage Routers, xDSL Routers, or Range Extenders through your iOS or Android devices. From setup to Parental Controls, Tether provides a simple and intuitive user interface to check the status of your networking devices and configure more personal settings for your network.



TP-Link AC1200 Whole Home Mesh Wi-Fi Router

- Uses a system of units to achieve seamless whole-home Wi-Fi coverage
- Deco Mesh Technology units work together to form a unified network
- Provides fast and stable connections with speeds of up to 1167Mbps
- Provides lag-free connections for up to 100 devices
- Parental Controls limits online time and blocks inappropriate websites
- Setup is easier than ever with the Deco app



NW802 Deco M4 (1-pack)

TP-Link AC1200 Whole Home Mesh Wi-Fi Router (1-pack)

- Provides fast and stable Wi-Fi up to 185 square metres



NW802-2 Deco M4 (2-pack)

TP-Link AC1200 Whole Home Mesh Wi-Fi Router (2-pack)

- Provides fast and stable Wi-Fi up to 260 square metres



NW802-3 Deco M4 (3-pack)

TP-Link AC1200 Whole Home Mesh Wi-Fi Router (3-pack)

- Provides fast and stable Wi-Fi up to 370 square metres

TP-Link AX3000 Whole Home Mesh Wi-Fi 6 Unit

- AX3000 Dual Band Wi-Fi - Super-fast Wi-Fi 6 with speeds up to 3.0 Gbps
- 4 Streams Less Lag - 2.2/HE160 2402 Mbps + 2.2/574 Mbps
- Gigabit Wired Speed - 3 Gbps ports provide sufficient connectivity
- AI-Driven Mesh - Intelligently learns the network environment
- TP-Link HomeShield - Provides comprehensive network protection
- The Deco app walks you through the setup step-by-step



NW803 Deco X55 (1-pack)

TP-Link AX3000 Whole Home Mesh Wi-Fi 6 Unit (1-pack)

- Seamless mesh Wi-Fi coverage up to 230 square metres



NW803-2 Deco X55 (2-pack)

TP-Link AX3000 Whole Home Mesh Wi-Fi 6 Unit (2-pack)

- Seamless mesh Wi-Fi coverage up to 410 square metres



NW803-3 Deco X55 (3-pack)

TP-Link AX3000 Whole Home Mesh Wi-Fi 6 Unit (3-pack)

- Seamless mesh Wi-Fi coverage up to 600 square metres

Ultra-Fast Wi-Fi 6 Mesh Whole-Home Coverage: Wi-Fi Dead Zone Killer

WiFi 6
AX3000



Seamless Coverage up to
4,500ft²
3-4 Bedroom Houses

Connects Over
150 Devices

AI-Driven
Mesh

HE160

Real-Time Cyber
Security Protection



TP-Link BE3600 Whole Home Mesh Wi-Fi 7 Router (1-pack)

- 3.6 Gbps Dual-Band Wi-Fi 2882 Mbps (5 GHz) + 688 Mbps (2.4 GHz)
- 2.5 Gbps Wired Connections 2 2.5 Gbps ports max flexibility
- Connects a wireless and wired backhaul with each unit simultaneously
- Multi-Link Operation (MLO) Simultaneously send and receive data
- Forms a unified network with built-in AI-Roaming up to 150 devices
- TP-Link HomeShield Provides comprehensive network protection
- Deco App - setup and manage your network anytime and anywhere



NW804 Deco BE25 (1-pack)

TP-Link BE3600 Whole Home Mesh Wi-Fi 7 Router (1-pack)

- Seamless mesh Wi-Fi coverage up to 241 square metres



NW804-2 Deco M4 (2-pack)

TP-Link BE3600 Whole Home Mesh Wi-Fi 7 Router (2-pack)

- Seamless mesh Wi-Fi coverage up to 427 square metres



NW804-3 Deco M4 (3-pack)

TP-Link BE3600 Whole Home Mesh Wi-Fi 7 Router (3-pack)

- Seamless mesh Wi-Fi coverage up to 613 square metres

Versatile Mounting Solutions



Pole mount



Wall mount



Tabletop

IP65 Weatherproof Enclosure for Outdoor Environments



Lightning Protection and ESD Protection



No Ingress of Dust



Waterproof Enclosure



Withstand Temperature Range of -30°C~60°C (-22°F~140°F)



NW805 Deco BE25 (1-pack)

TP-Link AX3000 Outdoor Mesh Wi-Fi 6 Unit (1-pack)

- AX3000 Dual-Band Wi-Fi 6 up to 3Gbps combined speeds (2.4 and 5GHz)
- Multiple mount options - Pole mount wall mount and tabletop
- Working outdoor - Industry-leading IP65 dust & water resistance
- Powered over Ethernet - Provide data and power over a single cable
- Full Gigabit Ethernet - 2 Gigabit WAN/LAN Ethernet ports
- Compatible with every other Deco model to form a Mesh network
- TP-Link HomeShield - Provides comprehensive network protection

NW810-3

EAP223

TP-Link AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point

- Fast Dual-Band Wi-Fi: 450Mbps (2.4GHz) and 867Mbps (5GHz)
- Integrated into Omada SDN: Zero-Touch Provisioning (ZTP)
- Centralised Management: Cloud access and Omada app
- Seamless Roaming between APs
- PoE Support: Support both standard 802.3af and Passive PoE
- Secure Guest Network: Along with multiple authentication options
- Advanced Wireless Tech: MU-MIMO Beamforming and Band Steering



300 Mbps Wireless N Ceiling Mount Access Point

- Up to 300 Mbps Wi-Fi Speeds
- Secure Guest Network
- Free Cloud Management
- Zero-Touch Provisioning (ZTP)
- Easy Management with Festa App/Web
- 1 x 10/100 Mbps Port
- 802.3af PoE
- Easy Installation



NW812

EAP110-Outdoor

TP-Link 300Mbps Wireless N Outdoor Access Point

- Built for outdoor Wi-Fi applications
- Up to 300Mbps Wi-Fi with 2x2 MIMO technology
- High transmission power and high gain antennas
- Passive PoE(Power over Ethernet) support and simple mounting design
- Free cloud centralised management and Omada app
- Secure guest network along with multiple authentication options
- Supports management vlan for an enhanced network management



NW812-6

EAP650-Outdoor

TP-Link AX3000 Indoor/Outdoor Wi-Fi 6 Access Point

- Superior Wi-Fi 6 Speeds: Delivers dual band speeds of up to 3Gbps
- Enjoy faster speeds on more devices less lag with OFDMA and MU-MIMO
- 160 MHz Bandwidth Channel: Double the data at peak transmission times
- Long-Range Coverage: Dedicated high-power amplifier and antennas
- Omada Mesh Technology: Enable wireless connection between access point
- PoE Powered: : Supports both 802.3at PoE+ and Passive PoE
- Centralised Cloud Management: Omada SDN manages the whole network



NW812-4

EAP225-Outdoor

TP-Link AC1200 Wireless MU-MIMO Gigabit Indoor/Outdoor Access Point

- Ideal for Outdoor Environment: IP65 weatherproof enclosure
- Fast Dual-Band Wi-Fi: 300Mbps (2.4GHz) 867Mbps (5GHz)
- Long-Range Coverage: Dedicated high-power amplifier and antennas
- Integrated into Omada SDN: Zero-Touch Provisioning (ZTP)
- Centralised Management: Cloud access and Omada app
- Omada Mesh Technology: Enables wireless connectivity between APs
- PoE Support: Support both standard 802.3af/at and Passive PoE



NW813-4

EAP215-Bridge KIT

TP-Link Omada 5GHz 867Mbps Long-Range Indoor/Outdoor Wireless Bridge

- 802.11ac for up to 867 Mbps on the 5 GHz wireless data rate
- Ideal for long-range wireless transmission up to 5km
- Auto-pairing and agile LEDs for efficient deployment
- 3 Gigabit Ethernet ports for high-speed IP camera connections
- Supports Omada SDN for remote and centralised management
- IP65 weatherproof enclosure and 6kV lightning protection
- Supports Passive PoE for flexible deployment (adapter included)



NW801

RE315

TP-Link AC1200 Wi-Fi Range Extender

- HomePlug AV standard up to 600Mbps wired high speed data transmission
- Use your home's existing electrical wiring for lag-free HD streaming
- Extend 300Mbps wireless connections to previously hard-to-reach areas
- One Touch Super Range Extension - Wi-Fi Clone Button simplifies setup
- Plug & Play with no configuration required



NW830

UH9120

TP-Link USB Type-C 9 in 1 Hub (HDMI RJ45 SD Card 100W PS USB A&C)

- 9 in 1 USB-C Hub: UH9120C turns a single USB-C port into 9 ports
- Ultra High-Definition Media Display: 4K@60Hz HDMI Port
- Stable Gigabit Ethernet connection
- SD & microSD UHS-I: Easily transfer data up to 104MB/s
- Powerful 100W Fast Charging
- 5 Gbps SuperSpeed Data Transfer: UH9120C adds multiple USB 3.0 ports
- Easy to Use with Plug & Play: Simply plug in and start using in seconds

AC1200 Dual Band Speeds

Boost Whole Home WiFi

Contact Us:

Website: www.reditron.co.za
Phone: 087 802 2288
Email: sales@reditron.co.za
WhatsApp: Send "Hi" to 069 300 8642

Our Branches

Johannesburg (Head Office)
 9 Electron Rd, Frankenwald, Sandton, 2090

Cape Town
 7 Gold St, Brooklyn, Cape Town, 7405

Durban
 56 Intersite Ave, Umgeni Business Park, Durban

Nelspruit
 Waterfall Park, Rapid St, Riverside Industrial Park, Mbombela, 1200

Chat to us via WhatsApp

